



Vehicle Information

Date: September 19, 2018
Vehicle: 2017 Volvo XC60 Utility 4D T6 Inscription AWD 2.0L I4 Turbo
VIN: YV449MRUXH2222594
Weight: 4,175

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$46,350	\$2,545	\$995	\$49,890
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
HEATED FRONT SEATS Code: 11-0	\$470.00	\$500.00
PREFERRED OPTION PACKAGE -inc: Electric Folding Rear Headrests, HomeLink Integrated Garage Door Opener, Active Dual Xenon Headlights, Headlight Washers, Front Park Assist, 12V Power Outlet in Cargo Area Code: MC2CH	\$1363.00	\$1450.00
ENGINE: 2.0L 16V I4 SUPERCHARGED TURBO DRIVE-E (STD) Code: -STDEN-A	\$0.00	\$0.00
MONOTONE PAINT Code: -PAINT	\$0.00	\$0.00
MUSSEL BLUE METALLIC Code: 721-R	\$559.00	\$595.00
OFF-BLACK, LEATHER SEATING SURFACES Code: G701	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- 8 Speakers
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: High Performance AM/FM/CD -inc: Sensus Connect w/integrated 7" color display, Bluetooth integrated interface including audio streaming, Sirius satellite radio w/6-month subscription, HD Radio, auxiliary audio input, USB and iPod function and audio buttons in steering wheel
- Real-Time Traffic Display
- Regular Amplifier
- Window Grid Diversity Antenna

EXTERIOR



Licensed to J.D. Power

- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent
- Chrome Bodyside Insert, Body-Colored Bodyside Cladding and Rocker Panel Extensions
- Chrome Grille
- Chrome Side Windows Trim
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Laminated Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brakelights
- Lip Spoiler
- Monotone Paint
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rain Detecting Variable Intermittent Wipers
- Rear Fog Lamps
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/45R20 AS BSW
- Wheels: 20" Titania Diamond Cut Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 40-20-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Anti-Whiplash Fixed Front Head Restraints and Manual Adjustable Rear Head Restraints
- Bucket Front Seats w/Leatherette Back Material
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Comfort Seats -inc: power lumbar, power driver seat w/memory and power passenger seat
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Aluminum/Genuine Wood Instrument Panel Insert, Aluminum/Genuine Wood Door Panel Insert, Aluminum/Genuine Wood Console Insert and Aluminum Interior Accents
- Leather Seating Surfaces
- Leather/Aluminum Gear Shift Knob
- Leather/Aluminum Steering Wheel
- Leatherette Door Trim Insert
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Door Mirrors
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Cargo Access and Power Fuel
- Sensus Navigation with Mapcare
- Smart Device Integration
- Systems Monitor



- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

- 18.5 Gal. Fuel Tank
- 180 Amp Alternator
- 3.75 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Electric Parking Brake
- 70-Amp/Hr 600CCA Maintenance-Free Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Engine: 2.0L 16V I4 Supercharged Turbo Drive-E
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: TBD
- Hydraulic Power-Assist Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Polished Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing w/Trailer Sway Control
- Transmission w/Oil Cooler
- Transmission: 8-Speed Geartronic Automatic -inc: Start/Stop and Adaptive Shift

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blis w/Lane Change Merge Aid Blind Spot Sensor
- City Safety Forward Collision and Cross Traffic Alert Rear Collision
- Curtain 1st And 2nd Row Airbags
- Dstc/RSC Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Parking Sensors
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- Volvo On-Call Emergency Svs

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****

Side Barrier Rating: *****

Combined Side Barrier and Pole Ratings:

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 17.6%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.



RECALL

US NHTSA CAMPAIGN ID:
16V798000

Mfg's Report Date:
NOV 01, 2016

Component:
SEAT BELTS:FRONT:BUCKLE ASSEMBLY

Potential Number Of Units Affected:
74027

Summary:

Volvo Car USA LLC (Volvo) is recalling certain model year 2016-2017 XC90, S90, XC60, V60 Cross Country, V60, S60 Cross Country, S60, and S60 Inscription vehicles manufactured February 16, 2015, to August 22, 2016. On the affected vehicles, the front passenger seat belt buckle attaching stud may loosen, allowing the buckle to separate from the seat belt bracket. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 210, "Seat Belt Assembly Anchorages" and number 209, "Seat Belt Assemblies."

Consequence:

If the seat belt buckle separates from the bracket, the front seat passenger may not be adequately restrained in the event of a crash, increasing their risk of injury in the event of a crash.

Remedy:

Volvo will notify owners, and dealers will inspect the front passenger seat belt buckle stud, replacing the seat belt buckle as needed, free of charge. The recall began January 2017. Owners may contact Volvo customer service at 1-800-458-1552. Volvo's number for this recall is R89708.

Dates of Manufacture:
FEB 15, 2015 to AUG 21, 2016

Manufacturer Recall Number:
R89708
US NHTSA CAMPAIGN ID:
16V918000

Mfg's Report Date:
DEC 20, 2016

Component:
AIR BAGS

Potential Number Of Units Affected:
376

Summary:

Volvo Car USA LLC (Volvo) is recalling certain model year 2017 S60 and S60 Cross Country, V60 and V60 Cross Country, and XC60 vehicles manufactured August 16, 2016, through October 21, 2016. The affected vehicles have driver and front passenger seat side mounted side air bags (SAB) with inflator initiators that may fail to ignite during a crash. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 208, "Occupant Crash Protection" and number 214, "Side Impact Protection."

Consequence:

If the air bag inflator initiator fails to ignite, the air bag will not deploy, increasing the risk of injury.

Remedy:

Volvo will notify owners, and dealers will inspect and, if necessary, replace the front seat side air bags, free of charge. The recall is expected to begin on February 13, 2017. Owners may contact Volvo customer service at 1-800-458-1552. Volvo's number for this recall is R89712.

Dates of Manufacture:
AUG 15, 2016 to OCT 20, 2016

Manufacturer Recall Number:
R89712
US NHTSA CAMPAIGN ID:
17V127000

Mfg's Report Date:
FEB 28, 2017

Component:
AIR BAGS

Potential Number Of Units Affected:
112

Summary:

Volvo Car USA LLC (Volvo) is recalling certain 2017 S60, S60CC, V60, V60 Cross Country, and XC60 vehicles. The affected vehicles have driver and front passenger seat side mounted side air bags (SAB) with inflator initiators that may fail to ignite during a crash. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 208, "Occupant Crash Protection" and number 214, "Side Impact Protection."

Consequence:



If the air bag inflator initiator fails to ignite, the air bag will not deploy, increasing the risk of injury.

Remedy:
Volvo will notify owners, and dealers will inspect and, if necessary, replace the front seat side air bags, free of charge. The recall began March 31, 2017. Owners may contact Volvo customer service at 1-800-458-1552. Volvo's number for this recall is R89712. Note: This recall is an expansion of recall 16V-918.

Dates of Manufacture:
AUG 15, 2016 to NOV 23, 2016

Manufacturer Recall Number:
R89712

WARRANTY

Basic:
4 Years/50,000 Miles

Drivetrain:
4 Years/50,000 Miles

Corrosion:
12 Years/Unlimited Miles

Roadside Assistance:
4 Years/Unlimited Miles

Maintenance:
3 Years/36,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 70.4in
- Cargo Area Length @ Floor to Seat 2 38.3in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 45.9in
- Cargo Box (Area) Height 31.6in
- Cargo Box Width @ Wheelhousings 44.5in
- Cargo Volume to Seat 1 67.4ft³
- Cargo Volume to Seat 2 30.8ft³
- Cargo Volume to Seat 3 30.8ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 600
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 8.0 (Est)

Engine

- Displacement 2.0 L/120
- Engine Order Code



- Engine Type Turbo/Supercharger Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 302 @ 5700
- SAE Net Torque @ RPM 295 @ 2100

Exterior Dimensions

- Height, Overall 67.4in
- Length, Overall 182.8in
- Lifterover Height 29.4in
- Min Ground Clearance 9.1in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.3in
- Track Width, Rear 62.4in
- Wheelbase 109.2in
- Width, Max w/o mirrors 74.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.5gal

Interior Dimensions

- Front Head Room 38in
- Front Hip Room 54.2in
- Front Leg Room 41.2in
- Front Shoulder Room 56.7in
- Passenger Capacity 5
- Passenger Volume 98.6ft³
- Second Head Room 38.1in
- Second Hip Room 53.8in
- Second Leg Room 36.4in
- Second Shoulder Room 55.2in

Mileage

- Cruising Range - City 351.50mi
- Cruising Range - Hwy 499.50mi
- EPA Fuel Economy Est - City 19 (Est)MPG
- EPA Fuel Economy Est - Hwy 27 (Est)MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22 (Est)MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.4ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P255/45VR20
- Rear Tire Order Code
- Rear Tire Size P255/45VR20
- Spare Tire Order Code
- Spare Tire Size Compact



Trailer

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailering Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 3.75
- First Gear Ratio (:1) 5.25
- Fourth Gear Ratio (:1) 1.46
- Reverse Ratio (:1) 4.01
- Second Gear Ratio (:1) 3.03
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4175lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin