

csievers@poquetauto.com

Vehicle Information

Date: October 2, 2018

Vehicle: 2013 Acura TSX Sedan 4D 2.4L I4 Auto

VIN: JH4CU2F45DC013997

Weight: 3,479

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$30,510	N/A	\$895	\$31,405
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment		la.	volee	MCDD
		Invoice		MSRP
CRYSTAL BLACK PEARL		\$0.00		\$0.00
Code: BK				
STANDARD PAINT	\$0.00		\$0.00	
Code: -PAINT				
EBONY, LEATHER SEAT TRIM	\$0.00		\$0.00	
Code: EN				

Standard Equipment

ENTERTAINMENT

- 360-watt AM/FM stereo w/in-dash CD/MP3/WMA player -inc: (7) speakers, subwoofer, radio data system, aux input jack, USB port, speed-sensitive volume
- HandsFreeLink Bluetooth wireless telephone interface -inc: Bluetooth audio feature
- XM satellite radio *Available in 48 contiguous United States, free for the first 90 days*

EXTERIOR

- 17" x 7.5" alloy wheels
- Dual heated pwr mirrors inc: integrated turn signals, passenger-side tilt-in-reverse
- Fog lights
- P225/50VR17 all-season tires
- Pwr moonroof w/tilt feature-inc: auto open/close, auto reverse anti-pinch, ignition off operation, sunshade
- Speed-sensitive variable intermittent windshield wipers
- Xenon high intensity discharge (HID) headlights w/auto on/off

INTERIOR

- (2) 12V pwr outlets
- 60/40 split-folding rear seat-inc: center armrest
- Adjustable front/rear headrests
- Ambient cabin lighting
- Auto-dimming rearview mirror
- Carpeted floor mats
- Driver & front passenger visors w/illuminated vanity mirrors
- Dual-zone automatic climate control inc: rear A/C vents



- Electronic engine immobilizer
- Front center console w/adjustable armrest inc: storage compartment w/12V pwr outlet, climate control
- Heated perforated leather front sport bucket seats inc: 8-way pwr driver/4-way pwr front passenger, driver adjustable lumbar, remote linked 2-position driver memory, contrast-color stitching
- HomeLink remote control system
- Leather-wrapped tilt/telescopic steering wheel -inc: cruise/audio/Bluetooth/MID controls
- Maintenance minder
- Micron air-filtration system
- . Multi-info display inc: odometer, (2) trip meters, trip duration, trip computer
- Overhead map lights
- Overhead sunglass holder
- · Pwr door locks
- Pwr windows -inc: auto reverse, front auto up/down, key-off operation
- Rear window defroster w/timer
- Remote keyless entry -inc: window & moonroof down function, panic, folding key, trunk release
- Security system

MECHANICAL

- 2.4L DOHC 16-valve i-VTEC I4 engine
- 5-speed sequential SportShift automatic transmission-inc: grade logic control, shift hold control, paddle shifters
- · Drive by wire throttle system
- Front wheel drive
- Front/rear stabilizer bars
- Independent double wishbone front suspension
- Independent multi-link rear suspension
- Variable electronic pwr rack & pinion steering
- Ventilated front/solid rear disc brakes

SAFETY

- 3-point front/rear seat belts w/front load limiters & pretensioners
- 4-wheel anti-lock braking system (ABS) w/brake assist
- · Active front head restraints
- Advanced compatibility engineering body structure
- Daytime running lights
- Driver & front passenger dual stage multiple-threshold front air bags
- Driver & front passenger side airbags w/passenger position sensors
- Electronic brake distribution
- Emergency trunk release
- Front/rear side curtain airbags
- Lower anchors & tethers for children (LATCH)
- Rear child safety door locks
- Side-impact door beams
- Tire pressure monitoring system w/location & pressure indicators
- Vehicle stability assist (VSA) w/traction control

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.8 x 1.1in
- Rear Brake Rotor Diam x Thickness 11.1 x 0.35in
- Rear Drum Diam x Width in

Cargo Area Dimensions

Trunk Volume 14.0ft³

Cooling System

• Total Cooling System Capacity 8.7qts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 105



Emissions

- EPA Greenhouse Gas Score 7 (2012)
- Tons/yr of CO2 Emissions @ 15K mi/year 7.1

Engine

- Displacement 2.4L/144
- Engine Order Code
- Engine Type Gas I4
- Fuel System Electronic Fuel Injection
- SAE Net Horsepower @ RPM 201 @ 7000
- SAE Net Torque @ RPM 170 @ 4300

Exterior Dimensions

- Height, Overall 56.7in
- Length, Overall 185.6in
- Liftover Height N/Ain
- Min Ground Clearance 5.9in
- Track Width, Front 62.2in
- Track Width, Rear 62.2in
- Wheelbase 106.4in
- Width, Max w/o mirrors 72.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.5gal

Interior Dimensions

- Front Head Room 37.6in
- Front Hip Room 55.6in
- Front Leg Room 42.4in
- Front Shoulder Room 57.8in
- Passenger Capacity 5
- Passenger Volume 94.5ft³
- Second Head Room 37.0in
- Second Hip Room 54.2in
- Second Leg Room 34.3in
- Second Shoulder Room 56.1in

Mileage

- Battery Range N/Ami
- Cruising Range City 407.00mi
- Cruising Range Hwy 573.50mi
- EPA Fuel Economy Est City 22MPG
- EPA Fuel Economy Est Hwy 31MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 26MPG

Steering

- Lock to Lock Turns (Steering) 2.6
- Steering Ratio (:1), Overall 13.4
- Steering Type Electric Rack & Pinion
- Turning Diameter Curb to Curb 36.7ft
- Turning Diameter Wall to Wall ft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front 1.04in
- Stabilizer Bar Diameter Rear 0.67in
- Suspension Type Front (Cont.) w/Coil Springs
- Suspension Type Front Double-Wishbone
- Suspension Type Rear (Cont.) w/Coil Springs
- Suspension Type Rear Multi-Link



Tires

- Front Tire Order Code
- Front Tire Size P225/50VR17
- Rear Tire Order Code
- Rear Tire Size P225/50VR17
- Spare Tire Order Code
- Spare Tire Size

Trailering

- Dead Weight Hitch Max Tongue Wt. lbs
- Dead Weight Hitch Max Trailer Wt. lbs
- Wt Distributing Hitch Max Tongue Wt. lbs
- Wt Distributing Hitch Max Trailer Wt. lbs

Transmission

- Clutch Size in
- Drivetrain Front-Wheel Drive
- Fifth Gear Ratio (:1) 0.566
- Final Drive Axle Ratio (:1) 4.438
- First Gear Ratio (:1) 2.652
- Fourth Gear Ratio (:1) 0.773
- Reverse Ratio (:1) 2.000
- Second Gear Ratio (:1) 1.614
- Third Gear Ratio (:1) 1.082
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/Manual Shift
- Trans Order Code
- Trans Type 5

Vehicle

• EPA Classification Compact

Weight Information

• Base Curb Weight 3470lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 x 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 x 7.5in
- Spare Wheel Material
- Spare Wheel Size in