

Vehicle Information

Date: Vehicle: 20 VIN: Weight:	September 21, 2018 2018 Kia Forte Sedan 4D LX Popular 2.0L I4 3KPFL4A79JE198798 2,855			
New Cars/Trucks Value	es			
Powered by Chrome Data Base MSRP NADA New Vehicle Values	Base \$17,900	Options \$1,000	Destination \$895	Adjusted Value \$19,795
Low	\$15,442	\$863	\$895	\$17,200
Average High	\$16,706 \$17,924	\$933 \$1,001	\$895 \$895	\$18,534 \$19,820
sliding on center console), Cru Illuminated Ignition & Glovebox eServices Infotainment AM/FM Auto smartphone integration, L camera, 6 speakers including recognition, and steering-whee	2v outlet and drive mode select, Front Slid ise Control, steering wheel mounted contro , Front Passenger Seat Back Map Pocke /MP3, SiriusXM satellite radio, Apple Car JSB/auxiliary input jacks, 7" touch-screen of weeter speakers, Bluetooth wireless tech I-mounted audio controls, Dual Illuminated Rear Center Armrest w/Cupholders, Auto-	ols, Sunglass Holder, t, Radio: UVO rPlay and Android display, rearview nology w/voice d Visor Vanity	Invoice \$922.00	MSRP \$1000.00
RADIO: UVO ESERVICES IN -inc: SiriusXM satellite radio, A USB/auxiliary input jacks, 7" to	pple CarPlay and Android Auto smartpho uch-screen display, rearview camera, 6 sp reless technology w/voice recognition, an	peakers including	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT SILKY SILVER			\$0.00 \$0.00	\$0.00 \$0.00
Code: 4SS BLACK, PREMIUM CLOTH SEAT TRIM			\$0.00	\$0.00

Code: WK-2

Standard Equipment

ENTERTAINMENT

Radio w/Seek-Scan, Clock and Speed Compensated Volume Control

• Radio: AM/FM/CD/MP3 Audio System inc: SiriusXM satellite radio, USB/auxiliary input jacks, 4 speakers, Bluetooth wireless technology and steering wheel mounted audio controls

Streaming Audio

Window Grid Antenna

EXTERIOR

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates @2018 J.D.Power and Associates



- Auto Off Projector Beam Halogen Headlamps w/Delay-Off
- Black Grille w/Chrome Surround
- Black Side Windows Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding
 Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Clearcoat Paint
- Fixed Rear Window w/Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Galvanized Steel Panels
- Light Tinted Glass
- Spare Tire Mobility Kit
- Tires: P195/65R15
- Trunk Rear Cargo Access
- Variable Intermittent Wipers
- Wheels: 15" x 6.0" Steel w/Full Wheel Covers

INTERIOR

• 1 12V DC Power Outlet

- 4-Way Passenger Seat inc: Manual Recline and Fore/Aft Movement
- 6040 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cloth Seat Trim
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- · Front Bucket Seats inc: 6-way adjustable driver's seat
- Front Center Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 1 12V DC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts
- Interior Trim -inc: Chrome Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Remote Keyless Entry w/Illuminated Entry and Panic Button
- Remote Releases Inc: Mechanical Cargo Access and Mechanical Fuel
- Seats w/Cloth Back Material
- Trip Computer
- Urethane Gear Shift Knob
- Vinyl Door Trim Insert

MECHANICAL

- 13.2 Gal. Fuel Tank
- 3.065 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 60-Amp/Hr 600CCA Maintenance-Free Battery w/Run Down Protection
- 90 Amp Alternator
- Electric Power-Assist Steering
- Engine: 2.0L I4 DOHC D-CVVT MPI
- Front Anti-Roll Bar
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs





- Torsion Beam Rear Suspension w/Coil Springs
- Transmission: 6-Speed Automatic inc: Sportmatic shifting, trunk lid trim and cruise control w/steering wheel mounted controls, 3.065 Axle Ratio

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
 Low Tire Pressure Warning
- Low Tire Pressure Warning
 Outboard Event Len And Shoulder Seferty Politic
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: * * * * *

Overall Frontal Barrier Crash Rating: * * * *

Overall Side Crash Rating: * * * * *

Side Barrier Rating: * * * * *

Combined Side Barrier and Pole Ratings: Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: **** Dynamic Test Result: No Tip Risk of Rollover: 10.30%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

REBATE

One of the following incentives may apply to this vehicle. Regional incentives may vary.

Cash Incentive: \$2250 or financing

Financing Incentive: 0.0% to 0.9%

Expiration Date: 10/31/2018

Resource: kia.com 09/13/2018

WARRANTY

Basic: 5 Years/60,000 Miles

Drivetrain: 10 Years/100,000 Miles

Corrosion: 5 Years/100,000 Miles

Roadside Assistance: 5 Years/60,000 Miles

Technical Specifications

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates ©2018 J.D.Power and Associates



Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc .
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes •
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11in
- Rear Brake Rotor Diam x Thickness 10.3in .
- Rear Drum Diam x Width in

Cargo Area Dimensions

• Trunk Volume 14.9ftÅ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0° F (Primary) 600
- Maximum Alternator Capacity (amps) 90

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 5.5

Engine

- Displacement 2.0 L/122
- Engine Order Code .
- Engine Type Regular Unleaded I-4 •
- Fuel System MPI
- SAE Net Horsepower @ RPM 147 @ 6200 ٠
- SAE Net Torque @ RPM 132 @ 4500 ٠

Exterior Dimensions

- Height, Overall 56.3in
- Length, Overall 179.5in
- Liftover Height N/Ain ٠
- Min Ground Clearance 5.3in .
- Track Width, Front 61.5in .
- Track Width, Rear 62in ٠
- Wheelbase 106.3in •
- Width, Max w/o mirrors 70.1in .

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 13.2gal

Interior Dimensions

- Front Head Room 39.1in
- Front Hip Room 53.8in
- Front Leg Room 42.2in
- Front Shoulder Room 56.1in ٠
- Passenger Capacity 5
- Passenger Volume 96.2ftÂ³ Second Head Room 37.3in •
- Second Hip Room 53.1in •
- Second Leg Room 35.9in
- Second Shoulder Room 54.9in

Mileage

- Battery Range N/Ami
- Cruising Range City 382.80mi



- Cruising Range Hwy 488.40mi
- EPA Fuel Economy Est City 29MPG •
- EPA Fuel Economy Est Hwy 37MPG •
- EPA MPG Equivalent City N/A •
- EPA MPG Equivalent Combined N/A ٠
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 32MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- **Steering Type Rack-Pinion** .
- ٠ Turning Diameter - Curb to Curb 34.8ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm .
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain ٠
- Suspension Type Front (Cont.) Strut ٠
- Suspension Type Front Strut ٠
- Suspension Type Rear (Cont.) Torsion Beam
- Suspension Type Rear Torsion Beam •

Tires

- Front Tire Order Code
- Front Tire Size P195/65HR15
- **Rear Tire Order Code**
- Rear Tire Size P195/65HR15
- Spare Tire Order Code
- Spare Tire Size

Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs
- Wt Distributing Hitch Max Tongue Wt. N/Albs •
- Wt Distributing Hitch Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- **Drivetrain Front Wheel Drive** ٠
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.06 •
- First Gear Ratio (:1) 4.40
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.44
- Second Gear Ratio (:1) 2.73 ٠ •
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.83 ٠
- Trans Description Cont. Again .
- Trans Description Cont. Automatic w/OD ٠ •
- Trans Order Code
- Trans Type 6

Vehicle

• EPA Classification Mid-Size Cars

Weight Information

• Base Curb Weight N/Albs

Wheels

- Front Wheel Material Steel
- Front Wheel Size 15 X 6in
- Rear Wheel Material Steel
- Rear Wheel Size 15 X 6in



NADA New Cars/Trucks



- Spare Wheel Material
- Spare Wheel Size in