



Vehicle Information

Date: September 21, 2018
Vehicle: 2017 Mazda CX9 Utility 4D GT AWD 2.5L I4 Turbo
VIN: JM3TCBDY7H0139433
Weight: 4,327

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$42,270	N/A	\$940	\$43,210
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
DEEP CRYSTAL BLUE MICA Code: 42M	\$0.00	\$0.00
BLACK, LEATHER TRIMMED SEATS -inc: 1st and 2nd row outboard seating positions Code: TC1	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Aha Internet Radio
- Bluetooth Wireless Phone Connectivity
- Fixed Antenna
- Infotainment System Voice Command
- Pandora Internet Radio
- Radio Broadcast Data System Program Information
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: AM/FM Sound System w/Bose Audio -inc: 12 speakers, Centerpoint 2.0 Surround technology, Audiopilot 2 noise compensation, Surroundstage signal processing, 8.0" color multi information touch-screen display, auxiliary audio input jack, 4 USB inputs, HD Radio and Bluetooth audio profile
- SIRIUSXM Satellite Radio -inc: 4-month subscription
- Stitcher Internet Radio

EXTERIOR

- Black Rear Bumper w/Chrome Rub Strip/Fascia Accent
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Grille
- Chrome Side Windows Trim and Black Rear Window Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass



- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Led Low/High Beam Daytime Running Auto-Leveling Directionally Adaptive Auto High-Beam Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Rain Detecting Variable Intermittent Wipers
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/50R20
- Wheels w/Silver Accents
- Wheels: 20" x 8.5J Aluminum Alloy

INTERIOR

- 2 12V DC Power Outlets
- 4 Seatback Storage Pockets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Distance Pacing
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- E911 Automatic Emergency Notification
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench Vinyl 3rd Row Seat Front, Manual Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- Head-Up Display
- Heated Front Bucket Seats -inc: 3 heat settings, 2 position memory setting, power 8-way adjustable driver seat w/power lumbar support and power 4-way adjustable front passenger seat
- HomeLink Garage Door Transmitter
- HVAC -inc: Console Ducts
- Interior Trim -inc: Aluminum Instrument Panel Insert, Piano Black/Aluminum Door Panel Insert, Piano Black Console Insert and Chrome/Metal-Look Interior Accents
- Leather Steering Wheel
- Leather Trimmed Seats -inc: 1st and 2nd row outboard seating positions
- Leather/Metal-Look Gear Shift Knob
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Navigation System
- Outside Temp Gauge
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Cargo Access and Mechanical Fuel
- Seats w/Leatherette Back Material
- Smart Device Integration
- SMS Text Msg Audio Delivery & Reply
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch



MECHANICAL

- 150 Amp Alternator
- 19.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- Automatic Full-Time All-Wheel Drive
- Axle Ratio: 4.411
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L SKYACTIV-G 4-Cylinder Turbo -inc: 227 HP w/87 AKI, 250 HP w/93 AKI
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,816 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing w/Trailer Sway Control
- Transmission: SKYACTIVE-DRIVE 6-Speed Automatic -inc: sport and manual shift modes

PACKAGE

- MAZDA CONNECT Infotainment System

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Monitoring Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Lane Keep Assist System Lane Departure Warning
- Lane Keep Assist System Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Parking Sensors
- Side Impact Beams
- Smart Brake Support Forward Collision and Rear Cross Traffic Alert Rear Collision

Vehicle Information

WARRANTY

Basic:
3 Years/36,000 Miles

Drivetrain:
5 Years/60,000 Miles

Corrosion:
5 Years/Unlimited Miles

Roadside Assistance:
3 Years/36,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in



Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 84.9in
- Cargo Area Length @ Floor to Seat 2 50.5in
- Cargo Area Length @ Floor to Seat 3 21.5in
- Cargo Area Width @ Beltline 58.6in
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings 40.2in
- Cargo Volume to Seat 1 71.2ft³
- Cargo Volume to Seat 2 38.2ft³
- Cargo Volume to Seat 3 14.4ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.6

Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Intercooled Turbo Regular Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 227 @ 5000
- SAE Net Torque @ RPM 310 @ 2000

Exterior Dimensions

- Height, Overall 69in
- Length, Overall 199.4in
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.3in
- Track Width, Rear 65.2in
- Wheelbase 115.3in
- Width, Max w/o mirrors 77.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.5gal

Interior Dimensions

- Front Head Room 39.3in
- Front Hip Room 56.7in
- Front Leg Room 41in
- Front Shoulder Room 57.9in
- Passenger Capacity 7
- Passenger Volume 135.1ft³
- Second Head Room 38.5in
- Second Hip Room 57.4in
- Second Leg Room 39.4in
- Second Shoulder Room 58.1in
- Third Head Room 35.4in
- Third Hip Room 40.1in
- Third Leg Room 29.7in
- Third Shoulder Room 53.1in

Mileage

- Cruising Range - City 390.00mi



Licensed to J.D. Power

- Cruising Range - Hwy 507.00mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P255/50VR20
- Rear Tire Order Code
- Rear Tire Size P255/50VR20
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailering Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 4.41
- First Gear Ratio (:1) 3.49
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.99
- Second Gear Ratio (:1) 1.99
- Sixth Gear Ratio (:1) 0.60
- Third Gear Ratio (:1) 1.45
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4327lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs



Licensed to J.D. Power

- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin