

Vehicle Information

Date:	September 20, 2018
Vehicle:	2017 Acura MDX Utility 4D Advance AWD 3.5L V6
VIN:	5FRYD4H80HB016137
Weight:	4,257

New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$56,500	Options N/A	Destination \$995	Adjusted Value \$57,495
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
DARK CHERRY PEARL			\$0.00	\$0.00
Code: RX				
PARCHMENT, PERF MILANO LEATHER W/CONTRAST STITCHING & PIPING			\$0.00	\$0.00
Code: PA				

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Acuralink Real-Time Traffic Real-Time Traffic Display
- Radio w/Clock, Steering Wheel Controls and 15 Gb Internal Memory
- Radio: Acura/ELS Studio Premium Audio System -inc: 10-speakers, CD, MP3 and WMA compatible disc player, Song by Voice, HD Radio, Siri Eyes Free, SMS/MMS text message and
 email capability, 8-inch color display, Bluetooth HandsFreeLink wireless telephone interface, Aha compatibility, SiriusXM satellite radio w/advanced audio features, Pandora
 compatibility, USB audio interface w/iPod integration, Bluetooth streaming audio, MP3/auxiliary input jack, Speed-Sensitive Volume Compensation (SVC) and voice recognition for the
 following: navigation, audio, climate control and Bluetooth HandsFreeLink
- Window Grid Antenna

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body-Colored Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Convex Spotter, Power Folding and Turn Signal Indicator
- Body Colored Rear Bumper w/Chrome Rub Strip/Fascia Accent
- Chrome Bodyside Insert
 Chrome Door Handles
- Chrome Door Handles
 Chrome Side Window
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Galvanized Steel/Aluminum Panels
- Laminated Glass

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates @2018 J.D.Power and Associates





- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Programmable Projector Beam Led Low/High Beam Daytime Running Auto High-Beam Headlamps w/Delay-Off
- Roof Rack Rails Only
- Spare Tire Mobility Kit
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P245/50R20 102H High Performance AS
- Wheels: 20" x 8J Aluminum-Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 2-Way Power Passenger Seat inc: Power 2-Way Lumbar Support
- 3 12V DC Power Outlets
- 50-50 Folding Bucket Front Facing Heated Manual Reclining Fold Forward Seatback Ventilated and Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Features inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Bench Leatherette 3rd Row Seat Front, Manual Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows, Sunroof/Convertible Roof and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Rear Console w/Storage and 3 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated & Ventilated Front Sport Seats inc: driver's 10-way power seat w/power lumbar support and easy-entry, front passenger's 8-way power seat and power lumbar support
- Heated Leather Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Integrated Navigation System w/Voice Activation
- Interior Trim inc: Genuine Wood/Metal-Look Instrument Panel Insert, Genuine Wood/Metal-Look Door Panel Insert, Genuine Wood/Metal-Look Console Insert and Metal-Look Interior
- Accents
- Leather Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- · Memory Settings inc: Driver Seat, Door Mirrors, Steering Wheel, Audio and HVAC
- Multi Zone Auto-Climate Control Air Conditioning w/Gps Linked
- Outside Temp Gauge
- Perf Milano Leather w/Contrast Stitching & Piping
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access and Power Fuel
- Seats w/Leatherette Back Material
- Systems Monitor
- Tracker System
- Trip Computer
- Trunk/Hatch AutoLatch
- Valet Function
 Ventilated Front Seats

MECHANICAL

• 130 Amp Alternator



- 19.5 Gal. Fuel Tank
- 4.33 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Electro-Mechanical Limited Slip Differential
- Engine: 3.5L 24V SOHC i-VTEC V6 inc: Idle Stop
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: TBD
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing w/Trailer Sway Control
- Transmission: 9-Speed Automatic inc: Sequential SportShift w/paddle shifters, 3-mode integrated dynamics system, Electronic Gear Selector and hill start assist

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Forward Collision and Rear Collision
- Front And Rear Parking Sensors
- Front Camera
- Lane Departure Warning
- Lane Keeping Assist
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- Vehicle Stability Assist Electronic Stability Control (ESC)

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: * * * * *

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: * * * * *

Side Barrier Rating: * * * * *

Combined Side Barrier and Pole Ratings: Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: **** Dynamic Test Result: No Tip Risk of Rollover: 16.4%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID: 17v424000



Mfg's Report Date: JUN 29, 2017

Component: FUEL SYSTEM, GASOLINE:DELIVERY:HOSES, LINES/PIPING, AND FITTINGS

Potential Number Of Units Affected: 193

Summary:

Honda (American Honda Motor Co.) is recalling certain 2017 Acura MDX Sport Hybrid vehicles. The affected vehicles have an engine fuel feed hose and a fuel purge hose that may have been misrouted during vehicle assembly.

Consequence:

The misrouting can cause the hoses to be damaged from contact with other components, potentially resulting in a fuel leak. A fuel leak in the presence of an ignition source may increase the risk of a fire.

Remedy:

Acura will notify owners, and dealers will inspect the routing of the fuel feed hose and the fuel purge hose. If misrouted, the hoses will be replaced and installed correctly, free of charge. The recall began on August 14, 2017. Owners may contact Acura Client Relations at 1888-234-2138. Honda's number for this recall is KF8.

Dates of Manufacture: MAR 22, 2017 to MAY 17, 2017

Manufacturer Recall Number: KF8

WARRANTY

Basic: 4 Years/50,000 Miles

Drivetrain: 6 Years/70,000 Miles

Corrosion: 5 Years/Unlimited Miles

Roadside Assistance: 4 Years/50,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 90.9ftÂ³
- Cargo Volume to Seat 2 43.4ftÅ³
 Cargo Volume to Seat 2 14.0ftÅ³
- Cargo Volume to Seat 3 14.9ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

• Cold Cranking Amps @ O° F (Primary) N/A



Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.5 L/212
- Engine Order Code
- Engine Type Premium Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 290 @ 6200
- SAE Net Torque @ RPM 267 @ 4700

Exterior Dimensions

- Height, Overall 67.4in
- Length, Overall 196.2in
- Liftover Height N/Ain
- Min Ground Clearance 5.6in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 66.3in
- Track Width, Rear 66.3in
- Wheelbase 111in
 Width, Max w/o mirrors 77.8in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.5gal

Interior Dimensions

- Front Head Room 38.1in
- Front Hip Room 57.5in
- Front Leg Room 41.4in
- Front Shoulder Room 61.1in
- Passenger Capacity 6
- Passenger Volume 132.7ftÅ³
- Second Head Room 38.3in
- Second Hip Room 57.8in
- Second Leg Room 38.5in
- Second Shoulder Room 59.1in
 Third Head Room 35.6in
- Third Head Room 35.6
 Third Hip Room 40.6in
- Third Hip Room 40.6in
 Third Leg Room 28.1in
- Third Leg Room 20.111
 Third Shoulder Room 54.7in
-

Mileage

- Cruising Range City 370.50mi
- Cruising Range Hwy 507.00mi
- EPA Fuel Economy Est City 19MPG
- EPA Fuel Economy Est Hwy 26MPG
 EPA MPC Environment City N (A
- EPA MPG Equivalent City N/A
 EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
 EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.7ft
 Turning Diameter Wall to Wall N (Aft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm



NADA New Cars/Trucks

- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain .
- Suspension Type Front (Cont.) Strut •
- Suspension Type Front Strut •
- Suspension Type Rear (Cont.) Multi-Link Suspension Type Rear Multi-Link
- .

Tires

- Front Tire Order Code
- Front Tire Size P245/50HR20 .
- Rear Tire Order Code
- Rear Tire Size P245/50HR20 ٠ ٠ Spare Tire Order Code
- Spare Tire Size •

Trailering

- Dead Weight Hitch Max Tongue Wt. 350lbs
- Dead Weight Hitch Max Trailer Wt. 3500lbs ٠
- Maximum Trailering Capacity 3500lbs ٠
- Wt Distributing Hitch Max Tongue Wt. 350lbs ٠
- Wt Distributing Hitch Max Trailer Wt. 3500lbs ٠

Transmission

- Clutch Size N/Ain
- **Drivetrain All Wheel Drive** •
- Eighth Gear Ratio (:1) 0.58 ٠
- Fifth Gear Ratio (:1) 1.00 •
- Final Drive Axle Ratio (:1) 4.33
- First Gear Ratio (:1) 4.71 ٠
- Fourth Gear Ratio (:1) 1.38
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.83
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70 •
- Sixth Gear Ratio (:1) 0.81 ٠
- Third Gear Ratio (:1) 1.91 ٠
- ٠ **Trans Description Cont. Again**
- Trans Description Cont. Automatic w/OD
- Trans Order Code ٠
- Trans Type 9 .
- Transfer Case Gear Ratio (:1), High N/A •
- Transfer Case Gear Ratio (:1), Low N/A •

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4257lbs
- Curb Weight Front N/Albs ٠
- Curb Weight Rear N/Albs ٠
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs ٠
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- **Rear Wheel Material Aluminum** ٠
- Rear Wheel Size 20 X 8in • Spare Wheel Material ٠
- Spare Wheel Size in