



Vehicle Information

Date: September 27, 2018
Vehicle: 2015 Nissan Murano Utility 4D S AWD 3.5L V6
VIN: 5N1AZ2MH2FN215599
Weight: 3,920

New Cars/Trucks Values

| Powered by Chrome Data | Base | Options | Destination | Adjusted Value |
|--------------------------------|----------|---------|-------------|-----------------|
| Base MSRP | \$31,160 | \$160 | \$900 | \$32,220 |
| NADA New Vehicle Values | | | | |
| Low | N/A | N/A | N/A | N/A |
| Average | N/A | N/A | N/A | N/A |
| High | N/A | N/A | N/A | N/A |

Optional Equipment

| | Invoice | MSRP |
|--|----------|----------|
| STANDARD PAINT Code: -PAINT | \$0.00 | \$0.00 |
| [B92] SPLASH GUARDS (PIO) Code: SGD | \$138.00 | \$160.00 |
| BRILLIANT SILVER METALLIC Code: K23 | \$0.00 | \$0.00 |
| BLACK, CLOTH SEAT TRIM Code: G-0 | \$0.00 | \$0.00 |

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Radio w/Seek-Scan, Clock, Steering Wheel Controls and External Memory Control
- Radio: AM/FM/CD Audio System -inc: 6 speakers, audio auxiliary input jack, NissanConnect w/Mobile Apps, 7" color display, front USB port, Bluetooth hands-free phone system, streaming audio via Bluetooth, hands-free text messaging assistant and SiriusXM satellite radio
- Streaming Audio
- Window Grid And Roof Mount Diversity Antenna
- Wireless Phone Connectivity

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body-Colored Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Door Handles
- Chrome Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster



- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- LED Brake Lights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R18 AS
- Variable Intermittent Wipers
- Wheels: 18" Machined Aluminum-Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Windows
- Front And Rear Map Lights
- Front Bucket Seats -inc: 8-way manual driver's seat and 4-way manual front passenger's seat
- Front Center Armrest w/Storage and Rear Center Armrest w/Storage
- Front Cupholder
- Front Seats w/Cloth Back Material and Manual Driver Lumbar
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look/Piano Black Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Fuel
- Smart Device Integration
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
- Valet Function
- 4-Way Driver Seat -inc: Manual Lumbar Support
- 4-Way Passenger Seat

MECHANICAL

- 150 Amp Alternator
- 19 Gal. Fuel Tank
- 4.677 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 63-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Brake Actuated Limited Slip Differential
- Electronic Transfer Case
- Engine: 3.5L V6 DOHC
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,280 lbs



- Hydraulic Power-Assist Speed-Sensing Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Oil Cooler
- Transmission: Xtronic Continuously Variable (CVT)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****

Side Barrier Rating: *****

Combined Side Barrier and Pole Ratings:

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 15.1%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:
15V364000

Mfg's Report Date:
JUN 09, 2015

Component:
SERVICE BRAKES, HYDRAULIC:ANTILOCK:CONTROL UNIT/MODULE

Potential Number Of Units Affected:
9614

Summary:
Nissan North America, Inc. (Nissan) is recalling certain model year 2015 Murano vehicles manufactured December 4, 2014, to March 17, 2015. These vehicles are equipped with Anti-Lock Braking System (ABS) actuators which may have contamination in the solenoid valves, potentially affecting the valves' ability to completely close and allow a build up of hydraulic brake pressure, or fully open and allow the hydraulic brake pressure to completely drop.

Consequence:
Under some driving conditions, when the ABS is activated, the malfunctioning ABS actuator could cause a loss of vehicle stability, increasing the risk of a crash.

Remedy:



Nissan will notify owners, and dealers will inspect and replace the ABS actuator, as necessary, free of charge. The recall began on August 13, 2015. Owners may contact Nissan customer service at 1-800-647-7261.

Dates of Manufacture:
DEC 03, 2014 to MAR 16, 2015
US NHTSA CAMPAIGN ID:
16V636000

Mfg's Report Date:
SEP 01, 2016

Component:
SERVICE BRAKES, HYDRAULIC:ANTILOCK

Potential Number Of Units Affected:
120329

Summary:
Nissan North America, Inc. (Nissan) is recalling certain model year 2016-2017 Nissan Maxima vehicles manufactured February 10, 2015, to August 19, 2016 and equipped with Intelligent Cruise Control, 2015-2017 Murano vehicles manufactured August 22, 2014, to August 19, 2016 and equipped with Intelligent Cruise Control, and 2015-2016 Murano Hybrid vehicles manufactured August 22, 2014, to July 19, 2016. The affected vehicles have Anti-Lock Brake (ABS) actuator pumps that may allow brake fluid to leak onto an internal electrical circuit board.

Consequence:
A brake fluid leak onto the circuit board may result in an electrical short, increasing the risk of a fire.

Remedy:
Nissan will notify owners, and dealers will inspect the ABS Actuator, replacing it as necessary, free of charge. The recall began on December 12, 2016. Owners may contact Nissan customer service at 1-800-647-7261. Note: When brake fluid has leaked onto the circuit board, the ABS warning lamp will remain illuminated for more than 10 seconds after engine start up. If this occurs, owners are advised to park the vehicle outdoors away from other vehicles or structures and to not drive the vehicle.

Dates of Manufacture:
AUG 21, 2014 to AUG 18, 2016
US NHTSA CAMPAIGN ID:
16V244000

Mfg's Report Date:
APR 25, 2016

Component:
AIR BAGS: OCCUPANT CLASSIFICATION SYSTEM - OCS (FRONT PASSENGER)

Potential Number Of Units Affected:
3296947

Summary:
Nissan North America, Inc. (Nissan) is recalling certain model year 2016-2017 Nissan Maxima, 2013-2016 Nissan Altima, NV200, LEAF, Sentra, and Pathfinder, 2014-2016 Nissan NV200 Taxi, Infiniti QX60, QX60 Hybrid, and Q50 Hybrid, 2014-2017 Nissan Rogue and Infiniti Q50, 2015-2016 Nissan Murano, Murano Hybrid, and Chevrolet City Express, 2014-2015 Nissan Pathfinder Hybrid, and 2013 Infiniti JX35 vehicles. In these vehicles, the front seat passenger Occupant Classification System (OCS) may incorrectly classify an adult passenger as a child or classify the seat as empty despite it being occupied. As a result, the passenger frontal air bag may be turned off and not deploy in the event of a crash.

Consequence:
If the passenger frontal air bag does not deploy as intended in the event of a crash, the passenger is at an increased risk of injury.

Remedy:
Nissan will notify their owners. Chevrolet City Express owners will be notified by General Motors. Dealers will reprogram the Air Bag Control Unit (ACU) and OCS Electronic Control Unit (ECU) in Altima, Maxima, Murano, Rogue, and Sentra vehicles, and replace the OCS ECU in LEAF, NV200, NV200 Taxi, Pathfinder, Infiniti Q50, JX35, and QX60 and Chevrolet City Express vehicles, free of charge. Interim notices were sent to owners on May 31, 2016. Owners will receive a second notice when remedy parts become available. Owners may contact Nissan customer service at 1-800-867-7669, Infiniti customer service at 1-888-833-3216 or Chevrolet customer service at 1-800-222-1020.

Dates of Manufacture:
AUG 21, 2014 to MAR 31, 2016

WARRANTY

Basic:
3 Years/36,000 Miles

Drivetrain:
5 Years/60,000 Miles

Corrosion:
5 Years/Unlimited Miles

Technical Specifications

Brakes



Licensed to J.D. Power

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 37in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 33.7in
- Cargo Box Width @ Wheelhousings 45in
- Cargo Volume to Seat 1 69.9ft³
- Cargo Volume to Seat 2 39.6ft³
- Cargo Volume to Seat 3 39.6ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 7.3 (Est)

Engine

- Displacement 3.5 L/213
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 260 @ 6000
- SAE Net Torque @ RPM 240 @ 4400

Exterior Dimensions


- Height, Overall 66.6in
- Length, Overall 192.4in
- Liftover Height 30.8in
- Min Ground Clearance 6.9in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.6in
- Track Width, Rear 64.6in
- Wheelbase 111.2in
- Width, Max w/o mirrors 75.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19gal

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 55.4in
- Front Leg Room 40.5in
- Front Shoulder Room 59.5in
- Passenger Capacity 5
- Passenger Volume 108.1ft³
- Second Head Room 39.8in
- Second Hip Room 55.2in
- Second Leg Room 38.7in



- Second Shoulder Room 58.8in

Mileage

- Cruising Range - City 399.00mi
- Cruising Range - Hwy 532.00mi
- EPA Fuel Economy Est - City 21MPG
- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 24MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65TR18
- Rear Tire Order Code
- Rear Tire Size P235/65TR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch - Max Tongue Wt. 150lbs
- Wt Distributing Hitch - Max Trailer Wt. 1500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 4.68
- First Gear Ratio (:1) 2.37 - 0.44
- Reverse Ratio (:1) 1.77
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Mid-Size Station Wagon

Weight Information

- Base Curb Weight 3920lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs



Licensed to J.D. Power

- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin