



Vehicle Information

Date: September 21, 2018
Vehicle: 2016 BMW X3 Series Utility 4D 28i AWD 2.0L I4 Turbo
VIN: 5UXWX9C59G0D93428
Weight: 4,150

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$40,950	\$7,050	\$995	\$48,995
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
COLD WEATHER PACKAGE -inc: Heated Front Seats, Heated Rear Seats, Heated Steering Wheel, Retractable Headlight Washers Code: ZCW	\$865.00	\$950.00
DRIVER ASSISTANCE PACKAGE -inc: Rear View Camera, Park Distance Control Code: ZDA	\$865.00	\$950.00
HEATED FRONT SEATS Code: 494	\$455.00	\$500.00
NAVIGATION SYSTEM -inc: Remote Services, Advanced Real-Time Traffic Information, BMW Online & BMW Apps Code: 609	\$1775.00	\$1950.00
PANORAMIC MOONROOF Code: 402	\$1230.00	\$1350.00
PARK DISTANCE CONTROL Code: 508-1	\$685.00	\$750.00
PREMIUM PACKAGE -inc: Panoramic Moonroof, Satellite Radio, 1 year subscription, Comfort Access Keyless Entry, Lumbar Support Code: ZPP	\$2910.00	\$3200.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
ALPINE WHITE Code: 300	\$0.00	\$0.00
TRAINING SERVICE FEE Code: -FEE	\$180.00	\$0.00
SAND BEIGE, NEVADA LEATHER UPHOLSTERY Code: LUB4	\$0.00	\$0.00
POWER FRONT BUCKET SEATS -inc: 8-way power adjustable front seats w/2-way manual headrests (STD) Code: 459	\$0.00	\$0.00



TRANSMISSION: 8-SPEED STEPTRONIC AUTOMATIC

Invoice

\$0.00

MSRP

\$0.00

(STD) Code: 205

WHEELS: 18" X 8.0" V SPOKE (STYLE 307)

\$0.00

\$0.00

-inc: Light alloy (STD) Code: 2K8

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Hands-Free Bluetooth & USB Audio Connection
- HD Radio -inc: multicast FM station reception
- Hi-Fi Sound System -inc: 9 speakers and 205-watt digital amplifier
- Radio BMW Professional
- Radio w/Seek-Scan, Clock, Aux Audio Input Jack and Steering Wheel Controls
- Radio: Anti-Theft AM/FM Stereo CD/MP3 Player -inc: Radio Data System (RDS)
- Satellite Radio Preparation -inc: pre-wiring for SiriusXM satellite radio tuner
- Window Grid Diversity Antenna
- Wireless Streaming

EXTERIOR

- Black Bodyside Moldings and Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim
- Clearcoat Paint
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front And Rear Fog Lamps
- Front License Plate Bracket
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Lip Spoiler
- MetaHLook Grille w/Chrome Surround
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P245/50R18 AS Run-Flat
- Wheels: 18" x 8.0" V Spoke (Style 307) -inc: Light alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 40-20-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Cargo Area Concealed Storage
- Cargo Features -inc: Cargo Tray/Organizer
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 3 12V DC Power Outlets



Licensed to J.D. Power

- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Lock Disable
- Interior Trim -inc: Genuine Wood/Piano Black Instrument Panel Insert, Genuine Wood/Chrome Door Panel Insert, Genuine Wood Console Insert, Chrome And Meta-look Interior Accents
- Leatherette Door Trim Insert
- Leatherette Gear Shift Knob
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Down, w/Driver And Passenger 1-Touch Up
- Power Door Locks w/Autolock Feature
- Power Front Bucket Seats -inc: 8-way power adjustable front seats w/2-way manual headrests
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Roll-Up Cargo Cover
- SensaTec Leatherette Upholstery
- Sport Leather Steering Wheel
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

- 17.7 Gal. Fuel Tank
- 3.39 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 90-Amp/Hr Maintenance-Free Battery
- 910# Maximum Payload
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine: 2.0L TwinPower Turbo In-Line 4-Cylinder
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 5,080 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Regenerative 210 Amp Alternator
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing w/Trailer Sway Control
- Transmission w/Driver Selectable Mode and STEPTRONIC Sequential Shift Control
- Transmission: 8-Speed STEPTRONIC Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- BMW Assist eCall Emergency S.O.S
- Curtain 1st And 2nd Row Airbags
- DSC+ Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****



Side Barrier Rating: *****

Combined Side Barrier and Pole Ratings:

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 16.9%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:

16V333000

Mfg's Report Date:

MAY 22, 2016

Component:

CHILD SEAT:VEHICLE LATCH ANCHOR

Potential Number Of Units Affected:

188668

Summary:

BMW of North America, LLC (BMW) is recalling certain model year 2011-2017, X3 sDrive28i, X3 xDrive28i and X3 xDrive35i, vehicles manufactured July 2, 2010 to April 14, 2016, 2015-2017 X3 xDrive28d vehicles manufactured March 10, 2014 to March 31, 2016, and 2015-2017 x4 xDrive28i, X4 xDrive35i and X4 xDriveM40i vehicles manufactured March 3, 2014 to April 15, 2016. The affected vehicles have lower anchor bars for securing child restraint seats that may become damaged when using the European-ISOFIX-type, rigid-style connector, child restraint system.

Consequence:

Damaged lower anchor bars may increase the child's risk of injury in the event of a crash.

Remedy:

BMW will notify owners, and dealers will weld a reinforcing bracket to the lower anchor bars and the vehicle body, free of charge. The recall began on July 13, 2016. Owners may contact BMW customer service at 1-800-525-7417.

Dates of Manufacture:

JUL 01, 2010 to APR 13, 2016

WARRANTY

Basic:

4 Years/50,000 Miles

Drivetrain:

4 Years/50,000 Miles

Corrosion:

12 Years/Unlimited Miles

Roadside Assistance:

4 Years/Unlimited Miles

Maintenance:

4 Years/50,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 13in



- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 63.3ft³
- Cargo Volume to Seat 2 27.6ft³
- Cargo Volume to Seat 3 27.6ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) 210

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 7.3

Engine

- Displacement 2.0 L/122
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 240 @ 5000
- SAE Net Torque @ RPM 260 @ 1450

Exterior Dimensions

- Height, Overall 66.1in
- Length, Overall 183.8in
- Liftover Height N/Ain
- Min Ground Clearance 8in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.8in
- Track Width, Rear 63.4in
- Wheelbase 110.6in
- Width, Max w/o mirrors 74.1in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 17.7gal

Interior Dimensions

- Front Head Room 40.7in
- Front Hip Room N/Ain
- Front Leg Room 39.9in
- Front Shoulder Room 57.3in
- Passenger Capacity 5
- Passenger Volume N/Aft³
- Second Head Room 39.1in
- Second Hip Room N/Ain
- Second Leg Room 36.5in
- Second Shoulder Room 56in

Mileage

- Cruising Range - City 371.70mi
- Cruising Range - Hwy 495.60mi
- EPA Fuel Economy Est - City 21MPG



- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 24MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 39ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P245/50VR18
- Rear Tire Order Code
- Rear Tire Size P245/50VR18
- Spare Tire Order Code
- Spare Tire Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailing Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission


- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) 3.38
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 205
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4150lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs



Licensed to J.D. Power

9/21/2018

NADA New Cars/Trucks

- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material
- Spare Wheel Size in