csievers@poquetauto.com

Vehicle Information

Date:	September 19, 2018
Vehicle:	2018 Kia Sportage Utility 4D LX AWD 2.4L I4
VIN:	KNDPMCACXJ7430138
Weight:	3,448

New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$25,100	Options N/A	Destination \$990	Adjusted Value \$26,090
NADA New Vehicle Values	<i> </i>		<i>+</i>	<i> </i>
Low	\$22,491	N/A	\$990	\$23,481
Average	\$23,739	N/A	\$990	\$24,729
High	\$25,050	N/A	\$990	\$26,040
Optional Equipment				
<u> </u>			Invoice	MSRP
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
PACIFIC BLUE			\$0.00	\$0.00
Code: BU2				
BLACK, CLOTH SEAT TRIM			\$0.00	\$0.00
-inc: YES Essentials Code: WK				

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock and Steering Wheel Controls

• Radio: AM/FM/MP3/SiriusXM inc: 5" touch-screen, 6-speakers, 160-watts, Bluetooth phone and streaming audio and USB/auxiliary input jacks

EXTERIOR

- Black Grille w/Chrome Surround
- Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Bumper Insert
- Body-Colored Power Side Mirrors w/Manual Folding
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
 Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay.Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates @2018 J.D.Power and Associates



- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/60R17
- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 17" Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 4-Way Passenger Seat inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Seat Trim inc: YES Essentials
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Door Bins
 Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver And Pass
 Driver Foot Rest
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Bucket Seats inc: 6-way manually adjustable driver seat
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts and Console Ducts
- Illuminated Glove Box
- Interior Trim -inc: Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Trip Computer
- Urethane Gear Shift Knob
- Vinyl Door Trim Insert

MECHANICAL

- 16.4 Gal. Fuel Tank
- 3.20 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.4L GDI DOHC 16V I4 -inc: dual CVVT
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,740 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: Electronic 6-Speed Automatic w/OD -inc: sportmatic shifting,

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera





- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: * * * * *

Overall Frontal Barrier Crash Rating: ****

Overall Side Crash Rating: * * * * *

Side Barrier Rating: * * * * *

Combined Side Barrier and Pole Ratings: Front Seat Rating: ****** Rear Seat Rating: ******

Overall Rollover Rating: **** Dynamic Test Result: No Tip Risk of Rollover: 14.70%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

REBATE

One of the following incentives may apply to this vehicle. Regional incentives may vary.

Cash Incentive: \$2500 or financing

Financing Incentive: 0.0%

Expiration Date: 10/31/2018

Resource: kia.com 09/13/2018

WARRANTY

Basic: 5 Years/60,000 Miles

Drivetrain: 10 Years/100,000 Miles

Corrosion: 5 Years/100,000 Miles

Roadside Assistance: 5 Years/60,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or) Yes
 Disc Rear (Yes or) Yes



- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12in .
- Rear Brake Rotor Diam x Thickness 11.9in •
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
 Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain Cargo Area Width @ Beltline N/Ain
- . .
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain ٠ ٠
- Cargo Volume to Seat 1 60.1ftÂ³ Cargo Volume to Seat 2 30.7ftÅ³ ٠
- Cargo Volume to Seat 3 30.7ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.4 L/144 ٠
- Engine Order Code ٠
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection ٠
- SAE Net Horsepower @ RPM 181 @ 6000 ٠
- SAE Net Torque @ RPM 175 @ 4000

Exterior Dimensions

- Height, Overall 64.8in
- Length, Overall 176.4in
- Liftover Height N/Ain ٠
- Min Ground Clearance 6.8in
- Rear Door Opening Height N/Ain •
- Rear Door Opening Width N/Ain •
- Track Width, Front 63.5in ٠
- Track Width, Rear 64in •
- Wheelbase 105.1in
- Width, Max w/o mirrors 73in •

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 16.4gal

Interior Dimensions

- Front Head Room 39.3in
- Front Hip Room 54.3in
- Front Leg Room 41.5in
- ٠ Front Shoulder Room 57.1in
- **Passenger Capacity 5** •
- Passenger Volume 98.6ftÂ³
- Second Head Room 39.1in .
- Second Hip Room 51.2in ٠
- Second Leg Room 38.2in
- Second Shoulder Room 55.1in

Mileage



NADA New Cars/Trucks

- Cruising Range City 344.40mi
- Cruising Range Hwy 410.00mi .
- EPA Fuel Economy Est City 21MPG •
- EPA Fuel Economy Est Hwy 25MPG •
- EPA MPG Equivalent City N/A ٠
- EPA MPG Equivalent Combined N/A ٠
- EPA MPG Equivalent Hwy N/A • Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A ٠
- ٠ Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 34.8ft ٠ • Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain ٠
- Suspension Type Front (Cont.) Strut ٠ •
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi Link .
- Suspension Type Rear Multi Link

Tires

- Front Tire Order Code
- Front Tire Size P225/60HR17
- **Rear Tire Order Code** • • Rear Tire Size P225/60HR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 165lbs
- Dead Weight Hitch Max Trailer Wt. 1650lbs
- Maximum Trailering Capacity 1650lbs
- Wt Distributing Hitch Max Tongue Wt. 165lbs
- Wt Distributing Hitch - Max Trailer Wt. 1650lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.19
- First Gear Ratio (:1) 4.21
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.38 •
- Second Gear Ratio (:1) 2.64 ٠ Sixth Gear Ratio (:1) 0.77
- .
- Third Gear Ratio (:1) 1.80 ٠
- Trans Description Cont. Again •
- Trans Description Cont. Automatic w/OD •
- **Trans Order Code** .
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A Transfer Case Gear Ratio (:1), Low N/A •

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3448lbs
- Curb Weight Front N/Albs •
- Curb Weight Rear N/Albs
- Curb Weight N/Albs



- Maximum Payload Capacity N/Albs
 Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
 Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin