



## Vehicle Information


**Date:** September 20, 2018  
**Vehicle:** 2016 Ford F150 Crew Cab XLT 4WD 5.0L V8  
**VIN:** 1FTEW1EFGKF11830  
**Weight:** 4,696

## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$40,635	\$6,625	\$1,195	<b>\$48,455</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
110V/400W OUTLET Code: 91V-R	\$184.00	\$200.00
CHROME STEP BARS Code: 18C-R	\$0.00	\$0.00
CLASS IV TRAILER HITCH RECEIVER -inc: towing capability up to 5,000 lbs, smart trailer tow connector and 4-pin/7-pin wiring harness Code: 53B	\$88.00	\$95.00
EQUIPMENT GROUP 302A LUXURY SAVINGS *DISCOUNT* Code: -RET302A-R	\$-1840.00	\$-2000.00
EXTENDED RANGE 36 GALLON FUEL TANK Code: 655-R	\$364.00	\$395.00
GVWR: 7,000 LBS PAYLOAD PACKAGE Code: -NONGV2-R	\$0.00	\$0.00
INTEGRATED TRAILER BRAKE CONTROLLER Code: 67T-R	\$253.00	\$275.00
LED BOX LIGHTING Code: 85P	\$115.00	\$125.00
LED SIDE-MIRROR SPOTLIGHTS -inc: high-intensity LED security approach lamps Code: 59S-R	\$161.00	\$175.00
POWER GLASS HEATED SIDEVIEW MIRRORS -inc: manual folding, turn signal, auto-dimming feature (driver's side) and black skull caps, Auto-Dimming Rearview Mirror Code: 54R-R	\$175.00	\$190.00
POWER-SLIDING REAR WINDOW -inc: privacy glass, Rear Window Defroster (Fleet) Code: 435-R	\$323.00	\$350.00
PRO TRAILER BACKUP ASSIST -inc: tailgate LED and 4.2" LCD productivity screen in instrument cluster Code: 47E-R	\$364.00	\$395.00
RADIO: SINGLE-CD W/SIRIUSXM SATELLITE	\$0.00	\$0.00



	Invoice	MSRP
-inc: SiriusXM US satellite service is available in the 48 contiguous United States and D.C, 7 speakers Code: 58C-R		
REAR VIEW CAMERA W/DYNAMIC HITCH ASSIST Code: 76C-0-R	\$231.00	\$250.00
REAR WINDOW DEFROSTER Code: 57Q-R	\$0.00	\$0.00
REMOTE START SYSTEM Code: 59R-R	\$180.00	\$195.00
REVERSE SENSING SYSTEM Code: 76R-R	\$253.00	\$275.00
SYNC 3 -inc: Enhanced voice recognition communications and entertainment system w/911 Assist and Applink, 8" LCD touchscreen in center stack w/swiping and pinch-to-zoom capabilities, 4.2" productivity screen in instrument cluster, 2 smart charging USB ports, compass and clock display Code: 52L-R	\$415.00	\$450.00
TAILGATE STEP W/TAILGATE LIFT ASSIST Code: 63T-R	\$345.00	\$375.00
TRAILER TOW PACKAGE -inc: Towing capability up to 11,100 lbs, Note: Ordering the Trailer Tow Package does not include Trailer Tow Mirrors, Trailer Tow Mirrors are a standalone option and must be ordered separately, (Option Code: 54M or 54Y/59S), Auxiliary Transmission Oil Cooler, Class IV Trailer Hitch Receiver, towing capability up to 5,000 lbs, smart trailer tow connector and 4-pin/7-pin wiring harness, Pro Trailer Backup Assist, tailgate LED and 4.2" LCD productivity screen in instrument cluster, Upgraded Front Stabilizer Bar w/998-inc: Engine Oil Cooler Code: 53A-B	\$824.00	\$895.00
XLT CHROME APPEARANCE PACKAGE -inc: 2 chrome front tow hooks, Tires: P275/65R18 OWL A/T, Chrome Billet Style Grille w/Chrome Surround, black mesh insert, Chrome Step Bars, Chrome Door & Tailgate Handles w/Body-Color Bezel, bezel on side doors and black on tailgate, Wheels: 18" Chrome-Like PVD, Single-Tip Chrome Exhaust *GROSS* Code: 86B-0-R	\$1560.00	\$1695.00
XLT CHROME APPEARANCE PACKAGE SAVINGS *DISCOUNT* Code: -RET86B-R	\$-691.00	\$-750.00
ELECTRONIC LOCKING W/3.31 AXLE RATIO Code: XL3-R	\$387.00	\$420.00
ENGINE: 5.0L V8 FFV -inc: 3.31 Axle Ratio, GVWR: 7,000 lbs Payload Package Code: 99F	\$1468.00	\$1595.00
EQUIPMENT GROUP 302A LUXURY -inc: LED Box Lighting, Reverse Sensing System, Class IV Trailer Hitch Receiver, towing capability up to 5,000 lbs, smart trailer tow connector and 4-pin/7-pin wiring harness, 110V/400W Outlet, XLT Chrome Appearance Package, 2 chrome front tow hooks, Tires: P275/65R18 OWL A/T, Chrome Billet Style Grille w/Chrome Surround, black mesh insert, Chrome Step Bars, Chrome Door & Tailgate Handles w/Body-Color Bezel, bezel on side doors and black on tailgate, Wheels: 18" Chrome-Like PVD, Single-Tip Chrome Exhaust, Rear Under-Seat Storage, SYNC 3 Enhanced voice recognition communications and entertainment system w/911 Assist and Applink, 8" LCD touchscreen in center stack w/swiping and pinch-to-zoom capabilities, 4.2" productivity screen in instrument cluster, 2 smart charging USB ports, compass and clock display, 10-Way Power Driver's & Passenger Seats, Radio: Single-CD w/SiriusXM Satellite SiriusXM US satellite service is available in the 48 contiguous United States and D.C, 7 speakers, Power-Sliding Rear Window, privacy glass, Rear Window Defroster (Fleet), Power-Adjustable Pedals, Heated Front Seats, Leather-Wrapped Steering Wheel, Rear View Camera w/Dynamic Hitch Assist, Remote Start System, Power Glass Heated Sideview Mirrors, manual folding, turn signal, auto-dimming feature (driver's side) and black skull caps, Auto-Dimming Rearview Mirror *GROSS* Code: 302A-0-R	\$4825.00	\$5245.00
MONOTONE PAINT APPLICATION Code: -PAINT	\$0.00	\$0.00
BLUE JEANS METALLIC	\$0.00	\$0.00



	Invoice	MSRP
Code: N1-R		
MEDIUM EARTH GRAY, CLOTH 40/20/40 FRONT SEAT	\$0.00	\$0.00
-inc: 4-way adjustable driver/passenger headrests w/300A-inc: manual driver/passenger lumbar and armrest with storage w/301A-inc: power driver/manual passenger lumbar and armrest with storage w/302A-inc: power driver/passenger lumbar and armrest with storage		
Code: MG		
TIRES: P275/65R18 OWL A/T	\$0.00	\$0.00
Code: T84-R		
TRANSMISSION: ELECTRONIC 6-SPEED AUTOMATIC	\$0.00	\$0.00
-inc: tow/haul mode (STD) Code: 446		
WHEELS: 18" CHROME-LIKE PVD	\$0.00	\$0.00
Code: 64T-R		

## Standard Equipment

### ENTERTAINMENT


- 2 LCD Monitors In The Front
- Fixed Antenna
- Radio w/Clock
- Radio: AM/FM Stereo/Single-CD Player -inc: 6 speakers
- SYNC Voice Recognition Communications -inc: Enhanced voice recognition communication and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink, 1 smart charging USB port, VHR, SYNC services, Bluetooth and steering wheel audio controls, Compass display in instrument cluster

### EXTERIOR

- Aluminum Panels
- Black Door Handles
- Black Power Side Mirrors w/Convex Spotter and Manual Folding
- Black Side Windows Trim and Black Front Windshield Trim
- Cargo Lamp w/High Mount Stop Light
- Chrome Front Bumper w/Body-Colored Rub Strip/Fascia Accent and 2 Tow Hooks
- Chrome Grille
- Chrome Rear Step Bumper
- Clearcoat Paint
- Deep Tinted Glass
- Fixed Rear Window
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
- Perimeter/Approach Lights
- Regular Box Style
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/70R17 OWL A/T
- Variable Intermittent Wipers
- Wheels: 17" Silver Painted Aluminum

### INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60/40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
- Analog Display
- Cloth 40/20/40 Front Seat -inc: 4-way adjustable driver/passenger headrests, manual driver/passenger lumbar and armrest w/storage
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors
- Fade-To-Off Interior Lighting
- Front And Rear Map Lights
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer



- Glove Box
- HVAC-inc: Underseat Ducts
- Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Interior Trim-inc: Metal-Look Instrument Panel Insert, Cabback Insulator and Chrome Interior Accents
- Keypad
- Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- Urethane Gear Shift Knob

## MECHANICAL

- 1590# Maximum Payload
- 200 Amp Alternator
- 23 Gal. Fuel Tank
- 3.73 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.5L V6 Ti-VCT FFV
- Front Anti-Roll Bar
- Gas-Pressurized Shock Absorbers
- GVWR: 6,350 lbs Payload Package
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Towing w/Harness and Trailer Sway Control
- Transmission: Electronic 6-Speed Automatic-inc: tow/haul mode

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Mykey System-inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts-inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Safety Canopy System Curtain 1st And 2nd Row Airbags
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Vehicle Information

### CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: \*\*\*\*\*

Overall Frontal Barrier Crash Rating: \*\*\*\*\*

Overall Side Crash Rating: \*\*\*\*\*

Side Barrier Rating: \*\*\*\*\*

Combined Side Barrier and Pole Ratings:

Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \*\*\*\*\*

Dynamic Test Result: No Tip

Risk of Rollover: 19.1%

**Note Regarding Driver Rating:**

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

**RECALL**

US NHTSA CAMPAIGN ID:  
16V475000

Mfg's Report Date:  
JUN 27, 2016

Component:  
SEATS:FRONT ASSEMBLY:RECLINER

Potential Number Of Units Affected:  
5280

**Summary:**  
Ford Motor Company (Ford) is recalling certain model year 2016 Ford Explorer and F-150 vehicles equipped with a manual recline driver's seat. The seat back frame may have insufficient welds which may not meet the requirements of Federal Motor Vehicle Safety Standard (FMVSS) numbers 202, "Head Restraints" and 207, "Seating Systems."

**Consequence:**  
The seat back may not adequately restrain the occupant during a crash, increasing the risk of injury.

**Remedy:**  
Ford will notify owners, and dealers will inspect and, if necessary, replace the seat back frame, free of charge. The recall began on August 18, 2016. Owners may contact Ford at 1-800-392-3673. Ford's number for this recall is 16C11.

Dates of Manufacture:  
FEB 16, 2016 to FEB 24, 2016

Manufacturer Recall Number:  
16C11  
US NHTSA CAMPAIGN ID:  
17V331000

Mfg's Report Date:  
MAY 21, 2017

Component:  
STRUCTURE:BODY:DOOR

Potential Number Of Units Affected:  
14410

**Summary:**  
Ford Motor Company (Ford) is recalling certain 2015-2017 F-150, and 2017 F-250, F-350, F-450, and F-550 vehicles originally produced with black or body colored exterior door handles that may have been subsequently equipped with a chrome exterior door handle cover accessory kit purchased from a Ford dealer. These accessory door handle covers may cause the doors to unlatch in a side impact collision. As such, these vehicles may fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 206, "Door Locks and Door Retention Components."

**Consequence:**  
If the doors unlatch and open in a side impact collision, the occupants have an increased risk of injury.

**Remedy:**  
Ford will notify owners, and dealers will remove the accessory covers and refund the purchase price. The recall began July 13, 2017. Owners may contact Ford at 1-866-436-7332. Ford's number for the recall is 17C09.


Dates of Manufacture:  
MAR 17, 2014 to MAR 31, 2017

Manufacturer Recall Number:  
17C09  
US NHTSA CAMPAIGN ID:  
17V526000

Mfg's Report Date:  
AUG 27, 2017

Component:  
SEAT BELTS:REAR

Potential Number Of Units Affected:



117423

**Summary:**

Ford Motor Company (Ford) is recalling certain 2015-2017 F-150, and 2017 F-250 and F-350 trucks equipped with a crew cab. The left rear inflatable seat belt buckle assembly may be inadequately attached to its mounting bracket. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 210, "Seat Belt Assembly Anchorages."

**Consequence:**

If the left rear inflatable seat belt buckle separates from its mounting bracket, the seat occupant may not be adequately restrained, increasing their risk of injury.

**Remedy:**

Ford will notify owners, and dealers will inspect the seat belt assembly, replacing the attaching rivet as necessary, free of charge. Interim notices informing owners of the safety risk were mailed October 18, 2017. Owners will receive a second notice when the remedy becomes available. Owners may contact Ford Customer Service at 1-866-436-7332. Ford's number for this recall is 17C12.

**Dates of Manufacture:**

JUL 19, 2015 to JUN 15, 2017

**Manufacturer Recall Number:**

17C12  
US NHTSA CAMPAIGN ID:  
17V652000

**Mfg's Report Date:**

OCT 15, 2017

**Component:**

LATCHES/LOCKS/LINKAGES:DOORS:LATCH

**Potential Number Of Units Affected:**

1101107

**Summary:**

Ford Motor Company (Ford) is recalling certain 2015-2017 Ford F-150, and 2017 F-250, F-350, F-450, and F-550 Super Duty trucks. The doors on these vehicles may have a bent or kinked actuation cable or the door latches may freeze after water gets into the latch. Either condition can result in the doors opening while driving although they appear to be closed.

**Consequence:**

A door that opens while driving can increase the risk of injury.

**Remedy:**

Ford will notify owners, and dealers will inspect the door latch actuation cables and repair if necessary, and install water shields over the door latches, free of charge. Ford issued an interim notification to owners on November 9, 2017. Owners may contact Ford customer service at 1-866-436-7332. Ford's number for this recall is 17S33.

**Dates of Manufacture:**

MAR 11, 2014 to DEC 30, 2016

**Manufacturer Recall Number:**

17S33  
US NHTSA CAMPAIGN ID:  
16V110000

**Mfg's Report Date:**

FEB 24, 2016

**Component:**

AIR BAGS: OCCUPANT CLASSIFICATION SYSTEM - OCS (FRONT PASSENGER)

**Potential Number Of Units Affected:**

2894

**Summary:**

Ford Motor Company (Ford) is recalling certain model year 2016 F-150 trucks manufactured April 27, 2015, to November 22, 2015, and equipped with Multi-Contour Seats (MCS). The front passenger seat Occupant Classification System (OCS) that calibrates the air bag deployment level may incorrectly classify an adult as a child when the seat massage feature is activated.

**Consequence:**

If an adult is incorrectly classified as a child, the passenger frontal air bag will not deploy during a crash, increasing the risk of injury.

**Remedy:**

Ford will notify owners, and dealers will update the Occupant Classification System Module (OCSM) with new software, free of charge. The recall began on March 11, 2016. Owners may contact Ford customer service at 1-866-436-7332. Ford's number for this recall is 16S05.


**Dates of Manufacture:**

APR 26, 2015 to NOV 21, 2015

**Manufacturer Recall Number:**

16S05  
US NHTSA CAMPAIGN ID:  
17V767000

**Mfg's Report Date:**



NOV 28, 2017

Component:  
SEATS

Potential Number Of Units Affected:  
177264

**Summary:**

Ford Motor Company (Ford) is recalling certain 2016 F-150 and Explorer vehicles. Loose power seat adjuster pivot bolts may cause the front seat cushions to detach and not properly restrain the seat occupant in the event of a crash.

**Consequence:**

In the event of a crash, a seat occupant that is not properly restrained has an increased risk of injury.

**Remedy:**

Ford will notify owners, and dealers will inspect the tightness of the power seat track upper pivot link bolt, either applying threadlocker or replacing the lift link and hardware, free of charge. Interim letters are expected to go out January 15, 2018. Owners will receive a second notice when the remedy becomes available. Owners may contact Ford customer service at 1-866-436-7332. Ford's number for this recall is 17S40.

**Dates of Manufacture:**

JAN 21, 2016 to APR 18, 2016

**Manufacturer Recall Number:**

17S40  
US NHTSA CAMPAIGN ID:  
18V568000

**Mfg's Report Date:**

AUG 30, 2018

**Component:**

STRUCTURE:BODY:ROOF AND PILLARS

Potential Number Of Units Affected:  
1619112

**Summary:**

Ford Motor Company (Ford) is recalling certain 2015-2018 Ford F-150 Regular Cab and SuperCrew Cab vehicles. If a front seat belt pretensioner deploys as the result of a crash, the sparks may ignite materials such as carpeting or insulation within the B-pillar area.

**Consequence:**

A vehicle fire could result if materials ignite inside the vehicle.

**Remedy:**

Ford will notify owners, and dealers will remove the B-pillar insulation material and wiring harness tape, and install heat resistant tape, free of charge. The recall is expected to begin September 24, 2018. Owners may contact Ford customer service at 1-866-436-7332. Ford's number for this recall is 18S27.

**Dates of Manufacture:**

MAR 11, 2014 to AUG 22, 2018

**Manufacturer Recall Number:**

18S27

## WARRANTY

**Basic:**

3 Years/36,000 Miles

**Drivetrain:**

5 Years/60,000 Miles

**Corrosion:**

5 Years/Unlimited Miles

**Roadside Assistance:**

5 Years/60,000 Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes



Licensed to J.D. Power

9/20/2018

## NADA New Cars/Trucks

- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.7in
- Rear Drum Diam x Width in

## Cargo Area Dimensions

- Cargo Box (Area) Height 21.4in
- Cargo Box Length @ Floor 66in
- Cargo Box Width @ Floor 65.2in
- Cargo Box Width @ Top, Rear 65.2in
- Cargo Box Width @ Wheelhousings 50.6in
- Cargo Volume 52.8ft<sup>3</sup>
- Ext'd Cab Cargo Volume N/Aft<sup>3</sup>
- Tailgate Width N/Ain

## Cooling System

- Total Cooling System Capacity N/Aqts

## Electrical

- Cold Cranking Amps @ 0Â° F (2nd) 610
- Cold Cranking Amps @ 0Â° F (3rd) N/A
- Cold Cranking Amps @ 0Â° F (Primary) 610
- Maximum Alternator Capacity (amps) 200

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO<sub>2</sub> Emissions @ 15K mi/year 10.3 (Est)

## Engine

- Displacement 5.0 L/302
- Engine Oil Cooler Regular Duty
- Engine Order Code 99F
- Engine Type Regular Unleaded V-8
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 385 @ 5750
- SAE Net Torque @ RPM 387 @ 3850

## Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 9.3in
- Ground Clearance, Rear 9.3in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 34.6in
- Height, Overall 77.2in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper N/Ain
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 145in
- Width, Max w/o mirrors 79.9in

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain<sup>3</sup>

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D. Power and Associates





- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 36gal
- Fuel Tank Location Midship

## Interior Dimensions

- Front Head Room 40.8in
- Front Hip Room 62.5in
- Front Leg Room 43.9in
- Front Shoulder Room 66.7in
- Passenger Capacity 6
- Second Head Room 40.4in
- Second Hip Room 64.7in
- Second Leg Room 43.6in
- Second Shoulder Room 65.9in

## Mileage

- Cruising Range - City 540.00mi
- Cruising Range - Hwy 756.00mi
- EPA Fuel Economy Est - City 15MPG
- EPA Fuel Economy Est - Hwy 21MPG
- Fuel Economy Est-Combined 17MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 47.8ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Axle Capacity - Front 3750lbs
- Axle Capacity - Rear 4800lbs
- Axle Ratio (:1) - Front 3.31
- Axle Ratio (:1) - Rear 3.31
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front 3450lbs
- Spring Capacity - Rear 3300lbs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

## Tires

- Front Tire Capacity 3650lbs
- Front Tire Order Code T84
- Front Tire Size P275/65SR18
- Rear Tire Capacity 4056lbs
- Rear Tire Order Code T84
- Rear Tire Size P275/65SR18
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 710lbs
- Dead Weight Hitch - Max Trailer Wt. 7100lbs
- Maximum Trailering Capacity 7100lbs
- Wt Distributing Hitch - Max Tongue Wt. 710lbs
- Wt Distributing Hitch - Max Trailer Wt. 7100lbs

## Transmission



Licensed to J.D. Power

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.86
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.17
- Fourth Gear Ratio (:1) 1.14
- Reverse Ratio (:1) 3.40
- Second Gear Ratio (:1) 2.34
- Sixth Gear Ratio (:1) 0.69
- Third Gear Ratio (:1) 1.52
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 446
- Trans Power Take Off N/A
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight 5028.00lbs
- As Spec'd Payload 1722.00lbs
- Curb Weight - Front 2795lbs
- Curb Weight - Rear 1914lbs
- Curb Weight 4709.00lbs
- Gross Axle Weight Rating 6750.00lbs
- Gross Axle Wt Rating - Front 3450lbs
- Gross Axle Wt Rating - Rear 3300lbs
- Gross Combined Wt Rating 12200lbs
- Gross Vehicle Weight Rating 6750.00lbs
- Maximum Payload Capacity 2291.00lbs
- Option Weight - Front 147.00lbs
- Option Weight - Rear 172.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 508.00lbs
- Reserve Axle Capacity - Rear 1214.00lbs
- Reserve Axle Capacity 1722.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 319.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein