

## Vehicle Information

**Date:** February 13, 2018  
**Vehicle:** 2014 Nissan Frontier Crew Cab SV 4WD 4.0L V6  
**VIN:** 1N6AD0EVXEN750512  
**Weight:** 4,443

## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$27,460	\$630	\$885	<b>\$28,975</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[A93] BED LINER/TRAILER HITCH PACKAGE -inc: Bed Liner, Trailer Hitch (PIO) (PIO) Code: LN3	\$499.00	\$630.00
GLACIER WHITE Code: QAK	\$0.00	\$0.00
STEEL, CLOTH SEAT TRIM Code: W-0	\$0.00	\$0.00


## Standard Equipment

### ENTERTAINMENT

- Bluetooth Wireless Phone Connectivity
- Fixed Antenna
- Radio w/Clock and Steering Wheel Controls
- Radio: AM/FM/CD w/6 Speakers -inc: 4.3" color display, SiriusXM satellite radio, USB connection port w/iPod interface and other compatible devices

### EXTERIOR

- Aero-Composite Halogen Headlamps
- Black Door Handles
- Black Power Side Mirrors w/Manual Folding
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper w/Colored Rub Strip/Fascia Accent and 1 Tow Hook
- Cargo Lamp w/High Mount Stop Light
- Chrome Grille
- Chrome Rear Step Bumper
- Clearcoat Paint
- Deep Tinted Glass
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Manual Tailgate/Rear Door Lock
- Regular Box Style
- Sliding Rear Window w/Defroster
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tires: P265/70R16 OWL



- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 16" Alloy

## INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
- Analog Display
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front Bucket Seats -inc: 4-way adjustable and fold-flat passenger seat
- Front Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer and Trip Odometer
- HVAC -inc: Underseat Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
- Interior Trim -inc: Metal-Look Instrument Panel Insert and Chrome Interior Accents
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt Steering Column
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Remote Keyless Entry w/Illuminated Entry and Panic Button
- Urethane Gear Shift Knob

## MECHANICAL

- 130 Amp Alternator
- 21.1 Gal. Fuel Tank
- 3.357 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs
- 550CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Brake Actuated Limited Slip Differential
- Double Wishbone Front Suspension w/Coil Springs
- Electronic Transfer Case
- Engine: 4.0L DOHC V6
- Front Anti-Roll Bar
- Gas-Pressurized Shock Absorbers
- GVWR: 5,816 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Transmission: 5-Speed Automatic w/OD

## SAFETY


- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

## Technical Specifications

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D.Power and Associates



## Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.7in
- Rear Brake Rotor Diam x Thickness 11.3in
- Rear Drum Diam x Width in

## Cargo Area Dimensions

- Cargo Box (Area) Height 18in
- Cargo Box Length @ Floor 59.5in
- Cargo Box Width @ Floor 61.4in
- Cargo Box Width @ Top, Rear 61.4in
- Cargo Box Width @ Wheelhousings 44.4in
- Cargo Volume 27.1ft<sup>3</sup>
- Ext'd Cab Cargo Volume N/Aft<sup>3</sup>
- Tailgate Width N/Ain

## Cooling System

- Total Cooling System Capacity N/Aqts

## Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 550
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 550
- Maximum Alternator Capacity (amps) 130

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 10.5

## Engine


- Displacement 4.0 L/241
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 261 @ 5600
- SAE Net Torque @ RPM 281 @ 4000

## Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle 18.5in
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 8.9in
- Ground Clearance, Rear 8.9in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 70.1in
- Length, Overall w/o rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 125.9in
- Width, Max w/o mirrors 72.8in

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A



- Sect Modulus Rails Only N/Ain<sup>3</sup>

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 21.1gal
- Fuel Tank Location Midship

## Interior Dimensions

- Front Head Room 40in
- Front Hip Room 55.6in
- Front Leg Room 42.4in
- Front Shoulder Room 58.3in
- Passenger Capacity 5
- Second Head Room 38.7in
- Second Hip Room 58in
- Second Leg Room 33.6in
- Second Shoulder Room 58.3in

## Mileage

- Cruising Range - City 316.50mi
- Cruising Range - Hwy 443.10mi
- EPA Fuel Economy Est - City 15MPG
- EPA Fuel Economy Est - Hwy 21MPG
- Fuel Economy Est-Combined 17MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 43.3ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.36
- Axle Ratio (:1) - Rear 3.36
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

## Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P265/70TR16
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P265/70TR16
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 610lbs
- Dead Weight Hitch - Max Trailer Wt. 6100lbs



- Maximum Trailering Capacity 6100lbs
- Wt Distributing Hitch - Max Tongue Wt. 610lbs
- Wt Distributing Hitch - Max Trailer Wt. 6100lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.84
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.84
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 2.76
- Second Gear Ratio (:1) 2.35
- Third Gear Ratio (:1) 1.53
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 5
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating 11133lbs
- Gross Vehicle Weight Rating 5816.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein