



Vehicle Information

Date: October 5, 2018
Vehicle: 2018 Ford Transit 350 Extended Passenger Van XLT
 Medium Roof 3.7L V6
Weight: 6,134

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$41,645	\$4,320	\$1,395	\$47,360
NADA New Vehicle Values				
Low	\$32,213	\$3,342	\$1,395	\$36,950
Average	\$35,026	\$3,633	\$1,395	\$40,054
High	\$38,220	\$3,965	\$1,395	\$43,580

Optional Equipment

	Invoice	MSRP
15-PASSENGER SEATING Code: 765	\$1376.00	\$1495.00
GWWR: 9,150 LBS Code: -NONGV1	\$0.00	\$0.00
GWWR: 9,400 LBS Code: -NONGV2	\$0.00	\$0.00
HEAVY-DUTY TRAILER TOW PACKAGE -inc: 4-pin/7-pin connector and relay system for backup/B+/running lights, NOTE: This package does not include a Trailer Brake Controller (67D), Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness, Frame Mounted Hitch Receiver, Tow/Haul Mode w/Trailering Wiring Provisions, trailer wiring harness to rear of vehicle for upfit, trailer stability control (TSC), 4/7 pin connector assembly and rear jumper, NOTE: This package does not include a Trailer Brake Controller (67D), Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness Code: 53B	\$447.00	\$485.00
PRIVACY GLASS -inc: Rear-Window Defroster/Defogger Code: 92E	\$621.00	\$675.00
RADIO: AM/FM STEREO W/CD/HD/SIRIUSXM/SYNC -inc: 4" multi-function display, message center (level 1 instrument cluster) and 8 speakers (4 front/4 rear), Subscriptions to all SiriusXM services are sold by SiriusXM after 6-month trial expires, Subscriptions are governed by SiriusXM Customer Agreement; see www.siriusxm.com, SIRIUS U.S. Satellite Service is available in the 48 contiguous United States, D.C. and P.R, SiriusXM and all related marks and logos are trademarks of SiriusXM Radio Inc, SiriusXM cannot be activated if not factory installed, Leather-Wrapped Steering Wheel, controls for audio and multifunction display, SYNC Communications & Entertainment System, 911 Assist, VHR, SYNC Services, AppLink, Bluetooth, steering wheel controls, USB port and auxiliary input jack Code: 58Y	\$496.00	\$540.00
REAR-WINDOW DEFROSTER/DEFOGGER Code: 57N	\$161.00	\$175.00
REMOTE KEYLESS-ENTRY KEYPAD	\$88.00	\$95.00



	Invoice	MSRP
Code: 52C REVERSE SENSING SYSTEM	\$272.00	\$295.00
Code: 43R RUNNING BOARD	\$148.00	\$160.00
Code: 68H TOW/HAUL MODE W/TRAILERING WIRING PROVISIONS -inc: trailer wiring harness to rear of vehicle for upfit, trailer stability control (TSC), 4/7 pin connector assembly and rear jumper, NOTE: This package does not include a Trailer Brake Controller (67D), Additionally, if customer wants a trailer brake controller after initial purchase, it will have to be an aftermarket trailer brake controller and aftermarket wiring harness Code: 59B	\$272.00	\$295.00
3.73 AXLE RATIO (STD) Code: X73	\$0.00	\$0.00
ENGINE: 3.7L TI-VCT V6 -inc: SEIC capability (STD) Code: 99M-1	\$0.00	\$0.00
ORDER CODE 302A Code: 302A	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
OXFORD WHITE Code: YZ	\$0.00	\$0.00
CHARCOAL, CLOTH FRONT BUCKET SEATS Code: CB	\$0.00	\$0.00
CHARCOAL CLOTH DUAL BUCKET SEATS -inc: 2-way manual driver and front passenger seats, inboard armrests and driver seat manual lumbar Code: 21M	\$139.00	\$150.00
TRANSMISSION: 6-SPEED AUTOMATIC W/OD & SELECTSHIFT -inc: auxiliary transmission oil cooler (STD) Code: 446	\$0.00	\$0.00
WHEELS: 16" EASY TO CLEAN STYLED ALUMINUM -inc: Locking Lug Nuts Code: 64S	\$391.00	\$425.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- 8 Speakers
- Fixed Antenna
- Radio w/Seek-Scan, MP3 Player and Clock
- Radio: AM/FM Single-CD Stereo -inc: audio input jack and 4" multi-function display

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Door Handles
- Black Front Bumper
- Black Power Side Mirrors w/Convex Spotter and Manual Folding
- Black Rear Bumper
- Black Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Exterior Upgrade Package -inc: chrome headlamp trim, chrome grille and grille surround
- Fixed Rear Window
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Automatic Aero-Composite Halogen Headlamps
- Fully Galvanized Steel Panels
- Light Tinted Glass
- Rain Detecting Variable Intermittent Wipers
- Sliding Rear Passenger Side Door
- Split Swing-Out Rear Cargo Access



- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 235/65R16C AS BSW
- Wheels: 16" Steel w/Full Silver Cover

INTERIOR

- 3 12V DC Power Outlets
- 4-Way Driver Seat
- 4-Way Passenger Seat
- Analog Display
- Bench Front Facing Manual Reclining Cloth Rear Seat
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Front Bucket Seats
- Cruise Control w/Message Center -inc: full trip computer and engine-hour meter
- Day-Night Rearview Mirror
- Driver & Passenger Side Thorax Airbags
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- Fixed Bench Cloth 3rd Row Seat Front, 3 Manual and Adjustable Head Restraints
- Fixed Rear Windows and Manual Vented 3rd Row Windows
- Front And Rear Map Lights
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front Floor Mats
- Full Cloth Headliner
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
- HVAC -inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Partial Floor Console w/Storage, Full Overhead Console w/Storage and 3 12V DC Power Outlets
- Pewter Cloth Dual Bucket Seats -inc: 2-way manual driver and front passenger seats, inboard armrests and driver seat manual lumbar
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Rear Center Armrest
- Rear Cupholder
- Rear HVAC
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Removable Bench Front Facing 4th Row Seat Number, Control and Type Head Restraint
- Safety Canopy Side-Curtain Airbags
- Seats w/Cloth Back Material
- Urethane Gear Shift Knob
- Vinyl Sun Visors -inc: illuminated vanity mirrors

MECHANICAL

- 25 Gal. Fuel Tank
- 2800# Maximum Payload
- 3.73 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 70-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Engine Oil Cooler
- Engine: 3.7L Ti-VCT V6 -inc: SEIC capability
- Front Anti-Roll Bar
- GVWR: 9,000 lbs
- HD 150 Amp Alternator
- HD Shock Absorbers
- Hydraulic Power-Assist Steering
- Leaf Rear Suspension w/Leaf Springs
- Rear-Wheel Drive
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Oil Cooler
- Transmission: 6-Speed Automatic w/OD & SelectShift -inc: auxiliary transmission oil cooler

SAFETY

- ABS And Driveline Traction Control
- Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Airbag Occupancy Sensor
- Back-Up Camera
- Dual Stage Driver And Passenger Front Airbags
- Low Tire Pressure Warning



- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.1in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Console N/Ain
- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 141.7in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 69.8in
- Cargo Box (Area) Height 67.6in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings 53.7in
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 374.7ft³
- Cargo Volume to Seat 2 N/Aft³
- Cargo Volume to Seat 3 104.7ft³
- Cargo Volume to Seat 4 104.7ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Doors

- Side Door Type Sliding

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) N/A
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year N/A

Engine

- Displacement 3.7 L/228
- Engine Oil Cooler Regular Duty
- Engine Order Code 99M
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 275 @ 6000
- SAE Net Torque @ RPM 260 @ 4000

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain



Licensed to J.D. Power

- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 28.8in
- Height, Overall 99.2in
- Length, Overall N/Ain
- Length, Overall w/rear bumper 237.6in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Side Door Opening Height N/Ain
- Side Door Opening Width N/Ain
- Step Up Height - Front N/Ain
- Step Up Height - Side N/Ain
- Wheelbase 147.6in
- Width, Max w/o mirrors 81.3in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 25gal
- Fuel Tank Location N/A

Interior Dimensions

- Fourth Head Room N/Ain
- Fourth Hip Room N/Ain
- Fourth Leg Room N/Ain
- Fourth Shoulder Room N/Ain
- Front Head Room 52in
- Front Hip Room 67.5in
- Front Leg Room 39.7in
- Front Shoulder Room 67.9in
- Passenger Capacity 15
- Second Head Room 55.8in
- Second Hip Room 69.6in
- Second Leg Room 33.7in
- Second Shoulder Room 71.4in
- Third Head Room 55.8in
- Third Hip Room 67.3in
- Third Leg Room 35.6in
- Third Shoulder Room 67in

Mileage

- Cruising Range - City N/Ami
- Cruising Range - Hwy N/Ami
- EPA Fuel Economy Est - City N/AMPG
- EPA Fuel Economy Est - Hwy N/AMPG
- Fuel Economy Est-Combined N/AMPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 48ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front 4130lbs



Licensed to J.D. Power

- Axle Capacity - Rear 5515lbs
- Axle Ratio (:1) - Front 3.73
- Axle Ratio (:1) - Rear 3.73
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front 4130lbs
- Spring Capacity - Rear 5730lbs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Strut
- Suspension Type - Rear Leaf

Tires

- Front Tire Capacity 6394lbs
- Front Tire Order Code
- Front Tire Size LT235/65SR16
- Rear Tire Capacity 5996lbs
- Rear Tire Order Code
- Rear Tire Size LT235/65SR16
- Revolutions/Mile @ 45 mph - Front 720
- Revolutions/Mile @ 45 mph - Rear 720
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 410lbs
- Dead Weight Hitch - Max Trailer Wt. 4100lbs
- Maximum Trailering Capacity 4100lbs
- Wt Distributing Hitch - Max Tongue Wt. 410lbs
- Wt Distributing Hitch - Max Trailer Wt. 4100lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Rear Wheel Drive
- Fifth Gear Ratio (:1) 0.86
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.17
- Fourth Gear Ratio (:1) 1.14
- Reverse Ratio (:1) 3.40
- Second Gear Ratio (:1) 2.34
- Sixth Gear Ratio (:1) 0.69
- Third Gear Ratio (:1) 1.52
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 446
- Trans Power Take Off N/A
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model None
- Transfer Case Power Take Off No

Vehicle

- Rear Door Type Split Swing-Out

Weight Information

- As Spec'd Curb Weight 6569.00lbs
- As Spec'd Payload 2581.00lbs
- Curb Weight - Front 3135lbs
- Curb Weight - Rear 2999lbs
- Curb Weight 6134.00lbs
- Gross Axle Weight Rating 9860.00lbs
- Gross Axle Wt Rating - Front 4130lbs
- Gross Axle Wt Rating - Rear 5730lbs
- Gross Combined Wt Rating 10800lbs
- Gross Vehicle Weight Rating 9150.00lbs
- Maximum Payload Capacity 3016.00lbs



Licensed to J.D. Power

- Option Weight - Front -46.00lbs
- Option Weight - Rear 481.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 1041.00lbs
- Reserve Axle Capacity - Rear 2250.00lbs
- Reserve Axle Capacity 3291.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 435.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein