

## Vehicle Information

**Date:** January 10, 2019  
**Vehicle:** 2014 BMW X1 Series Utility 4D 28i AWD 2.0L I4 Turbo  
**VIN:** WBAVL1C52EYV18234  
**Weight:** 3,726



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$32,600	\$9,300	\$950	<b>\$42,850</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
COLD WEATHER PACKAGE -inc: Heated Front Seats, Heated Steering Wheel, Retractable Headlight Washers Code: ZCW	\$635.00	\$700.00
HEATED FRONT SEATS Code: 494	\$455.00	\$500.00
PANORAMIC MOONROOF Code: 402	\$1140.00	\$1250.00
POWER FRONT SEATS W/DRIVER SEAT MEMORY Code: 459	\$905.00	\$995.00
SATIN ALUMINUM ROOF RAILS Code: 3AT	\$230.00	\$250.00
TIRES: P225/45R18 AS RUN FLAT Code: -NONTR0	\$0.00	\$0.00
ULTIMATE PACKAGE -inc: Rear-View Camera, Remote Services, Universal Garage-Door Opener, BMW Online, Park Distance Control, Satellite Radio w/1 Year Subscription, Lumbar Support, Comfort Access Keyless Entry, Voice-Command, Auto-Dimming Interior & Exterior Mirrors, Auto-Dimming Rearview Mirror, Navigation System, BMW Apps, Enhanced USB & Bluetooth w/Smartphone Integration, Power Front Seats w/Driver Seat Memory, Real Time Traffic Information, Panoramic Moonroof, Interior Mirror w/Compass, Ambiance Lighting Code: ZMV	\$5595.00	\$6150.00
XLINE -inc: Dark Copper High-Gloss Trim, xLine Package, Wheels: 18" x 8" Light Alloy Y-Spoke (Style 322), Tires: P225/45R18 AS Run Flat, Satin Aluminum Roof Rails Code: ZXD	\$1730.00	\$1900.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
DEEP SEA BLUE METALLIC Code: A76	\$500.00	\$550.00



	Invoice	MSRP
TRAINING SERVICE FEE	\$180.00	\$0.00
Code: -FEE		
OYSTER W/ORANGE-BLACK, NEVADA LEATHER UPHOLSTERY	\$0.00	\$0.00
Code: LUDP		
FRONT BUCKET SEATS	\$0.00	\$0.00
-inc: 8-way manual adjustable front seats (STD) Code: STDST		
WHEELS: 18" X 8" LIGHT ALLOY Y-SPOKE (STYLE 322)	\$0.00	\$0.00
Code: 2LR		

## Standard Equipment

### ENTERTAINMENT

- Audio Theft Deterrent
- Bluetooth Wireless Phone Connectivity
- Hi-Fi Sound System
- Radio w/Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM/HD w/Single CD/MP3
- Satellite Radio Preparation
- Window Grid Diversity Antenna

### EXTERIOR

- Black Grille w/Chrome Surround
- Black Side Windows Trim and Black Front Windshield Trim
- Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Clearcoat Paint
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Light Tinted Glass
- Lip Spoiler
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/50R17 All Season Run Flat
- Wheels: 17" x 7.5" Light-Alloy V-Spoke (Style 318)

### INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 40-20-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
- Front Bucket Seats -inc: 8-way manual adjustable front seats
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats



Licensed to J.D. Power

- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Tachometer, Oil Temperature, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Covered Dashboard Storage, Driver / Passenger And Rear Door Bins
- Interior Lock Disable
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Down, w/Driver And Passenger 1-Touch Up
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Push Button Start Only
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Cargo Access
- SensaTec Leatherette Upholstery
- Sliding Front Center Armrest and Rear Center Armrest
- Sport Leather/Metal-Look Steering Wheel
- Systems Monitor
- Trip Computer
- Valet Function

## MECHANICAL

- 16.6 Gal. Fuel Tank
- 210 Amp Alternator
- 3.15 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 80-Amp/Hr Maintenance-Free Battery
- 904# Maximum Payload
- Engine Auto Stop-Start Feature
- Engine: 2.0L TwinPower Turbo 4-Cylinder 16V DOHC
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 4,707 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing Equipment -inc: Trailer Sway Control
- Transmission: 8-Speed STEPTRONIC Automatic -inc: sport and manual shift modes and Adaptive Transmission Control (ATC)

## SAFETY


- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- BMW Assist eCall Emergency Sos
- Curtain 1st And 2nd Row Airbags
- Dsc-X Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Dual Stage Driver And Passenger Door-Mounted Side Airbags
- Dual Stage Driver And Passenger Front Airbags
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Vehicle Information

### RECALL

US NHTSA CAMPAIGN ID:  
13V454000

Mfg's Report Date:  
SEP 25, 2013



**Component:**  
SERVICE BRAKES, HYDRAULIC:POWER ASSIST:VACUUM

**Potential Number Of Units Affected:**  
76191

**Summary:**  
BMW of North America LLC (BMW) is recalling certain model year 2012-2014 320i, 328i, 320i xDrive, and 328i xDrive sedans; model year 2014 328i xDrive Sports Wagons; model year 2012-2013 528i and 528i xDrive sedans, model year 2013-2014 X1 sDrive28i and X1 xDrive28i vehicles and model year 2012-2014 Z4 sDrive28i roadsters. Due to insufficient lubrication, the vacuum pump that supplies brake power assistance may fail.

**Consequence:**  
A failure of the brake vacuum pump results in a reduction in braking power that could increase the risk of a crash.

**Remedy:**  
BMW will notify owners, and dealers will modify the vehicles to prevent insufficient vacuum pump lubrication, free of charge. The safety recall began on January 31, 2014. Owners may contact BMW customer relations at 1-800-525-7417 or email BMW at CustomerRelations@bmwusa.com.

**Dates of Manufacture:**  
MAY 31, 2012 to JUN 29, 2013  
**US NHTSA CAMPAIGN ID:**  
16V071000

**Mfg's Report Date:**  
FEB 04, 2016

**Component:**  
AIR BAGS:FRONTAL:DRIVER SIDE INFLATOR MODULE

**Potential Number Of Units Affected:**  
840000

**Summary:**  
BMW of North America, LLC (BMW) is recalling certain model year 2008-2013 128i and 135i coupes and convertibles and 1 Series M coupes, 2006-2011 325i, 325xi, 328i, 328xi, 328i xDrive, 330i, 330xi, 335i, 335xi, 335i xDrive Sedans, 2009-2011 335d sedans, 2006-2012 325xiT, 328i and 328xi sports wagons, 2007-2013 328i, 328xi, 328i xDrive, 335i, 335xi, 335i xDrive, 335is and M3 Coupes and Convertibles, 2013-2015 X1 sDrive28i, X1 xDrive28i and X1 xDrive35i SAVs, 2007-2010 X3 xDrive30i SAVs, 2007-2013 X5 xDrive30i, X5 xDrive35i, X5 xDrive48i, X5 xDrive50i and X5 M SAVs, 2009-2013 BMW X5 xDrive35d SAVs, 2008-2014 X6 xDrive35i, X6 xDrive50i, and X6 M SACs, 2010-2011 BMW X6 xDrive50i SACs and 2008-2011 M3 Sedan vehicles. Upon deployment of the driver's frontal air bag, excessive internal pressure may cause the inflator to rupture.

**Consequence:**  
In the event of a crash necessitating deployment of the driver's frontal air bag, the inflator could rupture with metal fragments striking the driver or other occupants resulting in serious injury or death.

**Remedy:**  
BMW will notify owners, and dealers will replace the driver's frontal air bag module or inflator depending on the vehicle model, free of charge. The recall began March 9, 2018. Owners may contact BMW customer service at 1-800-525-7417.  
**US NHTSA CAMPAIGN ID:**  
14V627000

**Mfg's Report Date:**  
OCT 06, 2014

**Component:**  
SERVICE BRAKES, HYDRAULIC:POWER ASSIST:VACUUM

**Potential Number Of Units Affected:**  
8988

**Summary:**  
BMW of North America LLC (BMW) is recalling certain model year 2014 BMW 328i xDrive Sports Wagon, 2012-2014 BMW 320i Sedan, 328i Sedan, 320i xDrive Sedan, 328i xDrive Sedan, 2012-2013 BMW 528i Sedan, 528i xDrive Sedan, 2013-2014 BMW X1 sDrive28i, X1 xDrive28i Sports Activity Vehicle, 2013-2014 BMW X3 xDrive28i Sports Activity Vehicle, 2012-2014 BMW Z4 sDrive28i Roadster, and 2014 BMW 428i Coupe, and 428i xDrive Coupe. Due to insufficient lubrication, the vacuum pump that supplies brake power assistance may fail. Note: This recall is an expansion of recall 13V454.

**Consequence:**  
A failure of the brake vacuum pump results in a reduction in braking power that could increase the risk of a crash.

**Remedy:**  
BMW will notify owners, and dealers will install a locking ring in the camshaft to retain the camshaft seal disk in the proper location, free of charge. The recall began on December 2, 2014. Owners may contact BMW customer service at 1-800-525-7417.

**Dates of Manufacture:**  
JUL 04, 2012 to JUN 26, 2013  
**US NHTSA CAMPAIGN ID:**  
17V087000

**Mfg's Report Date:**  
FEB 08, 2017

**Component:**

**ELECTRICAL SYSTEM:BATTERY:CABLES**

Potential Number Of Units Affected:  
1160

**Summary:**

BMW of North America, LLC (BMW) is recalling certain 2014 X1 sDrive28i, X1 xDrive28i and X1 xDrive35i vehicles. The affected vehicles may have battery positive (B+) cables that develop high resistance in the connections to the fuse box.

**Consequence:**

The high resistance may result in loss of the cable's electrical connection, possibly causing an engine stall and preventing the vehicle from restarting, increasing the risk of a crash.

**Remedy:**

BMW will notify owners, and dealers will replace the B+ cable connector with one that is silver coated and better secure it to the fuse box, free of charge. The recall began April 3, 2017. Owners may contact BMW customer service at 1-800-525-7417.

**Dates of Manufacture:**

JUL 02, 2013 to JUL 16, 2013

**WARRANTY****Basic:**

4 Years/50,000 Miles

**Drivetrain:**

4 Years/50,000 Miles

**Corrosion:**

12 Years/Unlimited Miles

**Roadside Assistance:**

4 Years/Unlimited Miles

**Maintenance:**

4 Years/50,000 Miles

**Technical Specifications****Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

**Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 56ft<sup>3</sup>
- Cargo Volume to Seat 2 25ft<sup>3</sup>
- Cargo Volume to Seat 3 25ft<sup>3</sup>

**Cooling System**


- Total Cooling System Capacity N/Aqts

**Electrical**

- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) 210

**Emissions**

- EPA Greenhouse Gas Score N/A



Licensed to J.D. Power

- Tons/yr of CO2 Emissions @ 15K mi/year 6.9 (Est)

## Engine

- Displacement 2.0 L/122
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 240 @ 5000
- SAE Net Torque @ RPM 260 @ 1250

## Exterior Dimensions

- Height, Overall 60.8in
- Length, Overall N/Ain
- Lifterover Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 59.1in
- Track Width, Rear 60.2in
- Wheelbase 108.7in
- Width, Max w/o mirrors 70.8in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 16.6gal

## Interior Dimensions

- Front Head Room 41.3in
- Front Hip Room N/Ain
- Front Leg Room 41.4in
- Front Shoulder Room 55in
- Passenger Capacity 5
- Passenger Volume N/Aft<sup>3</sup>
- Second Head Room 39.7in
- Second Hip Room N/Ain
- Second Leg Room 34.9in
- Second Shoulder Room 54.6in

## Mileage

- Cruising Range - City 365.20mi
- Cruising Range - Hwy 547.80mi
- EPA Fuel Economy Est - City 22MPG
- EPA Fuel Economy Est - Hwy 33MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 26MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.7ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires



Licensed to J.D. Power

- Front Tire Order Code
- Front Tire Size P225/45HR18
- Rear Tire Order Code
- Rear Tire Size P225/45HR18
- Spare Tire Order Code
- Spare Tire Size

## Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.29
- Final Drive Axle Ratio (:1) 3.15
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 205
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Large Cars

## Weight Information

- Base Curb Weight 3726lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material
- Spare Wheel Size in