



800 lilac drive  
golden valley, MN 55422  
763 522 2000

## Vehicle Information

**Date:** January 26, 2019  
**Vehicle:** 2019 Kia Sorento Utility 4D LX AWD 3.3L V6  
**VIN:** 5XYPGDA52KG483435  
**Weight:** 4,101



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$33,090	N/A	\$1,045	<b>\$34,135</b>
NADA New Vehicle Values				
High	\$32,512	N/A	\$1,045	<b>\$33,557</b>

## Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
SPARKLING SILVER Code: KCS	\$0.00	\$0.00
SATIN BLACK, YES ESSENTIALS CLOTH SEAT TRIM Code: WK	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation, Radio Data System and Internal Memory
- Radio: UVO Play w/AM/FM/MP3-inc: 7" touch-screen audio display system, Android Auto, Apple CarPlay, integrated rear-camera-display, 6-speakers including door-mounted tweeters, USB/auxiliary input jacks and Bluetooth wireless technology
- Streaming Audio

### EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Door Handles
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler



Licensed to J.D. Power

- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R17
- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 17" x 7.0" Alloy

## INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Bucket Seats -inc: 10-way power adjustable driver seat w/2-way power lumbar support
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Fuel
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
- YES Essentials Cloth Seat Trim

## MECHANICAL

- 18.8 Gal. Fuel Tank
- 3.51 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.3L GDI Dual CVVT DOHC 24-Valve V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,622 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed Automatic w/Sportmatic

## SAFETY

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2019 J.D.Power



- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Blind Spot Collision Warning Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Collision Warning
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 73ft<sup>3</sup>
- Cargo Volume to Seat 2 38ft<sup>3</sup>
- Cargo Volume to Seat 3 11.3ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

### Emissions


- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.4

### Engine

- Displacement 3.3 L/204
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 290 @ 6400
- SAE Net Torque @ RPM 252 @ 5200

### Exterior Dimensions

- Height, Overall 66.3in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.3in
- Track Width, Rear 64.7in
- Wheelbase 109.4in



- Width, Max w/o mirrors 74.4in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

## Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 56.7in
- Front Leg Room 44.1in
- Front Shoulder Room 59.1in
- Passenger Capacity 7
- Passenger Volume 154.2ft<sup>3</sup>
- Second Head Room 39.3in
- Second Hip Room 56.4in
- Second Leg Room 39.4in
- Second Shoulder Room 58in
- Third Head Room 36.3in
- Third Hip Room 41.4in
- Third Leg Room 31.7in
- Third Shoulder Room 52.8in

## Mileage

- Cruising Range - City 357.20mi
- Cruising Range - Hwy 451.20mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 24MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 21MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.3ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P235/65HR17
- Rear Tire Order Code
- Rear Tire Size P235/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

## Transmission

- Clutch Size N/Ain



Licensed to J.D. Power

- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.65
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 3.51
- First Gear Ratio (:1) 4.81
- Fourth Gear Ratio (:1) 1.42
- Reverse Ratio (:1) 3.42
- Second Gear Ratio (:1) 2.90
- Seventh Gear Ratio (:1) 0.80
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.86
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 4101lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin