

csievers@poquetauto.com

## **Vehicle Information**

**Date:** January 15, 2019

Vehicle: 2018 Nissan Murano Utility 4D Platinum AWD 3.5L V6

VIN: 5N1AZ2MH7JN136342

Weight: 4,064



## **New Cars/Trucks Values**

Powered by Chrome Data Base MSRP	<b>Base</b> \$44,030	Options \$675	Destination \$1,045	Adjusted Value \$45,750
NADA New Vehicle Values				
Low	\$39,062	\$599	\$1,045	\$40,706
Average	\$40,880	\$627	\$1,045	\$42,552
High	\$42,917	\$658	\$1,045	\$44,620
Optional Equipment			Invoice	MSRP
[N10] ACCESSORY ILLUMINATED KICK PLATES			\$281.00	\$365.00
Code: IKP				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			<b>.</b>	<b>.</b>
[B92] SPLASH GUARDS			\$148.00	\$175.00
(PIO) Code: SGD				
[B94] REAR BUMPER PROTECTOR			\$106.00	\$135.00
(PIO) Code: BUM				
ARCTIC BLUE METALLIC			\$0.00	\$0.00
Code: RBG				
GRAPHITE, LEATHER APPOINTED SEAT TRIM			\$0.00	\$0.00
Code: G-0				

# **Standard Equipment**

## **ENTERTAINMENT**

- 2 LCD Monitors In The Front
- Digital Signal Processor
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: AM/FM/CD/MP3/WMA Audio System -inc: Bose audio system w/11 speakers plus dual subwoofer, auxiliary audio input jack, SiriusXM satellite radio, NissanConnect w/navigation, Apple CarPlay, Android Auto, 8" color display w/multi-touch control, Nissan voice recognition for navigation and audio, HD Radio, SiriusXM Traffic, SiriusXM Travel Link and rear USB connection port
- Regular Amplifier
- Window Grid And Roof Mount Diversity Antenna

## **EXTERIOR**

Black Grille w/Chrome Surround



- Licensed to J.D. Power
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Door Handles
- Chrome Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Led Low/High Beam Daytime Running Headlamps w/Delay-Off
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- · Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 235/55R20 AS
- Wheels: 20" Machined Aluminum-Alloy

#### INTERIOR

- 2 Seatback Storage Pockets
- 2-Way Power Driver Seat -inc: Power 2-Way Lumbar Support
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Climate Controlled Front Bucket Seats inc: driver's seat position memory, 10-way power driver's seat including 2-way power lumbar support and 4-way power front passenger's seat
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest w/Storage
- Front Cupholder
- Front Seats w/Leatherette Back Material and Power 2-Way Driver Lumbar
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Leather/Metal-Look Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look/Piano Black Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Appointed Seat Trim
- Leather Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings inc: Door Mirrors and Steering Wheel
- NissanConnect Services Powered By SiriusXM-inc: automatic collision notification, emergency call, stolen vehicle locator, customizable alerts including drive zone, valet, curfew and speed alerts, dealer service scheduling and maintenance alerts and remote services including start/stop w/companion apps (Apple watch, Android Wear and Amazon Alexa)
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button



- Remote Releases -Inc: Proximity Cargo Access and Power Fuel
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

#### **MECHANICAL**

- 150 Amp Alternator
- 19 Gal. Fuel Tank
- 4.667 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 63-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Brake Actuated Limited Slip Differential
- Electronic Transfer Case
- Engine: 3.5L DOHC 24-Valve V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,280 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Oil Cooler
- Transmission: Xtronic Continuously Variable (CVT)

## **SAFETY**

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Around View Monitor Front Camera
- Blind Spot Warning (BSW) Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Forward Collision Mitigation and Rear Cross Traffic Alert (RCTA)
- Intelligent Around View Monitor (i-Avm) Back-Up Camera
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## **Vehicle Information**

#### **CRASH TEST RATING**

US NHTSA CRASH TEST RESULTS:

Overall Rating: \*\*\*\*

Overall Frontal Barrier Crash Rating: \*\*\*\*

Overall Side Crash Rating: \*\*\*\*

Side Barrier Rating: \*\*\*\*

Combined Side Barrier and Pole Ratings: Front Seat Rating: \*\*\*\* Rear Seat Rating: \*\*\*\*

Overall Rollover Rating: \*\*\*\*

Dynamic Test Result: No Tip

Note Regarding Driver Rating:

Risk of Rollover: 15.10%

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover



Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

#### **REBATE**

One of the following incentives may apply to this vehicle. Regional incentives may vary.

Cash Incentive: \$1500 or financing plus \$2000 bonus cash

Financing Incentive: 0.0% plus \$2250 bonus cash

Expiration Date: 01/31/2019

Resource: nissanusa.com 01/08/2019

## WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance: 3 Years/36,000 Miles

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) YesDisc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 37in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 31.8in
- Cargo Box Width @ Wheelhousings 45in
- Cargo Volume to Seat 1 65ft³
- Cargo Volume to Seat 2 31.1ftÂ<sup>3</sup>
- Cargo Volume to Seat 3 31.1ftÂ<sup>3</sup>

## **Cooling System**

• Total Cooling System Capacity N/Aqts

## **Electrical**

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

#### **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.3

#### Engine



- Displacement 3.5 L/213
- **Engine Order Code**
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 260 @ 6000
- SAE Net Torque @ RPM 240 @ 4400

#### **Exterior Dimensions**

- · Height, Overall 66.6in
- Length, Overall N/Ain
- Liftover Height 30.8in
- Min Ground Clearance 6.9in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.6in
- Track Width, Rear 64.6in
- Wheelbase 111.2in
- Width, Max w/o mirrors 75.4in

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19gal

### **Interior Dimensions**

- Front Head Room 38.1in
- Front Hip Room 55.4in
- Front Leg Room 40.5in
- Front Shoulder Room 59.5in
- Passenger Capacity 5
- Passenger Volume 102.8ftÅ<sup>3</sup>
- Second Head Room 37.8in
- Second Hip Room 55.2in
- Second Leg Room 38.7in
- Second Shoulder Room 58.8in

## Mileage

- Cruising Range City 399.00mi
- Cruising Range Hwy 532.00mi
- **EPA Fuel Economy Est City 21MPG**
- EPA Fuel Economy Est Hwy 28MPG
   EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 24MPG

#### Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.7ft
- Turning Diameter Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut Suspension Type - Front Strut
- Suspension Type Rear (Cont.) Multi-Link Suspension Type Rear Multi-Link

#### **Tires**

- Front Tire Order Code
- Front Tire Size P235/55TR20
- Rear Tire Order Code
- Rear Tire Size P235/55TR20



- Spare Tire Order Code
- Spare Tire Size Compact

## **Trailering**

- Dead Weight Hitch Max Tongue Wt. 150lbs
- Dead Weight Hitch Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch Max Tongue Wt. 150lbs
- Wt Distributing Hitch Max Trailer Wt. 1500lbs

## **Transmission**

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 4.67
- First Gear Ratio (:1) 2.41 0.38
- Reverse Ratio (:1) 0.96
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

#### **Vehicle**

• EPA Classification Mid-Size Station Wagon

## **Weight Information**

- Base Curb Weight 4017lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin