

## Vehicle Information

**Date:** January 8, 2019  
**Vehicle:** 2016 Lexus RX Utility 4D RX350 AWD 3.5L V6  
**VIN:** JTJBZMCA6G2002969  
**Weight:** 4,387




## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$43,300	\$7,390	\$975	<b>\$51,665</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
12.3" NAVIGATION SYSTEM -inc: advanced voice command casual-language voice recognition system, Bluetooth hands free phone and automatic phonebook download capabilities, remote touch navigation controller, HD Radio w/iTunes tagging, SiriusXM NavTraffic, NavWeather, Sports, Stocks and Fuel Prices (1-year trial data subscription included), Lexus Insider and Electro Multi Vision (EMV) display, Lexus Enform Destinations, Destination Assist and eDestination (1-year trial subscription included), Lexus Enform App Suite, destination search, Yelp, iHeartRadio, Facebook Places, Movietickets.com, OpenTable, Pandora, Slacker, stocks, fuel prices and sports, Single-Disc DVD Changer Code: NW-0	\$2015.00	\$2180.00
BLIND SPOT MONITOR W/REAR CROSS TRAFFIC ALERT -inc: lane change assist Code: BD	\$460.00	\$500.00
HEATED & VENTILATED FRONT SEATS Code: HS	\$589.00	\$640.00
HEATED LEATHER STEERING WHEEL Code: WR	\$139.00	\$150.00
INTUITIVE PARKING ASSIST -inc: clearance and back sonar Code: PA	\$460.00	\$500.00
LEXUS SAFETY SYSTEM PLUS -inc: pre-collision system w/pedestrian detection, All-Speed Dynamic Radar Cruise Control (DRCC), Lane Departure Alert w/Steering Assist, Bi-LED Headlamps w/Automatic High Beam Code: GL	\$584.00	\$635.00
MATTE LINEAR DARK MOCHA WOOD INTERIOR TRIM -inc: Two-Tone Instrument Panel Code: EM	\$368.00	\$400.00
POWER TILT & SLIDE MOONROOF Code: SR	\$1012.00	\$1100.00
PREMIUM PACKAGE	\$999.00	\$1085.00



	Invoice	MSRP
-inc: Rear Armrest Storage Compartment, Aluminum Roof Rails, Driver Seat/Steering/Mirror Memory - 3 Settings, driver's seat Easy Exit (auto away/return), Rain-Sensing Windshield Wipers Code: PM		
TOUCH-FREE POWER REAR DOOR Code: HF	\$184.00	\$200.00
TWO-TONE INSTRUMENT PANEL Code: TX	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
EMINENT WHITE PEARL Code: 085	\$0.00	\$0.00
NOBLE BROWN, LEATHER SEAT TRIM Code: LB41	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 2 LCD Monitors In The Front
- Audio Theft Deterrent
- Concealed Diversity Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: AM/FM/CD Lexus Display Audio -inc: 8-inch screen, 9-speaker premium audio system, Bluetooth hands free phone and automatic phonebook download capabilities, voice recognition, Cache Radio, ability to pause live AM/FM radio and HD Radio, traffic and weather data provided via HD Radio (free to all users while in HD Radio range), basic traffic map, weather forecast, Siri Eyes Free and Electro Multi Vision (EMV) display
- Streaming Audio

### EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Chrome Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Clearcoat Paint
- Colored Grille w/Chrome Surround
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Led Low/High Beam Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R18 M+S
- Variable Intermittent Wipers
- Wheels: 18" x 8" 7-Spoke Aluminum

### INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver / Passenger And Rear Door Bins



Licensed to J.D. Power

- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
- Front And Rear Map Lights
- Front Bucket Seats -inc: 10-way power driver's and front passenger's seat w/fore-aft slide, fore-aft recline, front vertical height, rear vertical height, power lumbar support and driver's seat easy exit (auto away/return)
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Genuine Wood Door Panel Insert, Genuine Wood Console Insert and Chrome/Metal-Look Interior Accents
- Leather Steering Wheel
- Leather/Metal-Look Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- NuLuxe Seat Trim
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access and Power Fuel
- Roll-Up Cargo Cover
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

## MECHANICAL

- 19.2 Gal. Fuel Tank
- 2.277 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Double Wishbone Rear Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine: 3.5L V6 DOHC 24V VVT-iW
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,864 lbs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode and Sequential Shift Control
- Transmission: 8-Speed Automatic

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- First Aid Kit
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Safety Connect Emergency Sos
- Side Impact Beams



## Vehicle Information

### RECALL

US NHTSA CAMPAIGN ID:  
16V053000

Mfg's Report Date:  
JAN 31, 2016

Component:  
AIR BAGS:KNEE BOLSTER

Potential Number Of Units Affected:  
5072

**Summary:**  
Toyota Motor Engineering & Manufacturing (Toyota) is recalling certain model year 2016 Lexus RX350 and RX450h vehicles manufactured November 16, 2015, to December 23, 2015. Due to an improper weld, the gas needed to inflate the driver's knee air bag may escape from the inflator.

**Consequence:**  
A defective inflator may increase the risk of injury in the event of a crash.

**Remedy:**  
Toyota will notify owners, and dealers will inspect and, if necessary, replace the knee air bag assembly, free of charge. The recall began March 7, 2016. Owners may contact Toyota customer service at 1-800-331-4331. Toyota's number for this recall is GLA.

Dates of Manufacture:  
NOV 15, 2015 to DEC 22, 2015

Manufacturer Recall Number:  
GLA  
US NHTSA CAMPAIGN ID:  
16V198000

Mfg's Report Date:  
APR 06, 2016

Component:  
SERVICE BRAKES, HYDRAULIC:ANTILOCK

Potential Number Of Units Affected:  
16656

**Summary:**  
Toyota Motor Engineering & Manufacturing (Toyota) is recalling certain model year 2016 Toyota RAV4 vehicles manufactured October 30, 2015, to February 3, 2016, 2016 Lexus RX350 vehicles manufactured October 26, 2015, to February 8, 2016, and 2016 Lexus ES350 vehicles manufactured September 1, 2015, to February 29, 2016. These vehicles are equipped with an ABS actuator that may have a damaged O-ring which could result in improper brake fluid pressure control during ABS, Traction Control, or Stability Control activation. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 126, "Electronic Stability Control Systems."

**Consequence:**  
Insufficient brake fluid pressure may cause a loss of vehicle control, increasing the risk of a crash.

**Remedy:**  
Toyota will notify owners, and dealers will inspect the brake actuator, replacing it as necessary, free of charge. The recall began on May 4, 2016, 2016. Owners may contact Toyota customer service at 1-800-331-4331. Toyota's number for this recall is GOI, GLC.

Dates of Manufacture:  
OCT 25, 2015 to FEB 07, 2016


Manufacturer Recall Number:  
GOI, GLC  
US NHTSA CAMPAIGN ID:  
18V085000

Mfg's Report Date:  
JAN 30, 2018

Component:  
AIR BAGS:FRONTAL

Potential Number Of Units Affected:  
48672

**Summary:**  
Toyota Motor Engineering & Manufacturing (Toyota) is recalling certain 2016 Toyota Prius and Lexus RX 350, RX 350 F Sport, RX 450h F Sport and RX 450h vehicles and 2015-2016 Lexus NX 200T, NX Turbo and NX 300h vehicles. The air bag pressure sensors and/or the acceleration sensors may fail causing the side/curtain shield air bags and/or the front air bags to not deploy in the event of a crash.

**Consequence:**

If the air bags fail to deploy in a crash, it can increase the risk of injury.

**Remedy:**

Toyota will notify owners, and dealers will replace the sensors as necessary based on their serial numbers, free of charge. The recall is expected to begin March 12, 2018. Owners may contact Toyota customer service at 1-800-331-4331. Toyota's numbers for this recall are JLA, JOF.

**Dates of Manufacture:**

MAY 06, 2015 to JAN 12, 2016

**Manufacturer Recall Number:**

JLA, JOF

## WARRANTY

**Basic:**

4 Years/50,000 Miles

**Drivetrain:**

6 Years/70,000 Miles

**Corrosion:**

6 Years/Unlimited Miles

**Roadside Assistance:**

4 Years/Unlimited Miles

**Maintenance:**

1 Years/10,000 Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 13.3in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 56.3ft<sup>3</sup>
- Cargo Volume to Seat 2 18.4ft<sup>3</sup>
- Cargo Volume to Seat 3 18.4ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

### Engine



Licensed to J.D. Power

- Displacement 3.5 L/211
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 295 @ 6300
- SAE Net Torque @ RPM 267 @ 4700

## Exterior Dimensions

- Height, Overall 67.7in
- Length, Overall N/Ain
- Lifter Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.4in
- Track Width, Rear 64in
- Wheelbase 109.8in
- Width, Max w/o mirrors 74.6in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.2gal

## Interior Dimensions

- Front Head Room 39.4in
- Front Hip Room 56.6in
- Front Leg Room 44.1in
- Front Shoulder Room 57.8in
- Passenger Capacity 5
- Passenger Volume 121.3ft<sup>3</sup>
- Second Head Room 39.1in
- Second Hip Room 56.1in
- Second Leg Room 38in
- Second Shoulder Room 57.6in

## Mileage

- Cruising Range - City 364.80mi
- Cruising Range - Hwy 499.20mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 45.2ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Double Wishbone
- Suspension Type - Rear Double Wishbone

## Tires

- Front Tire Order Code
- Front Tire Size P235/65VR18
- Rear Tire Order Code
- Rear Tire Size P235/65VR18



Licensed to J.D. Power

- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailering Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 2.28
- First Gear Ratio (:1) 5.25
- Fourth Gear Ratio (:1) 1.46
- Reverse Ratio (:1) 4.01
- Second Gear Ratio (:1) 3.03
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 4387lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin