



## Vehicle Information

**Date:** January 11, 2019  
**Vehicle:** 2016 Audi Q5 Utility 4D Premium Plus AWD 2.0L I4 Turbo  
**VIN:** WA1L2AFP2GA034991  
**Weight:** 4,079



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$40,900	\$6,325	\$925	<b>\$48,150</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
3-STEP HEATED FRONT SEATS Code: 4A3	\$466.00	\$500.00
RADIO: MMI NAVIGATION PLUS SYSTEM -inc: TFT color, WVGA, 7" display screen (user-friendly control interface), control knob w/joystick and buttons in center console, Audi connect w/6-month trial subscription, Bluetooth streaming audio, HD Radio technology, in-dash single CD player plus DVD capability, SiriusXM Traffic w/4-year subscription and voice control system Code: -NONRD	\$0.00	\$0.00
TECHNOLOGY PACKAGE -inc: Bang & Olufsen Sound System, 14 speakers and 505 watts w/Dolby Digital 5.1 and noise compensation, Audi Parking System Plus w/Rear View Camera, front and rear acoustic sensors, Audi Side Assist Lane change assist, operates at speeds above 19 mph, visual warnings located in exterior mirror housings, Radar technology located behind rear bumper (not visible), Can be turned off, Audi Connect w/Online Services, Radio: MMI Navigation Plus System, TFT color, WVGA, 7" display screen (user-friendly control interface), control knob w/joystick and buttons in center console, Audi connect w/6-month trial subscription, Bluetooth streaming audio, HD Radio technology, in-dash single CD player plus DVD capability, SiriusXM Traffic w/4-year subscription and voice control system, Color Driver Information System w/Trip Computer Code: PNY	\$4186.00	\$4500.00
TECHNOLOGY PACKAGE CREDIT *CREDIT* Code: PEB	\$-558.00	\$-600.00
PREMIUM PLUS PACKAGE -inc: Heated Auto-Dimming & Power-Adjustable Mirrors, power folding, Aluminum Trunk Edge Trim & Door Sills, Auto-Dimming Interior Mirror w/Digital Compass, 3-Step Heated Front Seats, Audi Advanced Key, keyless start/stop and entry, 2-Position Driver Side Memory, seat and mirror adjustment (located on driver's door) Code: WPS	\$1722.00	\$1850.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
FLORETT SILVER METALLIC Code: L5L5	\$536.00	\$575.00



BLACK, LEATHER SEATING SURFACES

Invoice

\$0.00

MSRP

\$0.00

Code: FZ-I

## Standard Equipment

### ENTERTAINMENT

- 1 LCD Monitor In The Front
- Audio Theft Deterrent
- Radio w/Seek-Scan, In-Dash Mounted Single CD, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: MMI Plus System w/6.5" Color Screen-inc: Audi music interface w/iPod integration, 6-channel DSP extended sound system w/10 speakers including subwoofer, 180W sound system, Bluetooth wireless technology preparation for mobile phone, driver information center, SD card slot w/32GB capacity and SiriusXM satellite radio w/90-day trial subscription
- Window Grid Diversity Antenna

### EXTERIOR

- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Chrome Grille
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front And Rear Fog Lamps
- Front License Plate Bracket
- Galvanized Steel/Aluminum Panels
- LED Brake Lights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Programmable Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Headlamps w/Delay-Off
- Roof Rack
- Spare Tire Mobility Kit
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/60R18 AS
- Wheels: 8.0" x 18" 5-V-Spoke-Design

### INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Ashtray
- Cargo Area Concealed Storage
- Cargo Features-inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls-inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Cigar Lighter(s)
- Front Cupholder
- Full Carpet Floor Covering-inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges-inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Oil Level, Trip Odometer and Trip Computer
- HomeLink Garage Door Transmitter



- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Aluminum/Genuine Wood Instrument Panel Insert, Aluminum/Genuine Wood Door Panel Insert, Aluminum/Genuine Wood Console Insert and Aluminum Interior Accents
- Leather Gear Shift Knob
- Leather Seating Surfaces
- Leather Steering Wheel
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Front Bucket Seats -inc: 12-way power driver seat w/4-way power lumbar adjustable head restraints and 8-way power passenger seat w/adjustable head restraints
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Refrigerated/Cooled Box Located In The Glovebox, Driver / Passenger And Rear Door Bins and Audio Media Storage
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Cargo Access
- Rigid Cargo Cover
- Sliding Front Center Armrest and Rear Center Armrest w/Pass-Thru
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

## MECHANICAL

- 1047# Maximum Payload
- 150 Amp Alternator
- 19.8 Gal. Fuel Tank
- 2.84 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Electric Parking Brake
- 80-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Electric Power-Assist Speed-Sensing Steering
- Engine Oil Cooler
- Engine: 2.0 TFSI 4 Cylinder 220 HP
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 5,423 lbs
- Multi-Link Front Suspension w/Coil Springs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Polished Tailpipe Finisher
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 8-Speed Tiptronic Automatic -inc: sport program and manual shift mode

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- SIDE GUARD Curtain 1st And 2nd Row Airbags

## Vehicle Information

### CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: \*\*\*\*\*

Overall Frontal Barrier Crash Rating: \*\*\*\*\*

Overall Side Crash Rating: \*\*\*\*\*

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2019 J.D.Power



Side Barrier Rating: \*\*\*\*\*

Side Barrier Rating Note: Note: These ratings do not apply to vehicles with optional torso/pelvis side air bags in the second row

Combined Side Barrier and Pole Ratings:

Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \*\*\*\*\*

Dynamic Test Result: No Tip

Risk of Rollover: 15.1%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

## RECALL

US NHTSA CAMPAIGN ID:

17V002000

Mfg's Report Date:

JAN 02, 2017

Component:

ENGINE AND ENGINE COOLING:COOLING SYSTEM

Potential Number Of Units Affected:

342867

Summary:

Volkswagen Group of America, Inc. (Volkswagen) is recalling certain 2013-2017 Audi A5, A5 Cabriolet and Q5 vehicles, 2013-2016 Audi Allroad and Audi A4 vehicles and 2012-2015 Audi A6 vehicles. These vehicles, equipped with 2.0l Turbo FSI engines, have an electric coolant pump that can be blocked with debris from the cooling system, resulting in the pump overheating.

Consequence:

If the coolant pump overheats, it can increase the risk of a fire.

Remedy:

Audi will notify owners, and dealers will update the software so that the power supply to the coolant pump is deactivated if the pump becomes blocked with debris, free of charge. The recall is expected to begin February 20, 2017. Owners may contact Audi customer service at 1-800-253-2834. Volkswagen's number for this recall is 19M1.

Dates of Manufacture:

JUL 03, 2013 to DEC 19, 2016

Manufacturer Recall Number:

19M1

US NHTSA CAMPAIGN ID:

17V001000

Mfg's Report Date:

JAN 02, 2017

Component:

VISIBILITY:SUN ROOF ASSEMBLY

Potential Number Of Units Affected:

234057

Summary:

Volkswagen Group of America, Inc. (Volkswagen) is recalling certain 2011-2017 Audi Q5 vehicles. The sunroof drainage system may allow water to soak into the foam surrounding the side head air bag inflator canister resulting in the corrosion of the canister. If this happens, the corrosion can weaken the canister and the inflator could fracture without air bag deployment, propelling fragments into the passenger compartment, striking and causing serious injury to vehicle occupants.

Consequence:

An inflator rupture may result in metal fragments striking the driver or other occupants resulting in serious injury or death.

Remedy:

Audi will notify owners, and dealers will inspect the inflator and either coat it or replace it, as necessary, after removing the surrounding foam, free of charge. The recall is expected to began March 2017. Owners may contact Audi customer service at 1-800-253-2834. Volkswagen's number for this recall is 69P1.

Dates of Manufacture:

MAY 27, 2010 to AUG 12, 2016

Manufacturer Recall Number:



69P1  
US NHTSA CAMPAIGN ID:  
17V298000

Mfg's Report Date:  
MAY 02, 2017

Component:  
FUEL SYSTEM, GASOLINE:DELIVERY:FUEL PUMP

Potential Number Of Units Affected:  
240487

**Summary:**  
Volkswagen Group of America, Inc. (Volkswagen) is recalling certain model year 2013-2017 Audi Q5 and 2013-2017 Audi Q7 vehicles. These gasoline-powered vehicles have a fuel pump flange that may crack, allowing fuel to leak.

**Consequence:**  
A fuel leak in the presence of an ignition source increases the risk of a fire.

**Remedy:**  
Audi will notify owners, and dealers will replace the fuel pump flange if cracks are present. Flanges that do not have cracks will have a protective film applied. These repairs will be performed free of charge. The recall began July 3, 2017. Owners may contact Audi customer service at 1-800-253-2834. Volkswagen's number for this recall is 20Z8. Note: This recall is an expansion of recall 16V660.

**Dates of Manufacture:**  
JUL 03, 2012 to MAR 02, 2017

**Manufacturer Recall Number:**  
20Z8  
US NHTSA CAMPAIGN ID:  
18V229000

**Mfg's Report Date:**  
APR 10, 2018

**Component:**  
ENGINE AND ENGINE COOLING:COOLING SYSTEM

**Potential Number Of Units Affected:**  
342867

**Summary:**  
Volkswagen Group of America, Inc. (Volkswagen) is recalling certain 2013-2017 Audi A5 Cabriolet, A5 Sedan and Audi Q5 vehicles, 2012-2015 Audi A6 vehicles and 2013-2016 Audi A4 Sedan and A4 Allroad vehicles. These vehicles, equipped with 2.0l Turbo FSI engines, have an electric coolant pump that can either become blocked with debris from the cooling system causing it to overheat or can short-circuit from moisture within the pump.

**Consequence:**  
A blocked pump or a short-circuited pump can increase the risk of a fire.

**Remedy:**  
Audi will notify owners, and dealers will replace the pumps, free of charge. Parts are not currently available. Owners were sent interim notifications informing them of the safety risk on June 11, 2018. A second notice will be mailed once remedy parts become available. Owners may contact Audi customer service at 1-800-253-2834. Audi's number's for this recall is 19N3/19N4. Note: This recall is in addition to the coolant pump software update applied as a remedy under recall 17V002.

**Dates of Manufacture:**  
JUL 03, 2012 to DEC 19, 2016

**Manufacturer Recall Number:**  
19N3/19N4  
US NHTSA CAMPAIGN ID:  
17V622000

**Mfg's Report Date:**  
OCT 04, 2017

**Component:**  
ELECTRICAL SYSTEM:WIRING

**Potential Number Of Units Affected:**  
216913

**Summary:**  
Volkswagen Group of America, Inc. (Volkswagen) is recalling certain 2013-2016 Audi A5 Coupe, A5 Cabriolet, A4 Sedan, A4 Allroad and Q5 vehicles. Contact corrosion within the electrical connector for the auxiliary heater may cause the heater wires to overheat or melt.

**Consequence:**  
The melted wires can increase the risk of a fire.

**Remedy:**



Audi will notify owners, and dealers will replace the auxiliary heater and, as necessary, update the software, free of charge. The Recall began November 27, 2017. Owners may contact Audi customer service at 1-800-893-5298. Volkswagen's numbers for this recall are 80C5 and 80C6.

Dates of Manufacture:  
JUL 03, 2012 to JUL 30, 2015

Manufacturer Recall Number:  
80C5/80C6

## WARRANTY

Basic:  
4 Years/50,000 Miles

Drivetrain:  
4 Years/50,000 Miles

Corrosion:  
12 Years/Unlimited Miles

Roadside Assistance:  
4 Years/Unlimited Miles

Maintenance:  
1 Years/5,000 Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 11.8in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 57.3ft<sup>3</sup>
- Cargo Volume to Seat 2 29.1ft<sup>3</sup>
- Cargo Volume to Seat 3 29.1ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical


- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

### Engine

- Displacement 2.0 L/121
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 220 @ 4450



Licensed to J.D. Power

- SAE Net Torque @ RPM 258 @ 1500

## Exterior Dimensions

- Height, Overall 65.2in
- Length, Overall N/Ain
- Liftover Height 27.3in
- Min Ground Clearance 7.9in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.7in
- Track Width, Rear 63.5in
- Wheelbase 110.5in
- Width, Max w/o mirrors 74.7in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.8gal

## Interior Dimensions

- Front Head Room 39.4in
- Front Hip Room N/Ain
- Front Leg Room 41in
- Front Shoulder Room 57.7in
- Passenger Capacity 5
- Passenger Volume 101.5ft<sup>3</sup>
- Second Head Room 39in
- Second Hip Room N/Ain
- Second Leg Room 37.4in
- Second Shoulder Room 56.4in

## Mileage

- Cruising Range - City 396.00mi
- Cruising Range - Hwy 554.40mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 23MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.1ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Multi-Link
- Suspension Type - Front Multi-Link
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P235/60HR18
- Rear Tire Order Code
- Rear Tire Size P235/60HR18
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer



Licensed to J.D. Power

- Dead Weight Hitch - Max Tongue Wt. 440lbs
- Dead Weight Hitch - Max Trailer Wt. 4400lbs
- Maximum Trailering Capacity 4400lbs
- Wt Distributing Hitch - Max Tongue Wt. 440lbs
- Wt Distributing Hitch - Max Trailer Wt. 4400lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) 2.85
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.32
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 4200lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin