

Vehicle Information

Date: January 16, 2019
Vehicle: 2016 Nissan Rogue Utility 4D SV AWD 2.5L I4
VIN: 5N1AT2MV7GC825809
Weight: 3,554



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$26,130	\$1,795	\$940	\$28,865
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
[J01] SV MOONROOF PACKAGE -inc: Power Panoramic Moonroof Code: MRF	\$1169.00	\$1320.00
[S10] FOG LAMPS Code: FOG	\$233.00	\$315.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[B92] SPLASH GUARDS (PIO) Automatically added to dealer orders in the following states if not ordered with factory installed splash guards or factory installed splash guards are not offered as an orderable option: Alaska, Idaho, Montana, Oregon, Rhode Island, Washington and Wisconsin. Code: SGD	\$138.00	\$160.00
GLACIER WHITE Code: QAK	\$0.00	\$0.00
CHARCOAL, CLOTH SEAT TRIM Code: G-0	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock and Steering Wheel Controls
- Radio: AM/FM/CD/RDS/AUX NissanConnect-inc: mobile apps, 6 speakers, 5" color center display audio system, USB connection port for iPod interface and other compatible devices, Bluetooth hand-free phone system and XM Satellite radio
- Streaming Audio

EXTERIOR



Licensed to J.D. Power

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Front Bumper
- Body-Colored Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Door Handles
- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum/Composite Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17 AS
- Variable Intermittent Wipers
- Wheels: 17" Aluminum-Alloy

INTERIOR

- 3 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front Bucket Seats -inc: 6-way power driver's seat w/power lumbar support, 4-way adjustable front passenger seat and front seatback storage
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts and Console Ducts
- Interior Trim -inc: Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- NissanConnect Selective Service Internet Access
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Cargo Access and Mechanical Fuel
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob

MECHANICAL

- 110 Amp Alternator
- 14.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 5.694 Axle Ratio



Licensed to J.D. Power

- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L DOHC 16-Valve I4 -inc: ECO mode
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,678 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Sequential Shift Control
- Transmission: Xtronic CVT Automatic -inc: sport mode switch,

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- RearView Monitor Back-Up Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: ****

Overall Frontal Barrier Crash Rating: ****

Overall Side Crash Rating: *****

Side Barrier Rating: *****

Combined Side Barrier and Pole Ratings:

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: ****

Dynamic Test Result: No Tip

Risk of Rollover: 16.4%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:
16V219000

Mfg's Report Date:
APR 14, 2016

Component:
STRUCTURE:BODY:HATCHBACK/LIFTGATE:SUPPORT DEVICE

Potential Number Of Units Affected:
108503

Summary:

Nissan North America, Inc. (Nissan) is recalling certain model year 2014-2016 Nissan Rogue vehicles manufactured July 31, 2013, to January 16, 2016. In the affected vehicles, the rear lift gate support stays may corrode due to insufficient anti-corrosion treatment.

**Consequence:**

Corrosion of one or both of the rear lift gate support stays could cause a sudden release of pressure. If this occurs, the support stays may break off, increasing the risk of injury.

Remedy:

Nissan will notify owners, and dealers will replace the rear tailgate stays, free of charge. The recall began on November 18, 2016. Owners may contact Nissan customer service at 1-800-647-7261.

Dates of Manufacture:

JUL 30, 2013 to JAN 15, 2016

US NHTSA CAMPAIGN ID:

16V244000

Mfg's Report Date:

APR 25, 2016

Component:

AIR BAGS: OCCUPANT CLASSIFICATION SYSTEM - OCS (FRONT PASSENGER)

Potential Number Of Units Affected:

3296947

Summary:

Nissan North America, Inc. (Nissan) is recalling certain model year 2016-2017 Nissan Maxima, 2013-2016 Nissan Altima, NV200, LEAF, Sentra, and Pathfinder, 2014-2016 Nissan NV200 Taxi, Infiniti QX60, QX60 Hybrid, and Q50 Hybrid, 2014-2017 Nissan Rogue and Infiniti Q50, 2015-2016 Nissan Murano, Murano Hybrid, and Chevrolet City Express, 2014-2015 Nissan Pathfinder Hybrid, and 2013 Infiniti JX35 vehicles. In these vehicles, the front seat passenger Occupant Classification System (OCS) may incorrectly classify an adult passenger as a child or classify the seat as empty despite it being occupied. As a result, the passenger frontal air bag may be turned off and not deploy in the event of a crash.

Consequence:

If the passenger frontal air bag does not deploy as intended in the event of a crash, the passenger is at an increased risk of injury.

Remedy:

Nissan will notify their owners. Chevrolet City Express owners will be notified by General Motors. Dealers will reprogram the Air Bag Control Unit (ACU) and OCS Electronic Control Unit (ECU) in Altima, Maxima, Murano, Rogue, and Sentra vehicles, and replace the OCS ECU in LEAF, NV200, NV200 Taxi, Pathfinder, Infiniti Q50, JX35, and QX60 and Chevrolet City Express vehicles, free of charge. Interim notices were sent to owners on May 31, 2016. Owners will receive a second notice when remedy parts become available. Owners may contact Nissan customer service at 1-800-867-7669, Infiniti customer service at 1-888-833-3216 or Chevrolet customer service at 1-800-222-1020.

Dates of Manufacture:

JUL 24, 2013 to APR 14, 2016

US NHTSA CAMPAIGN ID:

16V911000

Mfg's Report Date:

DEC 18, 2016

Component:

AIR BAGS: OCCUPANT CLASSIFICATION SYSTEM - OCS (FRONT PASSENGER)

Potential Number Of Units Affected:

757

Summary:

Nissan North America, Inc. (Nissan) is recalling certain model year 2013-2015 Altima vehicles manufactured January 3, 2013, to July 29, 2013, 2015-2016 Rogue vehicles manufactured October 14, 2014, to August 12, 2016, and 2016 Maxima vehicles manufactured June 4, 2015, to August 19, 2015. An incorrect Occupant Classification System (OCS) Electronic Control Unit (ECU) may have been installed in the front passenger seat. The incorrect ECU and seat combination may misclassify the front passenger seat occupant.

Consequence:

If the front passenger seat occupant is misclassified, the air bag may deploy incorrectly in the event of a crash, increasing the risk of injury.

Remedy:

Nissan will notify owners, and dealers will replace the ECU and update the OCS software free of charge. The recall began February 13, 2017. Owners may contact Nissan customer service at 1-800-647-7261.

Dates of Manufacture:

OCT 13, 2014 to AUG 11, 2016

US NHTSA CAMPAIGN ID:

17V663000

Mfg's Report Date:

OCT 17, 2017

Component:

SEAT BELTS

Potential Number Of Units Affected:

4883

Summary:

Nissan North America, Inc. (Nissan) is recalling certain 2016-2017 Nissan Rogue vehicles. The recliner joints on the lower seat frame for the rear seats may have improper welds. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standards (FMVSS) number 207, "Seating Systems," and 210, "Seat Belt Assembly Anchorages."

**Consequence:**

The insufficient welds can increase the risk of injury to the occupants in the event of a crash.

Remedy:

Nissan will notify owners, and dealers will inspect the seat frames and replace any defective lower seat frames, free of charge. The recall began December 6, 2017. Owners may contact Nissan customer service at 1-800-647-7261.

Dates of Manufacture:

AUG 04, 2016 to SEP 08, 2016

US NHTSA CAMPAIGN ID:

17V716000

Mfg's Report Date:

NOV 13, 2017

Component:

SEATS

Potential Number Of Units Affected:

210

Summary:

Nissan North America, Inc. (Nissan) is recalling certain 2016 Nissan Rogue vehicles. The vehicles have front passenger seat frames that may be improperly welded. As such, these vehicles fail to meet performance requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 202a, "Head Restraints" and FMVSS 207, "Seating Systems."

Consequence:

In the event of a crash, the improperly welded seat back frames may increase the risk of injury.

Remedy:

Nissan will notify owners, and dealers will replace the front passenger seat back assembly, free of charge. The recall began January 08, 2018. Owners may contact Nissan customer service at 1-800-647-7261.

Dates of Manufacture:

JUL 11, 2016 to JUL 13, 2016

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

3 Years/36,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.8in
- Rear Brake Rotor Diam x Thickness 11.7in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 42.9in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 38.5in
- Cargo Box (Area) Height 35in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 70ft³
- Cargo Volume to Seat 2 39.3ft³
- Cargo Volume to Seat 3 39.3ft³



Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 110

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.5 (Est)

Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 170 @ 6000
- SAE Net Torque @ RPM 175 @ 4400

Exterior Dimensions

- Height, Overall 66.3in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7.6in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.8in
- Track Width, Rear 62.8in
- Wheelbase 106.5in
- Width, Max w/o mirrors 72.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 14.5gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 54in
- Front Leg Room 43in
- Front Shoulder Room 56.5in
- Passenger Capacity 5
- Passenger Volume 100.4ftÅ³
- Second Head Room 36.6in
- Second Hip Room 52.1in
- Second Leg Room 37.9in
- Second Shoulder Room 55.9in
- Third Head Room in
- Third Hip Room in
- Third Leg Room in
- Third Shoulder Room in

Mileage

- Cruising Range - City 362.50mi
- Cruising Range - Hwy 464.00mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 32MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 28MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A



Licensed to J.D. Power

- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb N/Aft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P225/65HR17
- Rear Tire Order Code
- Rear Tire Size P225/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 100lbs
- Dead Weight Hitch - Max Trailer Wt. 1000lbs
- Maximum Trailering Capacity 1000lbs
- Wt Distributing Hitch - Max Tongue Wt. 100lbs
- Wt Distributing Hitch - Max Trailer Wt. 1000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 5.69
- First Gear Ratio (:1) 2.64 - 0.38
- Reverse Ratio (:1) 0.74
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3554lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin