

## Vehicle Information

**Date:** January 11, 2019  
**Vehicle:** 2016 Honda CR-V Utility 4D SE AWD 2.4L I4  
**VIN:** 2HKRM4H41GH718602  
**Weight:** 3,501



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$25,945	N/A	\$940	<b>\$26,885</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
OBSIDIAN BLUE PEARL Code: BU	\$0.00	\$0.00
GRAY, CLOTH SEAT TRIM Code: GR	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 1 LCD Monitor In The Front
- Audio Theft Deterrent
- Bluetooth Handsfreelink Wireless Phone Connectivity
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: AM/FM/CD Audio System w/4 Speakers-inc: 160-Watts, Bluetooth streaming audio, Pandora Internet radio compatibility, USB audio interface, MP3/auxiliary input jack, MP3/Windows Media Audio (WMA) playback capability, Radio Data System (RDS) and Speed-Sensitive Volume Control (SVC)

### EXTERIOR

- Auto Off Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Black Bodyside Cladding and Black Wheel Well Trim
- Black Door Handles
- Black Grille w/Chrome Surround
- Black Power Side Mirrors w/Convex Spotter and Manual Folding
- Body-Colored Front Bumper w/Colored Rub Strip/Fascia Accent and Black Bumper Insert
- Body-Colored Rear Bumper w/Colored Rub Strip/Fascia Accent and Black Bumper Insert
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Interval Wipers



- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17 102T All-Season
- Wheels: 17" Alloy


## INTERIOR

- 2 12V DC Power Outlets
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Split-Bench Front Facing Flip Forward Cushion/Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Seat Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front Bucket Seats -inc: driver's seat w/manual height adjustment
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Meta-Look Instrument Panel Insert, Meta-Look Console Insert and Meta-Look Interior Accents
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Sliding Front Center Armrest and Rear Center Armrest
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
- Valet Function

## MECHANICAL

- 15.3 Gal. Fuel Tank
- 36-Amp/Hr 410CCA Maintenance-Free Battery
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 5.048 Axle Ratio
- Automatic Full-Time All-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.4L I4 16-Valve DOHC i-VTEC
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: TBD
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: Continuously Variable w/Sport Mode

## SAFETY



- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

## Vehicle Information

### CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: \*\*\*\*\*

Overall Frontal Barrier Crash Rating: \*\*\*\*\*

Overall Side Crash Rating: \*\*\*\*\*

Side Barrier Rating: \*\*\*\*\*

Combined Side Barrier and Pole Ratings:

Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \*\*\*\*\*

Dynamic Test Result: No Tip

Risk of Rollover: 17.4%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

### RECALL

US NHTSA CAMPAIGN ID:  
15V714000

Mfg's Report Date:  
OCT 28, 2015

Component:  
AIR BAGS:FRONTAL:DRIVER SIDE INFLATOR MODULE

Potential Number Of Units Affected:  
515

Summary:

American Honda Motor Company, Inc. (Honda) is recalling certain model year 2016 CR-V vehicles manufactured October 12, 2015, to October 19, 2015. The metal housing surrounding the driver's air bag inflator in these vehicles may have been manufactured incorrectly.

Consequence:

In the event of a crash necessitating deployment of the driver's frontal air bag, the inflator could rupture with metal fragments striking the driver or other occupants resulting in serious injury or death.

Remedy:

Honda will notify owners, and dealers will replace the driver side frontal air bag module, free of charge. The recall began in November 2015. Owners may contact Honda customer service at 1-888-234-2138. Honda's number for this recall is JV9.

Dates of Manufacture:  
OCT 11, 2015 to OCT 18, 2015

Manufacturer Recall Number:  
JV9

US NHTSA CAMPAIGN ID:  
17V305000

Mfg's Report Date:



MAY 03, 2017

**Component:**  
ENGINE**Potential Number Of Units Affected:**  
16**Summary:**  
Honda (American Honda Motor Co.) is recalling certain 2015-2016 Honda CR-V vehicles that recently received a replacement engine. The replacement engine may have been built with the wrong pistons, potentially affecting the engine's performance.**Consequence:**  
The reduced performance may result in an engine stall, increasing the risk of a crash.**Remedy:**  
Honda will notify owners, and dealers will inspect the engines and replace the incorrect components, as necessary, free of charge. The recall began June 20, 2017. Owners may contact Honda customer service at 1-888-234-2138. Honda's number for this recall is KF6.**Dates of Manufacture:**  
DEC 09, 2015 to JUL 19, 2016**Manufacturer Recall Number:**  
KF6

## WARRANTY

**Basic:**  
3 Years/36,000 Miles**Drivetrain:**  
5 Years/60,000 Miles**Corrosion:**  
5 Years/Unlimited Miles**Roadside Assistance:**  
3 Years/36,000 Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.8in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 70.9ft<sup>3</sup>
- Cargo Volume to Seat 2 37.2ft<sup>3</sup>
- Cargo Volume to Seat 3 37.2ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 410
- Maximum Alternator Capacity (amps) N/A



## Emissions

- EPA Greenhouse Gas Score
- Tons/yr of CO2 Emissions @ 15K mi/year 6.5

## Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 185 @ 6400
- SAE Net Torque @ RPM 181 @ 3900

## Exterior Dimensions

- Height, Overall 65.1in
- Length, Overall N/Ain
- Lifter Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62in
- Track Width, Rear 62in
- Wheelbase 103.1in
- Width, Max w/o mirrors 71.6in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.3gal

## Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 54.5in
- Front Leg Room 41.3in
- Front Shoulder Room 58.6in
- Passenger Capacity 5
- Passenger Volume 104.1ft<sup>3</sup>
- Second Head Room 38.6in
- Second Hip Room 53.1in
- Second Leg Room 38.3in
- Second Shoulder Room 56.4in

## Mileage


- Cruising Range - City 382.50mi
- Cruising Range - Hwy 474.30mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 31MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 27MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 36.9ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link



## Tires

- Front Tire Order Code
- Front Tire Size P225/65TR17
- Rear Tire Order Code
- Rear Tire Size P225/65TR17
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch - Max Tongue Wt. 150lbs
- Wt Distributing Hitch - Max Trailer Wt. 1500lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 5.05
- First Gear Ratio (:1) 2.65 - 0.41
- Reverse Ratio (:1) 2.65
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 3501lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin