

Vehicle Information

Date: January 11, 2019
Vehicle: 2016 Acura RLX Sedan 4D Technology 3.5L V6
VIN: JH4KC1F56GC001251
Weight: 3,969



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$54,450	N/A	\$950	\$55,400
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
BELLANOVA WHITE PEARL Code: WH	\$0.00	\$0.00
EBONY, PERFORATED MILANO PREMIUM LEATHER-TRIMMED INTERIOR Code: EN-0	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Acuralink Real-Time Traffic Real-Time Traffic Display
- Audio Theft Deterrent
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: Acura/ELS Studio Premium Audio System-inc: 14 speakers, SMS, MMS text message and email capability, Bluetooth HandsFreeLink wireless telephone interface, Song By Voice, Aha compatibility, HD Radio, Pandora compatibility, USB audio interface w/iPod integration, Bluetooth streaming audio, MP3/auxiliary input jack and Speed-sensitive Volume Compensation (SVC)
- SiriusXM Satellite Radio-inc: SiriusXM Satellite Radio subscription purchasable after trial period, If you decide to continue your service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call 1-866-635-2349 to cancel, See SiriusXM Customer Agreement for complete terms at siriusxm.com, Other fees and taxes will apply, All fees and programming subject to change, Not all vehicles are capable of receiving all services offered by SiriusXM, Current information and features may not be available in all locations, or on all receivers, XM satellite service is available only to those at least 18 years of age in the 48 contiguous USA and DC, SiriusXM Internet Radio service is available throughout our satellite service area and in AK, HI and PR
- Window Grid Antenna

EXTERIOR

- Body-Colored Door Handles
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Convex Spotter, Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint



Licensed to J.D. Power

- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Defroster
- Front Windshield -inc: Sun Visor Strip
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Light Tinted Glass
- Metal-Look Grille
- Perimeter/Approach Lights
- Programmable Projector Beam Led Low/High Beam Daytime Running Headlamps w/Delay-Off
- Spare Tire Mobility Kit
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Tires: 245/40R19 High-Performance All-Season
- Trunk Rear Cargo Access
- Wheels w/Silver Accents
- Wheels: 19" x 8" Aluminum-Alloy -inc: noise reducing design

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 8-Way Driver Seat
- 8-Way Passenger Seat
- Air Filtration
- Analog Display
- Bench Front Facing Rear Seat
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Head-Up Display
- Heated Front Sport Bucket Seats -inc: driver's and front passenger's 12-way power seat w/4-way power lumbar support
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Integrated Navigation System w/Voice Activation
- Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood/Metal-Look Door Panel Insert, Simulated Wood/Metal-Look Console Insert and Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Outside Temp Gauge
- Perforated Milano Premium Leather-Trimmed Interior
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access and Power Fuel
- Sliding Front Center Armrest and Rear Center Armrest w/Pass-Thru
- Systems Monitor
- Trip Computer
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning

MECHANICAL



- 150 Amp Alternator
- 18.5 Gal. Fuel Tank
- 4.25 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 72-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Ride Control Suspension
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine: 3.5L 24-Valve SOHC i-VTEC V6
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust
- Transmission: 6-Speed Automatic -inc: Sequential SportShift paddle shifters

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Forward Collision Mitigation
- Lane Departure Warning
- Lane Keeping Assist
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- Vehicle Stability Assist Electronic Stability Control (ESC)

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****

Side Barrier Rating: *****

Side Barrier Rating Note: Note: Although not included in the star rating, the rear passenger's abdominal rib deflection was elevated.

Combined Side Barrier and Pole Ratings:

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 9.7%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

US NHTSA CRASH TEST RESULTS:


Overall Rating: Not Rated

Overall Frontal Barrier Crash Rating: Not Rated

Overall Side Crash Rating: *****

Side Barrier Rating: *****

Side Barrier Rating Note: Note: Although not included in the star rating, the rear passenger's abdominal rib deflection was elevated.

**Combined Side Barrier and Pole Ratings:**

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 9.7%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

WARRANTY

Basic:

4 Years/50,000 Miles

Drivetrain:

6 Years/70,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

4 Years/50,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.3in
- Rear Brake Rotor Diam x Thickness 12.2in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Trunk Volume 14.9ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 7.7

Engine

- Displacement 3.5 L/212
- Engine Order Code
- Engine Type Premium Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 310 @ 6500
- SAE Net Torque @ RPM 272 @ 4500



Exterior Dimensions

- Height, Overall 57.7in
- Length, Overall 196.1in
- Lifter Height N/Ain
- Min Ground Clearance 3.8in
- Track Width, Front 64.3in
- Track Width, Rear 64.2in
- Wheelbase 112.2in
- Width, Max w/o mirrors 74.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.5gal

Interior Dimensions

- Front Head Room 37.6in
- Front Hip Room 55.9in
- Front Leg Room 42.3in
- Front Shoulder Room 59.6in
- Passenger Capacity 5
- Passenger Volume 102.1ft³
- Second Head Room 36.9in
- Second Hip Room 54.5in
- Second Leg Room 38.8in
- Second Shoulder Room 57in

Mileage

- Battery Range N/Ami
- Cruising Range - City 370.00mi
- Cruising Range - Hwy 573.50mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 31MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 24MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 40.5ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Double Wishbone
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P245/40WR19
- Rear Tire Order Code
- Rear Tire Size P245/40WR19
- Spare Tire Order Code
- Spare Tire Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs



Licensed to J.D. Power

- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 0.76
- Final Drive Axle Ratio (:1) 4.25
- First Gear Ratio (:1) 3.38
- Fourth Gear Ratio (:1) 1.06
- Reverse Ratio (:1) 2.26
- Second Gear Ratio (:1) 2.11
- Sixth Gear Ratio (:1) 0.56
- Third Gear Ratio (:1) 1.49
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6

Vehicle

- EPA Classification Mid-Size Cars

Weight Information

- Base Curb Weight 3969lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 X 8in
- Spare Wheel Material
- Spare Wheel Size in