

csievers@poquetauto.com

# **Vehicle Information**

**Date:** January 16, 2019

Vehicle: 2010 Jeep Wrangler Utility 2D Sport 4WD 3.8L V6

VIN: 1J4AA2D12AL210481

Weight: 3,760



# **New Cars/Trucks Values**

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$21,165	\$3,595	\$750	\$25,510
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
<b>G</b>				
High	N/A	N/A	N/A	N/A
Optional Equipment				MODE
			Invoice	MSRP
PWR CONVENIENCE GROUP			\$521.00	\$585.00
<ul><li>-inc: pwr locks, pwr windows w/front one- (REQ: 2_S CPOS Pkg) (N/A w/GCH Hal</li></ul>		ntry, security alarm		
AIR CONDITIONING			\$797.00	\$895.00
Code: HAA				
3.73 AXLE RATIO			\$45.00	\$50.00
Code: DME				
24S CUSTOMER PREFERRED ORDER SELECTION PKG			\$1945.00	\$2185.00
<ul> <li>-inc: 3.8L V6 engine, 4-speed auto trans road OWL tires, air cond, leather-wrappe this pkg, the cost of powertrain compone</li> </ul>	ed steering wheel, speed contr			
ANTI-SPIN REAR DIFFERENTIAL NOT DESIRED			\$0.00	\$0.00
(STD) Code: -GRIP				
50-STATE EMISSIONS			\$0.00	\$0.00
Code: NAS				
3.8L OHV 12-VALVE SMPI V6 ENGINE			\$0.00	\$0.00
(STD) Code: EGT			*	
6R2 ORDER CODE			\$0.00	\$0.00
Code: 6R2				
FLAME RED			\$0.00	\$0.00
Code: PR4				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			<b>.</b>	<b>.</b>
NATIONAL DELIVERY			\$0.00	\$0.00
Code: -NREG				



#### **NADA New Cars/Trucks** Invoice **MSRP** \$0.00 \$0.00 BLACK EASY-FOLDING SOFT TOP W/SUNRIDER FEATURE Code: VJX \$0.00 \$0.00 DARK SLATE GRAY/MEDIUM SLATE GRAY, CLOTH SEATS Code: A7DD \$0.00 \$0.00 P255/75R17 ON/OFF-ROAD OWL TIRES (REQ: 2 S CPOS Pkg) Code: TUF \$734.00 \$825.00 4-SPEED AUTOMATIC TRANSMISSION -inc: 3.73 axle, tip start, transmission skid plate Code: DGV \$0.00 \$0.00 17" X 7.5" ALUMINUM WHEELS (REQ: 2\_S CPOS Pkg) Code: WFF

# Standard Equipment

# **ENTERTAINMENT**

- (6) speakers
- Audio input jack
- Media center 130 inc: AM/FM stereo, CD/MP3 player

# **EXTERIOR**

- 16" x 7.0" lux styled steel wheels
- Accent color fender flares
- Black front bumper
- Body color grille
- · Easy folding soft top
- Fog lamps
- Front door tinted glass
- Full size spare tire
- Halogen headlamps
- Matching spare wheel
- Outside tire carrier
- P225/75R16 on/off-road BSW tires
- Sunrider soft top feature
- Swing-away mirrors
- Tinted windshield glass
- Variable intermittent windshield wipers

## INTERIOR

- Air conditioning bypass (REQ: 2\_B CPOS Pkg)
- Aux 12V pwr outlet
- Cargo compartment covered storage
- Cargo tie down loops
- Cloth seat trim
- Driver height adjustment
- Easy-access passenger seat
- Front dome lamp w/on/off switch
- Front floor mats
- Front seatback map pockets
- Full length floor console
- Heater w/instrument panel ventilation
- Low-back front bucket seats
- Premium instrument cluster w/tachometer
- Rear folding seat
- Rear seat outboard head restraints
- **Reclining front seats**
- Sentry Key theft deterrent system
- Sliding sun visors w/mirrors
- Sport bar w/full padding
- Temp & compass gauge
- Tilt steering column

### **MECHANICAL**

- (2) front/(1) rear tow hooks
- 140-amp alternator



- 3.21 axle ratio
- . 3.8L OHV 12-valve SMPI V6 engine
- · 4-wheel disc brakes
- 600-CCA maintenance free battery
- 6-speed manual transmission
- · Command Trac shift on the fly 4WD system
- Front stabilizer bar
- Fuel tank skid plate
- Hill start assist
- Hydraulic assist brake boost
- Next generation Dana 44 HD rear axle
- Next-generation Dana 30 solid front axle
- Pwr steering
- Rear stabilizer bar
- Transfer case skid plate

## **SAFETY**

- · 4-wheel anti-lock brakes
- Driver & front passenger advanced multi-stage frontal airbags w/occupant classification system (OCS)
- Electronic roll mitigation
- · Electronic stability program
- Tire pressure monitoring warning lamp
- Traction control

# **Vehicle Information**

# **CRASH TEST RATING**

NHTSA CRASH TEST RESULTS:

Frontal crash ratings:

Driver: \*\*\* \* Passenger: \*\*\*\*

Side crash ratings:

Driver: Not Rated Rear Passenger: Not Rated

Results based on a 35 MPH frontal crash and 38.5 MPH side crash. Results are reported in a range of one to five stars, with five stars indicating the best crash protection for vehicles within the same weight class. This test used driver and passenger belts and airbags.

NHTSA ROLLOVER RESISTANCE RATING: \* \* \*

The Rollover Resistance Rating is an estimate of your risk of rolling over if you have a single vehicle crash. It does not predict the likelihood of that crash. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is. The more "top-heavy" the vehicle, the more likely it is to roll over. The lowest rated vehicles (1-star) are at least four times more likely to roll over than the highest rated vehicles (5-stars).

## **RECALL**

US NHTSA CAMPAIGN ID: 10V236000

Mfg's Report Date: JUN 01. 2010

Component:

SERVICE BRAKES, HYDRAULIC

Potential Number Of Units Affected:

288968

Summary:

CHRYSLÉR IS RECALLING CERTAIN MODEL YEAR 2006 THROUGH 2010 JEEP WRANGLER PASSENGER VEHICLES MANUFACTURED FROM MAY 15, 2006 THROUGH AUGUST 9, 2010. THERE MAY BE CONTACT BETWEEN THE RIGHT AND LEFT FRONT INNER FENDER LINERS AND THE RIGHT FRONT AND LEFT REAR BRAKE TUBES WHICH COULD CAUSE WEAR OF THE TUBES CAUSING A BRAKE FLUID LEAK.

#### Consequence:

A BRAKE FLUID LEAK CAN CAUSE PARTIAL LOSS OF SERVICE BRAKES AT THE AFFECTED WHEEL INCREASING THE RISK OF A CRASH.

#### Remedy

CHRYSLER WILL NOTIFY OWNERS AND DEALERS WILL REPAIR THE VEHICLES FREE OF CHARGE. THE SAFETY RECALL IS EXPECTED TO BEGIN DURING JUNE 2010. OWNERS MAY CONTACT CHRYSLER TOLL-FREE AT 1-800-853-1403.

#### Notes:

CHRYSLER'S RECALL CAMPAIGN NUMBER IS K13. OWNERS MAY ALSO CONTACT THE NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION'S VEHICLE SAFETY HOTLINE AT 1-888-327-4236 (TTY 1-800-424-9153), OR GO TO HTTP://WWW.SAFERCAR.GOV. US NHTSA CAMPAIGN ID:



10V315000

Mfg's Report Date: JUL 07, 2010

Component:

SERVICE BRAKES, HYDRAULIC:FOUNDATION COMPONENTS:MASTER CYLINDER

Potential Number Of Units Affected:

20626

Summary:

CHRYSLER IS RECALLING CERTAIN MODEL YEAR 2010 LEFT HAND DRIVE JEEP LIBERTY, DODGE NITRO AND RAM 1500 TRUCK; RIGHT AND LEFT HAND DRIVE JEEP WRANGLER VEHICLES. THESE VEHICLES MAY HAVE BEEN BUILT WITH AN IMPROPERLY FORMED MASTER CYLINDER TO HYDRAULIC CONTROL UNIT (HCU) BRAKE TUBE ASSEMBLY END FLARE.

Consequence.

THIS COULD LEAD TO LOSS OF BRAKE FLUID AND REDUCED BRAKING PERFORMANCE INCREASING THE RISK OF A CRASH

Remedy:

DEALERS WILL REPLACE THE BRAKE TUBES FREE OF CHARGE. THE SAFETY RECALL IS EXPECTED TO BEGIN DURING AUGUST 2010. OWNERS MAY CONTACT CHRYSLER TOLL-FREE AT 1-800-853-1403.

Notes:

CHRYSLER SAFETY RECALL NO. K15. OWNERS MAY ALSO CONTACT THE NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION'S VEHICLE SAFETY HOTLINE AT 1-888-327-4236 (TTY 1-800-424-9153), OR GO TO HTTP://WWW.SAFERCAR.GOV.

**US NHTSA CAMPAIGN ID:** 

11V145000

Mfg's Report Date: MAR 01, 2011

Component:

POWER TRAIN: AXLE ASSEMBLY

Potential Number Of Units Affected:

20,459

Summary:

CHRYSLÉR IS RECALLING CERTAIN MODEL YEAR 2010-2011 JEEP WRANGLER VEHICLES MANUFACTURER FROM JULY 12, 2010, THROUGH SEPTEMBER 10, 2010. SOME VEHICLES MAY EXPERIENCE A DEGRADATION OF FASTENER TORQUE FOR VARIOUS FRONT AND REAR AXLE ATTACHMENTS TO THE CHASSIS MODULE.

Consequence:

THIS COULD RESULT IN NOISE, OR ULTIMATELY, DEGRADATION IN STEERING AND HANDLING CHARACTERISTICS WHICH COULD LEAD TO LOSS OF DIRECTIONAL CONTROL OF THE VEHICLE INCREASING THE RISK OF A CRASH.

Remedy

DEALERS WILL RE-TORQUE ALL NINETEEN FASTENERS TO THE MAXIMUM RESIDUAL TORQUE VALUES. THIS SERVICE WILL BE PERFORMED FREE OF CHARGE. THE SAFETY RECALL IS EXPECTED TO BEGIN DURING MARCH 2011. OWNERS MAY CONTACT CHRYSLER AT 1-800-853-1403.

Notes:

CHRYSLER SAFETY RECALL NO. LO9. OWNERS MAY ALSO CONTACT THE NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION'S VEHICLE SAFETY HOTLINE AT 1-888-327-4236 (TTY 1-800-424-9153), OR GO TO HTTP://WWW.SAFERCAR.GOV.

US NHTSA CAMPAIGN ID:

11V528000

Mfg's Report Date: NOV 01, 2011

Component:

AIR BAGS:FRONTAL

Potential Number Of Units Affected:

5.334

Summary:

CHRYSLÉR IS RECALLING CERTAIN MODEL YEAR 2008-2012 RIGHT HAND DRIVE (RHD) JEEP WRANGLER VEHICLES MANUFACTURED FROM FEBRUARY 1, 2007, THROUGH OCTOBER 10, 2011. SOME VEHICLES MAY BE EQUIPPED WITH DRIVER'S AIRBAG CLOCKSPRING ASSEMBLIES THAT COULD EXPERIENCE A COMPROMISED AIRBAG CIRCUIT RESULTING IN AN AIRBAG LAMP ILLUMINATION, WHICH INDICATES THAT THE AIRBAG MAY NOT DEPLOY.

Consequence:

A BROKEN ELECTRICAL CIRCUIT IN THE AIRBAG CLOCKSPRING WIRING ASSEMBLY CAN LEAD TO NON-DEPLOYMENT OF THE DRIVER FRONTAL AIRBAG AND WILL NOT BE ABLE TO PROPERLY PROTECT THE DRIVER IN THE EVENT OF A CRASH. INCREASING THE RISK OF INJURIES.

Remedy

CHRYSLER WILL NOTIFY OWNERS AND REMEDY THE VEHICLES AS NECESSARY FREE OF CHARGE. CHRYSLER WILL MAIL TO OWNERS AN INTERIM NOTIFICATION ON OR BEFORE NOVEMBER 2011. OWNERS MAY CONTACT CHRYSLER AT 1-800-853-1403.

Notes

CHRYSLER'S RECALL NUMBER IS L37. OWNERS MAY ALSO CONTACT THE NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION'S VEHICLE SAFETY HOTLINE AT 1-888-327-4236 (TTY 1-800-424-9153), OR GO TO HTTP://WWW.SAFERCAR.GOV.



US NHTSA CAMPAIGN ID:

Mfg's Report Date: MAY 15, 2012

Component

POWER TRAIN: AUTOMATIC TRANSMISSION

Potential Number Of Units Affected:

67.872

Summary

CHRYSLÉR IS RECALLING CERTAIN MODEL YEAR 2010 JEEP WRANGLER VEHICLES EQUIPPED WITH AN AUTOMATIC TRANSMISSION. THE TRANSMISSION SKID PLATE, WHICH IS CLOSE TO THE CATALYTIC CONVERTER, CAN COLLECT DEBRIS.

Consequence:

IF THIS OCCURS. THE DEBRIS CAN IGNITE WITHOUT WARNING, RESULTING IN A VEHICLE FIRE.

Remedy:

CHRYSLER WILL NOTIFY OWNERS, AND DEALERS WILL REPLACE THE SKID PLATE WITH A SKID BAR, FREE OF CHARGE. THE SAFETY RECALL IS EXPECTED TO BEGIN DURING MAY 2012. OWNERS MAY CONTACT CHRYSLER AT 1-800-853-1403.

Notes:

CHRYSLER?S RECALL NUMBER IS M22. OWNERS MAY ALSO CONTACT THE NATIONAL HIGHWAY TRAFFIC SAFETY ADMINISTRATION?S VEHICLE SAFETY HOTLINE AT 1-888-327-4236 (TTY 1-800-424-9153), OR GO TO HTTP://WWW.SAFERCAR.GOV.

US NHTSA CAMPAIGN ID:

13V176000

Mfg's Report Date: MAY 07, 2013

Component:

AIR BAGS

Potential Number Of Units Affected:

5,440

Summary:

Chrysler Group LLC (Chrysler) is recalling certain model year 2008-2012 Jeep Wrangler right-hand drive vehicles manufactured February 1, 2007, through October 10, 2011. The affected vehicles have airbag clockspring assemblies that could experience broken airbag circuits.

Consequence

In the event of a crash necessitating airbag deployment, a broken electrical circuit in the airbag clockspring wiring assembly can lead to non-deployment of the driver-side frontal airbag and will not be able to properly protect the driver, increasing the risk of injuries.

Remedy

Chrysler will notify owners, and dealers will replace the clockspring and add a steering wheel dust shield, free of charge. The recall began on June 10, 2013. Owners may contact Chrysler at 1-800-247-9753. This recall supercedes NHTSA recall 11V-528. Chrysler's recall campaign number is M31.

Notes

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov. US NHTSA CAMPAIGN ID:

16V290000

Mfg's Report Date: MAY 11, 2016

Component:

AIR BAGS

Potential Number Of Units Affected:

394,258

Summary:

Chrysler (FCA US LLC) is recalling certain model year 2007-2010 Jeep Wrangler JK vehicles manufactured March 2, 2006, to August 13, 2010. The clockspring assembly may become contaminated with dust and cause the air bag circuit to fail.

Consequence

Failure of the air bag circuit may prevent the driver's frontal air bag from deploying in the event of a crash, increasing the risk of injury.

Remedy:

Chrysler will notify owners, and dealers will replace the clockspring, wheel back cover, and column shroud, free of charge. Remedy parts are expected to become available in November 2016. Owners were mailed interim notices on July 5, 2016. Owners will receive a second notice when remedy parts become available. Owners may contact Chrysler customer service at 1-800-853-1403. Chrysler's number for this recall is S33.

Notes

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov. US NHTSA CAMPAIGN ID:

16V352000



Mfg's Report Date: MAY 24, 2016

Component:

Potential Number Of Units Affected: 4,319,513

#### Summary:

Chrysler (FCA US LLC) is recalling certain model year 2004-2008 RAM 1500, 2005-2009 RAM 2500, 2006-2009 RAM 3500, 2007-2010 RAM 3500 Cab Chassis, 2008-2010 RAM 4500 and 5500 Cab Chassis, 2004-2009 Dodge Durango, 2007-2009 Chrysler Aspen, 2007-2012 Jeep Wrangler, 2008-2012 Dodge Challenger, 2005-2018 Dodge Magnum, 2005-2012 Chrysler 300, 2006-2012 Dodge Charger, 2005-2011 Dodge Dakota, and 2006-2009 Mitsubishi Raider vehicles originally sold, or ever registered, in AL, CA, FL, GA, HI, LA, MS, SC, TX, Puerto Rico, American Samoa, Guam, the Northern Mariana Islands (Saipan), and the U.S. Virgin Islands, or "Zone A." Additionally, unless included in "Zone A" above, Chrysler is also recalling 2004-2008 RAM 1500, 2005-2009 RAM 2500, 2006-2009 RAM 3500, 2007-2009 RAM 3500, 2007-2009 RAM 3500 Cab Chassis, 2008-2009 RAM 4500 and 5500 Cab Chassis, 2008-2009 Dodge Challenger, 2008-2009 Dodge Challenger, 2005-2009 Mitsubishi Raider vehicles originally sold, or ever registered, in AZ, AR, DE, Washington D.C., IL, IN, KS, KY, MD, MO, NE, NV, NJ, NM, NC, OH, OK, PA, TN, VA, and WV, or "Zone B." Lastly, unless included in "Zone A" or "Zone B" above, Chrysler is recalling certain 2005-2008 RAM 2500, 2006-2008 RAM 3500, 2007-2008 RAM 3500 Cab Chassis, 2008 RAM 4500 and 5500 Cab Chassis, 2008-2008 Dodge Durango, 2007-2008 Chrysler Aspen, 2007-2008 Islands in "Zone B" above, Chrysler Aspen, 2007-2008 RAM 4500 and 5500 Cab Chassis, 2008-2008 Dodge Dakota, and 2006-2008 Mitsubishi Raider vehicles originally sold, or registered, in AK, CO, CT, ID, IA, ME, MA, MI, MN, MT, NH, NY, ND, OR, RI, SD, UT, VT, WA, WI, and WY.

#### Consequence:

These vehicles are equipped with certain air bag inflators assembled as part of the passenger frontal air bag modules, and used as original equipment or replacement equipment. These inflators may rupture due to propellant degradation occurring after long-term exposure to absolute humidity and temperature cycling. An inflator rupture may result in metal fragments striking the vehicle occupants resulting in serious injury or death.

#### Remedy:

Chrysler will notify the Chrysler, Dodge, Jeep and RAM owners. Mitsubishi owners will be notified by their company. Dealers will replace the passenger frontal air bag inflator, free of charge. Chrysler mailed interim notices to owners on July 7, 2016. Owners will receive a second notice when remedy parts become available. Owners may contact Chrysler customer service at 1-800-853-1403. Chrysler's number for this recall is S43.

#### Notes:

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov. US NHTSA CAMPAIGN ID: 18V021000

Mfg's Report Date: January 9, 2018

Component:

AIR BAGS

Potential Number Of Units Affected: 317.000

#### Summary

Chrysler FCA US LLC) is recalling certain 2009-2013 Jeep Wrangler, Chrysler 300, Dodge Challenger and Dodge Charger vehicles, and 2009-2011 Dodge Dakota vehicles sold, or ever registered, in the states of Alabama, California, Florida, Georgia, Hawaii, Louisiana, Mississippi, South Carolina, Texas, Puerto Rico, American Samoa, Guam, the Northern Mariana Islands (Saipan), and the U.S. Virgin Islands or "Zone A." Additionally, Chrysler is recalling certain 2009-2010 RAM 4500 Cab Chassis, RAM 5500 Cab Chassis, RAM 3500 Cab Chassis, Jeep Wrangler, Chrysler 300, Dodge Dakota, Dodge Charlenger, and Dodge Charger vehicles ever registered in the states of Arizona, Arkansas, Delaware, District of Columbia, Illinois, Indiana, Kansas, Kentucky, Maryland, Missouri, Nebraska, Nevada, New Jersey, New Mexico, North Carolina, Ohio, Oklahoma, Pennsylvania, Tennessee, Virginia, and West Virginia or "Zone B." Chrysler is also recalling certain 2009 RAM 3500, RAM 4500 Cab Chassis, RAM 5500 Cab Chassis, Dodge Durango, Chrysler Aspen, RAM 3500 Cab Chassis, Jeep Wrangler, Chrysler 300, Dodge Dakota, Dodge Challenger, and Dodge Charger vehicles ever registered in the states of Alaska, Colorado, Connecticut, Idaho, Iowa, Maine, Massachusetts, Michigan, Minnesota, Montana, New Hampshire, New York, North Dakota, Oregon, Rhode Island, South Dakota, Utah, Vermont, Washington, Wisconsin, and Wyoming. In the event of a crash necessitating deployment of the passenger frontal air bag, these passenger air bag inflator may explode due to propellant degradation occurring after long-term exposure to absolute humidity and temperature cycling.

#### Consequence:

An inflator explosion may result in sharp metal fragments striking the driver or other occupants resulting in serious injury or death.

#### Remedy

Chrysler will notify owners, and dealers will replace the passenger frontal air bag inflator, free of charge. The recall is expected to begin February 28, 2018. Owners may contact Chrysler customer service at 1-800-853-1403. Chrysler's number for this recall is U03.

#### Notes

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov.

### WARRANTY

Basic:

3 Years/36.000 Miles

Drivetrain:

5 Years/100,000 Miles (fully transferable with no fee)

Corrosion:

5 Years/100,000 Miles



Emissions: 2 Years/24,000 Miles

Roadside Assistance: 3 Years/36,000 Miles

# **Technical Specifications**

### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-wheel
- Brake Type Pwr
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.9 x 1.1in
- Rear Brake Rotor Diam x Thickness 12.4 x 0.5in
- Rear Drum Diam x Width in

# **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings 44.7in
- Cargo Volume to Seat 1 61.2ftÂ<sup>3</sup>
- Cargo Volume to Seat 2 17.2ft³
- Cargo Volume to Seat 3 ftÂ<sup>3</sup>

# Cooling System

• Total Cooling System Capacity 13.4qts

### **Electrical**

- Cold Cranking Amps @ O° F (Primary) 600
- Maximum Alternator Capacity (amps) 140

# **Emissions**

- EPA Greenhouse Gas Score 3
- Tons/yr of CO2 Emissions @ 15K mi/year 11.0

# **Engine**

- Displacement 3.8L/231
- Engine Order Code EGT
- Engine Type Gas V6
- Fuel System SMPI
- SAE Net Horsepower @ RPM 202 @ 5200
- SAE Net Torque @ RPM 237 @ 4000

## **Exterior Dimensions**

- Height, Overall N/Ain
- Length, Overall 152.8in
- Liftover Height 27.8in
- Min Ground Clearance 10.1in
- Rear Door Opening Height 37.1in
- Rear Door Opening Width 58.7in
- Track Width, Front 61.9in
   Track Width, Poor 61.0in
- Track Width, Rear 61.9in
- Wheelbase 95.4in
- Width, Max w/o mirrors 73.7in

## **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.6gal



## **Interior Dimensions**

- Front Head Room 41.3in
- Front Hip Room 55.6in
- Front Leg Room 41.0in
- Front Shoulder Room 55.8in
- Passenger Capacity 4
- Passenger Volume 102.9ftÅ<sup>3</sup>
- Second Head Room 40.3in
- Second Hip Room 44.7in
- Second Leg Room 35.6in
- Second Shoulder Room 61.6in

# Mileage

- Cruising Range City 279.00mi
- Cruising Range Hwy 353.40mi
- **EPA Fuel Economy Est City 15MPG**
- EPA Fuel Economy Est Hwy 19MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 17MPG

# Steering

- Lock to Lock Turns (Steering) 3.5
- Steering Ratio (:1), Overall 16.7
- Steering Type Pwr
- Turning Diameter Curb to Curb 34.9ft
- Turning Diameter Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) w/Coil Springs
- Suspension Type Front Live Axle
- Suspension Type Rear (Cont.) w/Coil Springs
- Suspension Type Rear Live Axle

## **Tires**

- Front Tire Order Code TUF
- Front Tire Size P255/75R17
- Rear Tire Order Code TUF
- Rear Tire Size P255/75R17
- Spare Tire Order Code TBB
- Spare Tire Size P255/75R17

# **Trailering**

- Dead Weight Hitch Max Tongue Wt. 200lbs
   Dead Weight Hitch Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch Max Tongue Wt. 300lbs
- Wt Distributing Hitch Max Trailer Wt. 2000lbs

### **Transmission**

- Clutch Size in
- Drivetrain 4-Wheel Drive
- Final Drive Axle Ratio (:1) 3.73
- First Gear Ratio (:1) 2.84
- Fourth Gear Ratio (:1) 0.69
- Reverse Ratio (:1) 2.21
- Second Gear Ratio (:1) 1.57
- Third Gear Ratio (:1) 1.00
- Trans Description Cont. Again Trans Description Cont. Automatic
- Trans Order Code DGV
- Trans Type 4



- Transfer Case Gear Ratio (:1), High 1.00
- Transfer Case Gear Ratio (:1), Low 2.72

# **Vehicle**

• EPA Classification 4WD Sport Utility Vehicles

# **Weight Information**

- Base Curb Weight 3785lbsCurb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
   Maximum Payload Capacity N/Albs
   Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 x 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 x 7.5in
- Spare Wheel Material Aluminum
- Spare Wheel Size 17 x 7.5in