

Vehicle Information

Date: January 9, 2019
Vehicle: 2016 Acura ILX Sedan 4D Premium 2.4L I4
VIN: 19UDE2F73GA015939
Weight: 3,113



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$29,900	N/A	\$950	\$30,850
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
CATALINA BLUE PEARL Code: BM	\$0.00	\$0.00
GRAYSTONE, PERFORATED LEATHER-TRIMMED INTERIOR Code: GS	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Audio Theft Deterrent
- Bluetooth HandsfreeLink Wireless Phone Connectivity
- Radio w/Seek-Scan, In-Dash Mounted Single CD, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and External Memory Control
- Radio: Acura Premium Audio System -inc: 7 speakers, Siri Eyes Free, SMS/MMS text message and email capability, Bluetooth HandsFreeLink wireless telephone interface, Pandora compatibility, USB audio interface w/iPod integration, Bluetooth streaming audio, MP3/auxiliary input jack and Speed-Sensitive Volume Compensation (SVC), iPhone AcuraLink navigation app connectivity, On Demand Multi-Use Display (ODMD), Aha compatibility, HD Radio and SiriusXM satellite radio
- Streaming Audio
- Window Grid Diversity Antenna

EXTERIOR

- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Convex Spotter and Manual Folding
- Body-Colored Rear Bumper
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Led Low/High Beam Daytime Running Headlamps w/Delay-Off



- Fully Galvanized Steel Panels
- LED Brakelights
- Light Tinted Glass
- Meta-Look Grille w/Chrome Surround
- Spare Tire Mobility Kit
- Speed Sensitive Variable Intermittent Wipers
- Tires: P215/45R17 High-Performance AS
- Trunk Rear Cargo Access
- Wheels w/Silver Accents
- Wheels: 17" x 7.0" Aluminum Alloy Noise-Reducing

INTERIOR

- 1 12V DC Power Outlet
- 1 Seatback Storage Pocket
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- Air Filtration
- Analog Display
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 1 12V DC Power Outlet
- Full Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Sport Seats -inc: driver's 8-way power seat
- HVAC -inc: Underseat Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver And Passenger Door Bins
- Interior Trim -inc: Meta-Look Instrument Panel Insert, Meta-Look Console Insert and Chrome/Meta-Look Interior Accents
- Leather Gear Shift Knob
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Cargo Access and Mechanical Fuel
- Seats w/Leatherette Back Material
- Systems Monitor
- Trip Computer
- Valet Function

MECHANICAL

- 13.2 Gal. Fuel Tank
- 3.94 Axle Ratio
- 45-Amp/Hr 410CCA Maintenance-Free Battery w/Run Down Protection
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 95 Amp Alternator
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.4L 16-Valve DOHC i-VTEC
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs



- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed Dual-Clutch -inc: torque converter and Sequential SportShift paddle shifters

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****

Side Barrier Rating: Note: Although not included in the star rating, the rear passenger's thoracic and abdominal rib deflection values were elevated.

Combined Side Barrier and Pole Ratings:

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 10.7%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:
16V061000

Mfg's Report Date:
FEB 02, 2016

Component:
AIR BAGS:FRONTAL:DRIVER SIDE INFLATOR MODULE

Potential Number Of Units Affected:
2232187

Summary:

Honda (American Honda Motor Co.) is recalling certain model year 2007-2011 Honda CR-V, 2011-2015 CR-Z, 2010-2014 FCX, and Insight, 2009-2013 Fit, 2013-2014 Fit EV, 2007-2014 Ridgeline, 2013-2016 Acura ILX, 2013-2014 Acura ILX Hybrid, 2007-2016 RDX, 2005-2012 Acura RL, 2009-2014 Acura TL, and 2010-2013 Acura ZDX vehicles. The affected vehicles are equipped with a dual-stage driver frontal air bag that may be susceptible to moisture intrusion which, over time, could cause the inflator to rupture.

Consequence:


In the event of a crash necessitating deployment of the driver's frontal air bag, the inflator could rupture with metal fragments striking the driver or other occupants resulting in serious injury or death.

Remedy:

Honda will notify owners, and dealers will replace the inflator, free of charge. The recall began March 2017. Owners may contact Honda customer service at 1-888-234-2138. Honda's numbers for this recall are JY0, JY1, and JY2.

Dates of Manufacture:

DEC 01, 2014 to MAY 11, 2015



Manufacturer Recall Number:
JY0, JY1, JY2

WARRANTY

Basic:
4 Years/50,000 Miles

Drivetrain:
6 Years/70,000 Miles

Corrosion:
5 Years/Unlimited Miles

Roadside Assistance:
4 Years/50,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.3in
- Rear Brake Rotor Diam x Thickness 11.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Trunk Volume 12.3ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0^o F (Primary) 410
- Maximum Alternator Capacity (amps) 95

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 6.1

Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 201 @ 6800
- SAE Net Torque @ RPM 180 @ 3600

Exterior Dimensions

- Height, Overall 55.6in
- Length, Overall 181.9in
- Lifter Height N/Ain
- Min Ground Clearance N/Ain
- Track Width, Front 59.4in
- Track Width, Rear 60.2in
- Wheelbase 105.1in
- Width, Max w/o mirrors 70.6in

Fuel Tank



Licensed to J.D. Power

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 13.2gal

Interior Dimensions

- Front Head Room 38in
- Front Hip Room 50.3in
- Front Leg Room 42.3in
- Front Shoulder Room 55.6in
- Passenger Capacity 5
- Passenger Volume 89.3ft³
- Second Head Room 35.9in
- Second Hip Room 51.7in
- Second Leg Room 34in
- Second Shoulder Room 53.5in

Mileage

- Battery Range N/Ami
- Cruising Range - City 330.00mi
- Cruising Range - Hwy 475.20mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 36MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 29MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 36.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P215/45VR17
- Rear Tire Order Code
- Rear Tire Size P215/45VR17
- Spare Tire Order Code
- Spare Tire Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Eighth Gear Ratio (:1) 0.48
- Fifth Gear Ratio (:1) 0.96
- Final Drive Axle Ratio (:1) 3.94
- First Gear Ratio (:1) 3.08
- Fourth Gear Ratio (:1) 1.22
- Reverse Ratio (:1) 2.22
- Second Gear Ratio (:1) 2.18



Licensed to J.D. Power

- Seventh Gear Ratio (:1) 0.62
- Sixth Gear Ratio (:1) 0.74
- Third Gear Ratio (:1) 1.61
- Trans Description Cont. Again
- Trans Description Cont. Auto-Shift Manual w/OD
- Trans Order Code
- Trans Type 8

Vehicle

- EPA Classification Compact Cars

Weight Information

- Base Curb Weight 3113lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material
- Spare Wheel Size in