

## Vehicle Information

**Date:** January 15, 2019  
**Vehicle:** 2016 Lexus NX Utility 4D NX200t AWD 2.0L I4 Turbo  
**VIN:** JTJBARBZOG2094334  
**Weight:** 4,050



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$36,365	\$1,940	\$975	<b>\$39,280</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
HEATED FRONT SEATS Code: HS	\$405.00	\$440.00
POWER BACK DOOR -inc: auto and easy closer door, lock, unlock, and panic alarm Code: PB	\$368.00	\$400.00
POWER TILT & SLIDE MOONROOF/SUNROOF Code: SR	\$1012.00	\$1100.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
EMINENT WHITE PEARL Code: 085	\$0.00	\$0.00
BLACK, SYNTHETIC LEATHER SEAT TRIM Code: EA23	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- Digital Signal Processor
- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: AM/FM/CD Lexus Display Audio -inc: 8 speakers, Bluetooth audio streaming from compatible devices and hands free, full digital power amplifier (class D), integrated SiriusXM Satellite Radio receiver (90-day All-Access trial subscription included), USB/iPod control, home screen can be divided into 1-3 sections (customizable - HVAC, audio, navigation), 7" screen, 3D maps, 3D buildings, my traffic routes, speed limit display on road travelled, ETA calculation improved, traffic detour preview, predictive traffic, MID data sharing, voice recognition, one-shot address entry, steering wheel control of onboard/offboard voice recognition, voice recognition guidance level, hint screens, Cache Radio w/ability to pause live AM/FM/HD Radio, hybrid data service, traffic and weather data provided via HD Radio (free while in HD Radio range), basic traffic maps, weather forecast and Siri Eyes Free mode (iPhone 4S, iPhone 5/5C/5S)

### EXTERIOR



Licensed to J.D. Power

- Black Grille w/Chrome Surround
- Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Led Low Beam Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- High Clearance Lamp
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 225/65R17 All-Season
- Variable Intermittent Wipers
- Wheels: 17" x 7.0J 10-Spoke Aluminum

## INTERIOR

- 2 12V DC Power Outlets
- 2 Seatable Storage Pockets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Features -inc: Cargo Tray/Organizer
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Folding Cargo Cover
- Front Bucket Seats -inc: 10-way power driver's and 8-way power front passenger's seats w/fore-aft slide, fore-aft recline, front vertical height, rear vertical height and power lumbar support (driver's seat only)
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver And Passenger Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Interior Accents and Leatherette Upholstered Dashboard
- Leather Steering Wheel
- Leather/Metal-Look Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Leatherette Back Material
- Synthetic Leather Seat Trim
- Tracker System
- Trip Computer



- Valet Function

## MECHANICAL

- 15.9 Gal. Fuel Tank
- 3.888 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Electric Parking Brake
- 550CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Double Wishbone Rear Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.0L 16V DOHC 4-Cylinder w/VVT-iW -inc: twin-scroll turbocharger w/intercooler
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,200 lbs
- Mechanical Limited Slip Differential
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 6-Speed Multi-Mode Auto -inc: electronically controlled transmission w/intelligence (ECT-i)

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag and Passenger Cushion Front Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Lexus Enform w/Safety Connect Emergency Sos
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Vehicle Information

### CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: \*\*\*\*\*

Overall Frontal Barrier Crash Rating: \*\*\*\*\*

Overall Side Crash Rating: \*\*\*\*\*

Side Barrier Rating: \*\*\*\*\*

Combined Side Barrier and Pole Ratings:

Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \*\*\*\*\*

Dynamic Test Result: No Tip

Risk of Rollover: 16%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

## RECALL

US NHTSA CAMPAIGN ID:  
18V085000

Mfg's Report Date:



JAN 30, 2018

Component:  
AIR BAGS:FRONTAL

Potential Number Of Units Affected:  
48672

**Summary:**

Toyota Motor Engineering & Manufacturing (Toyota) is recalling certain 2016 Toyota Prius and Lexus RX 350, RX 350 F Sport, RX 450h F Sport and RX 450h vehicles and 2015-2016 Lexus NX 200T, NX Turbo and NX 300h vehicles. The air bag pressure sensors and/or the acceleration sensors may fail causing the side/curtain shield air bags and/or the front air bags to not deploy in the event of a crash.

**Consequence:**

If the air bags fail to deploy in a crash, it can increase the risk of injury.

**Remedy:**  
Toyota will notify owners, and dealers will replace the sensors as necessary based on their serial numbers, free of charge. The recall is expected to begin March 12, 2018. Owners may contact Toyota customer service at 1-800-331-4331. Toyota's numbers for this recall are JLA, JOF.

**Dates of Manufacture:**

MAY 24, 2015 to OCT 15, 2015

**Manufacturer Recall Number:**

JLA, JOF

## WARRANTY

**Basic:**

4 Years/50,000 Miles

**Drivetrain:**

6 Years/70,000 Miles

**Corrosion:**

6 Years/Unlimited Miles

**Roadside Assistance:**

4 Years/Unlimited Miles

**Maintenance:**

1 Years/10,000 Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.7in
- Rear Brake Rotor Diam x Thickness 11.2in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 54.6ft<sup>3</sup>
- Cargo Volume to Seat 2 17.7ft<sup>3</sup>
- Cargo Volume to Seat 3 17.7ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical



- Cold Cranking Amps @ 0Å° F (Primary) 550
- Maximum Alternator Capacity (amps) N/A

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.3

## Engine

- Displacement 2.0 L/122
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I4
- Fuel System Port/Direct Injection
- SAE Net Horsepower @ RPM 235 @ 4800
- SAE Net Torque @ RPM 258 @ 1650

## Exterior Dimensions

- Height, Overall 64.8in
- Length, Overall N/Ain
- Lifter Height N/Ain
- Min Ground Clearance 6.9in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.2in
- Track Width, Rear 62.2in
- Wheelbase 104.7in
- Width, Max w/o mirrors 73.6in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.9gal

## Interior Dimensions

- Front Head Room 37.4in
- Front Hip Room 55.1in
- Front Leg Room 42.8in
- Front Shoulder Room 57.3in
- Passenger Capacity 5
- Passenger Volume 71.6ftÅ³
- Second Head Room 38in
- Second Hip Room 53.9in
- Second Leg Room 36.1in
- Second Shoulder Room 55.3in

## Mileage

- Cruising Range - City 349.80mi
- Cruising Range - Hwy 445.20mi
- EPA Fuel Economy Est - City 22MPG
- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 24MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 39.8ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut



- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Double Wishbone
- Suspension Type - Rear Double Wishbone

## Tires

- Front Tire Order Code
- Front Tire Size P225/65HR17
- Rear Tire Order Code
- Rear Tire Size P225/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 200lbs
- Dead Weight Hitch - Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs
- Wt Distributing Hitch - Max Tongue Wt. 200lbs
- Wt Distributing Hitch - Max Trailer Wt. 2000lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 3.89
- First Gear Ratio (:1) 3.30
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 4.15
- Second Gear Ratio (:1) 1.90
- Sixth Gear Ratio (:1) 0.61
- Third Gear Ratio (:1) 1.42
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 4050lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin