



## Vehicle Information

**Date:** January 11, 2019  
**Vehicle:** 2015 Nissan Rogue Utility 4D SL AWD 2.5L I4  
**VIN:** 5N1AT2MV0FC914894  
**Weight:** 3,605



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$29,630	\$2,150	\$900	<b>\$32,680</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
[P02] SL PREMIUM PACKAGE -inc: Blind Spot Warning, moving object detection, Power Panoramic Moonroof, Forward Collision Warning, LED Headlights, Lane Departure Warning Code: PR2	\$1762.00	\$1990.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[B92] SPLASH GUARDS (PIO) Automatically added to dealer orders in the following states if not ordered with factory installed splash guards or factory installed splash guards are not offered as an orderable option: Alaska, Idaho, Montana, Oregon, Rhode Island, Washington and Wisconsin. Code: SGD	\$138.00	\$160.00
ARCTIC BLUE METALLIC Code: RBG	\$0.00	\$0.00
CHARCOAL, LEATHER-APPOINTED SEAT TRIM Code: G-0	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 1 LCD Monitor In The Front
- Bluetooth Wireless Phone Connectivity
- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls and External Memory Control
- Radio: AM/FM/CD/RDS/AUX NissanConnect w/Navigation -inc: mobile apps, Bose audio w/9 speakers, 7" color touch-screen display, USB connection port for iPod interface and other compatible devices, Bluetooth hand-free phone system, XM Satellite radio, Nissan voice recognition for navigation and audio, NavTraffic, NavWeather, SiriusXM TravelLink, Google places and Google send-to-car
- Streaming Audio

### EXTERIOR



Licensed to J.D. Power

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Door Handles
- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/60R18 AS
- Variable Intermittent Wipers
- Wheels: 18" Alloy

## INTERIOR

- 3 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Center Armrest w/Storage
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- Heated Front Bucket Seats -inc: 6-way power driver's seat w/power lumbar support, 4-way adjustable front passenger seat and front seatback storage
- HVAC -inc: Underseat Ducts and Console Ducts
- Interior Trim -inc: Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Leather-Appointed Seat Trim
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- NissanConnect Selective Service Internet Access
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access and Mechanical Fuel
- Seats w/Leatherette Back Material
- Smart Device Integration
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch

## MECHANICAL



- 110 Amp Alternator
- 14.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 5.694 Axle Ratio
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L DOHC 16-Valve I4 -inc: ECO mode
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,678 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: Xtronic CVT Automatic -inc: sport mode switch,

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front Camera
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Vehicle Information

### CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: \*\*\*\*

Overall Frontal Barrier Crash Rating: \*\*\*\*

Overall Side Crash Rating: \*\*\*\*\*

Side Barrier Rating: \*\*\*\*\*

Combined Side Barrier and Pole Ratings:

Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \*\*\*\*

Dynamic Test Result: No Tip

Risk of Rollover: 16.4%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

### RECALL

US NHTSA CAMPAIGN ID:  
15V012000

Mfg's Report Date:  
JAN 13, 2015

Component:  
SERVICE BRAKES

Potential Number Of Units Affected:



893

**Summary:**

Nissan North America, Inc. (Nissan) is recalling certain model year 2014-2015 Nissan Pathfinder and INFINITI QX60 vehicles manufactured August 14, 2014, to November 5, 2014, and 2014-2015 Nissan Rogue vehicles manufactured August 12, 2014, to November 15, 2014. During the assembly process, the front wheel hub assembly fasteners may not have been properly torqued.

**Consequence:**

The under-torqued fasteners may result in a brake caliper separating from the wheel assembly causing a reduction in braking performance or reduced steering control. These conditions increase the risk of a crash.

**Remedy:**

Nissan will notify owners, and dealers will inspect the vehicles and tighten any loose bolts to the proper specification, free of charge. The recall began February 2, 2015. Owners may contact Nissan customer service at 1-800-647-7261.

**Dates of Manufacture:**

AUG 11, 2014 to NOV 14, 2014

US NHTSA CAMPAIGN ID:

15V368000

**Mfg's Report Date:**

JUN 11, 2015

**Component:**

EQUIPMENT:OTHER:LABELS

**Potential Number Of Units Affected:**

110

**Summary:**

Nissan North America, Inc. (Nissan) is recalling certain model year 2015 Rogue Select vehicles manufactured November 17, 2014, to December 12, 2014 and equipped with seventeen-inch wheels. The affected vehicles have incorrect tire size information on the tire labels. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) No. 110, "Tire Selection and Rims and Motor Home/Recreation Vehicle Trailer Load Carrying Capacity Information for Motor Vehicles with a GVWR of 4,536 kilograms (10,000 pounds) or less."

**Consequence:**

The labels list the incorrect tire size. Installing tires of the incorrect size may increase the risk of a crash.

**Remedy:**

Nissan will notify owners, and will send them new labels with the corrected information, free of charge. The recall began on June 22, 2015. Owners may contact Nissan customer service at 1-800-647-7261.

**Dates of Manufacture:**

NOV 16, 2014 to DEC 12, 2014

US NHTSA CAMPAIGN ID:

15V453000

**Mfg's Report Date:**

JUL 20, 2015

**Component:**

LATCHES/LOCKS/LINKAGES

**Potential Number Of Units Affected:**

6595

**Summary:**

Nissan North America, Inc. (Nissan) is recalling certain model year 2015 Nissan Rogue vehicles manufactured June 9, 2015, to June 10, 2015, and 2015 Nissan Sentra and Versa Note vehicles manufactured June 5, 2015, to June 13, 2015. In the affected vehicles, the driver side front and rear doors may not fully latch. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 206, "Door Locks and Door Retention Components."

**Consequence:**

A door that does not fully latch may result in the door opening while the car is moving. The distraction may increase the risk of a crash and/or a vehicle occupant may fall out of the vehicle if they are not wearing a seatbelt, increasing their risk of injury.

**Remedy:**

Nissan will notify owners, and dealers will inspect the date, lot number, and cavity code on the left front and rear door latches, and replace them, as necessary, free of charge. The recall began on August 31, 2015. Owners may contact Nissan customer service at 1-800-647-7261.

**Dates of Manufacture:**

JUN 08, 2015 to JUN 09, 2015

US NHTSA CAMPAIGN ID:

15V775000

**Mfg's Report Date:**

NOV 19, 2015

**Component:**

POWER TRAIN:AUTOMATIC TRANSMISSION:GEAR POSITION INDICATION (PRNDL)

**Potential Number Of Units Affected:**



33880

**Summary:**

Nissan North America, Inc. (Nissan) is recalling certain model year 2015 Rogue vehicles manufactured February 10, 2015, to May 13, 2015. In the affected vehicles, due to a problem with the shift selector knob, it may be possible to shift out of the "Park" position without depressing the brake pedal. As such, these vehicles fail to conform to the requirements of Federal Motor Vehicle Safety Standard 114, "Theft Protection and Rollaway Prevention."

**Consequence:**

If the shift selector can be moved out of the "Park" position while the brake pedal is not depressed, the vehicle may unexpectedly roll, increasing the risk of a crash.

**Remedy:**

Nissan will notify owners, and dealers will inspect and replace the shift selector knob, as necessary, free of charge. The recall began on January 15, 2016. Owners may contact Nissan customer service at 1-800-647-7261.

**Dates of Manufacture:**

FEB 09, 2015 to MAY 12, 2015

US NHTSA CAMPAIGN ID:

16V219000

**Mfg's Report Date:**

APR 14, 2016

**Component:**

STRUCTURE:BODY:HATCHBACK/LIFTGATE:SUPPORT DEVICE

**Potential Number Of Units Affected:**

108503

**Summary:**

Nissan North America, Inc. (Nissan) is recalling certain model year 2014-2016 Nissan Rogue vehicles manufactured July 31, 2013, to January 16, 2016. In the affected vehicles, the rear lift gate support stays may corrode due to insufficient anti-corrosion treatment.

**Consequence:**

Corrosion of one or both of the rear lift gate support stays could cause a sudden release of pressure. If this occurs, the support stays may break off, increasing the risk of injury.

**Remedy:**

Nissan will notify owners, and dealers will replace the rear tailgate stays, free of charge. The recall began on November 18, 2016. Owners may contact Nissan customer service at 1-800-647-7261.

**Dates of Manufacture:**

JUL 30, 2013 to JAN 15, 2016

US NHTSA CAMPAIGN ID:

16V244000

**Mfg's Report Date:**

APR 25, 2016

**Component:**

AIR BAGS: OCCUPANT CLASSIFICATION SYSTEM - OCS (FRONT PASSENGER)

**Potential Number Of Units Affected:**

3296947

**Summary:**

Nissan North America, Inc. (Nissan) is recalling certain model year 2016-2017 Nissan Maxima, 2013-2016 Nissan Altima, NV200, LEAF, Sentra, and Pathfinder, 2014-2016 Nissan NV200 Taxi, Infiniti QX60, QX60 Hybrid, and Q50 Hybrid, 2014-2017 Nissan Rogue and Infiniti Q50, 2015-2016 Nissan Murano, Murano Hybrid, and Chevrolet City Express, 2014-2015 Nissan Pathfinder Hybrid, and 2013 Infiniti JX35 vehicles. In these vehicles, the front seat passenger Occupant Classification System (OCS) may incorrectly classify an adult passenger as a child or classify the seat as empty despite it being occupied. As a result, the passenger frontal air bag may be turned off and not deploy in the event of a crash.

**Consequence:**

If the passenger frontal air bag does not deploy as intended in the event of a crash, the passenger is at an increased risk of injury.

**Remedy:**

Nissan will notify their owners. Chevrolet City Express owners will be notified by General Motors. Dealers will reprogram the Air Bag Control Unit (ACU) and OCS Electronic Control Unit (ECU) in Altima, Maxima, Murano, Rogue, and Sentra vehicles, and replace the OCS ECU in LEAF, NV200, NV200 Taxi, Pathfinder, Infiniti Q50, JX35, and QX60 and Chevrolet City Express vehicles, free of charge. Interim notices were sent to owners on May 31, 2016. Owners will receive a second notice when remedy parts become available. Owners may contact Nissan customer service at 1-800-867-7669, Infiniti customer service at 1-888-833-3216 or Chevrolet customer service at 1-800-222-1020.

**Dates of Manufacture:**

JUL 24, 2013 to APR 14, 2016

US NHTSA CAMPAIGN ID:

16V911000


**Mfg's Report Date:**

DEC 18, 2016

**Component:**

AIR BAGS: OCCUPANT CLASSIFICATION SYSTEM - OCS (FRONT PASSENGER)

**Potential Number Of Units Affected:**



757

**Summary:**

Nissan North America, Inc. (Nissan) is recalling certain model year 2013-2015 Altima vehicles manufactured January 3, 2013, to July 29, 2013, 2015-2016 Rogue vehicles manufactured October 14, 2014, to August 12, 2016, and 2016 Maxima vehicles manufactured June 4, 2015, to August 19, 2015. An incorrect Occupant Classification System (OCS) Electronic Control Unit (ECU) may have been installed in the front passenger seat. The incorrect ECU and seat combination may misclassify the front passenger seat occupant.

**Consequence:**

If the front passenger seat occupant is misclassified, the air bag may deploy incorrectly in the event of a crash, increasing the risk of injury.

**Remedy:**

Nissan will notify owners, and dealers will replace the ECU and update the OCS software free of charge. The recall began February 13, 2017. Owners may contact Nissan customer service at 1-800-647-7261.

**Dates of Manufacture:**

OCT 13, 2014 to AUG 11, 2016

## WARRANTY

**Basic:**

3 Years/36,000 Miles

**Drivetrain:**

5 Years/60,000 Miles

**Corrosion:**

5 Years/Unlimited Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.8in
- Rear Brake Rotor Diam x Thickness 11.7in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 70ft<sup>3</sup>
- Cargo Volume to Seat 2 39.3ft<sup>3</sup>
- Cargo Volume to Seat 3 39.3ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 110

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.3

### Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I4



Licensed to J.D. Power

- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 170 @ 6000
- SAE Net Torque @ RPM 175 @ 4400

## Exterior Dimensions

- Height, Overall 66.3in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7.4in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.8in
- Track Width, Rear 62.8in
- Wheelbase 106.5in
- Width, Max w/o mirrors 72.4in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 14.5gal

## Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 54in
- Front Leg Room 43in
- Front Shoulder Room 56.5in
- Passenger Capacity 5
- Passenger Volume 100.4ft<sup>3</sup>
- Second Head Room 38.5in
- Second Hip Room 52.1in
- Second Leg Room 37.9in
- Second Shoulder Room 55.9in

## Mileage

- Cruising Range - City 362.50mi
- Cruising Range - Hwy 464.00mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 32MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 28MPG

## Steering


- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb N/Aft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P225/60VR18
- Rear Tire Order Code
- Rear Tire Size P225/60VR18
- Spare Tire Order Code
- Spare Tire Size Compact



Licensed to J.D. Power

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 100lbs
- Dead Weight Hitch - Max Trailer Wt. 1000lbs
- Maximum Trailering Capacity 1000lbs
- Wt Distributing Hitch - Max Tongue Wt. 100lbs
- Wt Distributing Hitch - Max Trailer Wt. 1000lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 5.69
- First Gear Ratio (:1) 2.64 - 0.38
- Reverse Ratio (:1) 0.74
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 3605lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin