

Vehicle Information

Date: January 16, 2019
Vehicle: 2016 Nissan Pathfinder Utility 4D SL 4WD 3.5L V6
VIN: 5N1AR2MM9GC625486
Weight: 4,364



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$38,100	\$720	\$940	\$39,760
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
[B10] 4-PIECE BLACK SPLASH GUARDS N/A dealer order; required on vehicles sold in AK, ID, MT, OR, RI, WA, WI. Code: SG1	\$138.00	\$160.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[B93] CROSS BARS (PIO) Code: BAR	\$286.00	\$355.00
[B94] REAR BUMPER PROTECTOR (PIO) Code: BUM	\$153.00	\$205.00
MAGNETIC BLACK METALLIC Code: G41	\$0.00	\$0.00
CHARCOAL, LEATHER SEATING SURFACES Code: G-0	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Bluetooth Wireless Phone Connectivity
- Integrated Roof Diversity Antenna
- Radio w/Seek-Scan, Clock, Steering Wheel Controls and External Memory Control
- Radio: AM/FM/RDS/MP3/1CD Audio System w/6-Speakers -inc: 7" QVGA color display, XM Satellite Radio, USB/iPod connector (replaces standard auxiliary audio input jack) and speed sensitive volume

EXTERIOR

- Black Grille w/Chrome Surround
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper w/1 Tow Hook



- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Moldings and Black Bodyside Cladding
- Chrome Door Handles
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Aero-Composite Halogen Headlamps
- Fully Galvanized Steel Panels
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R18 AS
- Wheels: 18" Aluminum-Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 4 12V DC Power Outlets and 1 AC Power Outlet
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed Bench Leatherette 3rd Row Seat Front and 2 Fixed Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest w/Storage
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 4 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Bucket Seats -inc: 7 passenger seating capacity, 8-way power driver's seat w/memory and 2-way power lumbar support and 4-way power AS seat
- Heated Leather Steering Wheel
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood/Metal-Look Door Panel Insert, Simulated Wood Console Insert and Chrome/Metal-Look Interior Accents
- Leather Door Trim Insert
- Leather Gear Shift Knob
- Leather Seating Surfaces
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access
- Seats w/Leatherette Back Material
- Split-Bench Front Facing Rear Seat
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function



MECHANICAL

- 150 Amp Alternator
- 19.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 5.25 Axle Ratio
- 82-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Brake Actuated Limited Slip Differential
- Electro-Hydraulic Power Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.5L V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,985 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: Xtronic CVT (Continuously Variable)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Collision Warning
- Rear Parking Sensors
- RearView Monitor Back-Up Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****

Side Barrier Rating: *****

Combined Side Barrier and Pole Ratings:

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 17.9%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:

16V244000

Mfg's Report Date:



APR 25, 2016

Component:
AIR BAGS: OCCUPANT CLASSIFICATION SYSTEM - OCS (FRONT PASSENGER)

Potential Number Of Units Affected:
3296947

Summary:

Nissan North America, Inc. (Nissan) is recalling certain model year 2016-2017 Nissan Maxima, 2013-2016 Nissan Altima, NV200, LEAF, Sentra, and Pathfinder, 2014-2016 Nissan NV200 Taxi, Infiniti QX60, QX60 Hybrid, and Q50 Hybrid, 2014-2017 Nissan Rogue and Infiniti Q50, 2015-2016 Nissan Murano, Murano Hybrid, and Chevrolet City Express, 2014-2015 Nissan Pathfinder Hybrid, and 2013 Infiniti JX35 vehicles. In these vehicles, the front seat passenger Occupant Classification System (OCS) may incorrectly classify an adult passenger as a child or classify the seat as empty despite it being occupied. As a result, the passenger frontal air bag may be turned off and not deploy in the event of a crash.

Consequence:

If the passenger frontal air bag does not deploy as intended in the event of a crash, the passenger is at an increased risk of injury.

Remedy:

Nissan will notify their owners. Chevrolet City Express owners will be notified by General Motors. Dealers will reprogram the Air Bag Control Unit (ACU) and OCS Electronic Control Unit (ECU) in Altima, Maxima, Murano, Rogue, and Sentra vehicles, and replace the OCS ECU in LEAF, NV200, NV200 Taxi, Pathfinder, Infiniti Q50, JX35, and QX60 and Chevrolet City Express vehicles, free of charge. Interim notices were sent to owners on May 31, 2016. Owners will receive a second notice when remedy parts become available. Owners may contact Nissan customer service at 1-800-867-7669, Infiniti customer service at 1-888-833-3216 or Chevrolet customer service at 1-800-222-1020.

Dates of Manufacture:

JUN 19, 2012 to MAR 31, 2016

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

3 Years/36,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 78.9in
- Cargo Area Length @ Floor to Seat 2 51.1in
- Cargo Area Length @ Floor to Seat 3 19.8in
- Cargo Area Width @ Beltline 45.9in
- Cargo Box (Area) Height 31.4in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 79.8ft³
- Cargo Volume to Seat 2 47.8ft³
- Cargo Volume to Seat 3 16ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150



Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.5 L/213
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 260 @ 6400
- SAE Net Torque @ RPM 240 @ 4400

Exterior Dimensions

- Height, Overall 69.6in
- Length, Overall N/Ain
- Lifter Height N/Ain
- Min Ground Clearance 7in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.7in
- Track Width, Rear 65.7in
- Wheelbase 114.2in
- Width, Max w/o mirrors 77.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.5gal

Interior Dimensions

- Front Head Room 42.2in
- Front Hip Room 56.8in
- Front Leg Room 42.3in
- Front Shoulder Room 60.7in
- Passenger Capacity 7
- Passenger Volume 157.8ft³
- Second Head Room 39.4in
- Second Hip Room 56.1in
- Second Leg Room 41.7in
- Second Shoulder Room 60.4in
- Third Head Room 37.8in
- Third Hip Room 42in
- Third Leg Room 30.7in
- Third Shoulder Room 57.1in

Mileage

- Cruising Range - City 370.50mi
- Cruising Range - Hwy 507.00mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain



Licensed to J.D. Power

- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65SR18
- Rear Tire Order Code
- Rear Tire Size P235/65SR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailing Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Final Drive Axle Ratio (:1) 5.25
- First Gear Ratio (:1) 2.41 - 0.38
- Reverse Ratio (:1) 1.77
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4364lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin