



800 lilac drive
golden valley, MN 55422
763 522 2000

Vehicle Information

Date: January 28, 2019
Vehicle: 2016 Nissan Rogue Utility 4D SV AWD 2.5L I4
VIN: KNMAT2MV6GP610807
Weight: 3,554



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$26,130	\$350	\$940	\$27,420

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[B92] SPLASH GUARDS (PIO) Automatically added to dealer orders in the following states if not ordered with factory installed splash guards or factory installed splash guards are not offered as an orderable option: Alaska, Idaho, Montana, Oregon, Rhode Island, Washington and Wisconsin. Code: SGD	\$138.00	\$160.00
[M92] RETRACTABLE CARGO COVER (PIO) Code: COV	\$151.00	\$190.00
MAGNETIC BLACK Code: G41	\$0.00	\$0.00
CHARCOAL, CLOTH SEAT TRIM Code: G-0	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock and Steering Wheel Controls
- Radio: AM/FM/CD/RDS/AUX NissanConnect-inc: mobile apps, 6 speakers, 5" color center display audio system, USB connection port for iPod interface and other compatible devices, Bluetooth hand-free phone system and XM Satellite radio
- Streaming Audio

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Front Bumper
- Body-Colored Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Door Handles



- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum/Composite Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17 AS
- Variable Intermittent Wipers
- Wheels: 17" Aluminum-Alloy

INTERIOR

- 3 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front Bucket Seats -inc: 6-way power driver's seat w/power lumbar support, 4-way adjustable front passenger seat and front seatback storage
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts and Console Ducts
- Interior Trim -inc: Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- NissanConnect Selective Service Internet Access
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Cargo Access and Mechanical Fuel
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob

MECHANICAL

- 110 Amp Alternator
- 14.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 5.694 Axle Ratio
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L DOHC 16-Valve I4 -inc: ECO mode
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers



Licensed to J.D. Power

- GVWR: 4,678 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Sequential Shift Control
- Transmission: Xtronic CVT Automatic -inc: sport mode switch,

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- RearView Monitor Back-Up Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.8in
- Rear Brake Rotor Diam x Thickness 11.7in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 42.9in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 38.5in
- Cargo Box (Area) Height 35in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 70ft³
- Cargo Volume to Seat 2 39.3ft³
- Cargo Volume to Seat 3 39.3ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 110

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.5 (Est)

Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 170 @ 6000
- SAE Net Torque @ RPM 175 @ 4400

Exterior Dimensions

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2019 J.D.Power



Licensed to J.D. Power

- Height, Overall 66.3in
- Length, Overall N/Ain
- Lifter Height N/Ain
- Min Ground Clearance 7.6in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.8in
- Track Width, Rear 62.8in
- Wheelbase 106.5in
- Width, Max w/o mirrors 72.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 14.5gal

Interior Dimensions

- Front Head Room 41.6in
- Front Hip Room 54in
- Front Leg Room 43in
- Front Shoulder Room 56.5in
- Passenger Capacity 5
- Passenger Volume 105.8ft³
- Second Head Room 38.5in
- Second Hip Room 52.1in
- Second Leg Room 37.9in
- Second Shoulder Room 55.9in
- Third Head Room in
- Third Hip Room in
- Third Leg Room in
- Third Shoulder Room in

Mileage

- Cruising Range - City 362.50mi
- Cruising Range - Hwy 464.00mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 32MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 28MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb N/Aft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P225/65HR17
- Rear Tire Order Code
- Rear Tire Size P225/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer



Licensed to J.D. Power

- Dead Weight Hitch - Max Tongue Wt. 100lbs
- Dead Weight Hitch - Max Trailer Wt. 1000lbs
- Maximum Trailering Capacity 1000lbs
- Wt Distributing Hitch - Max Tongue Wt. 100lbs
- Wt Distributing Hitch - Max Trailer Wt. 1000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 5.69
- First Gear Ratio (:1) 2.64 - 0.38
- Reverse Ratio (:1) 0.74
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3554lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin