



Vehicle Information

Date: January 10, 2019
Vehicle: 2017 Chrysler Pacifica Wagon 4D Touring L 3.6L V6
VIN: 2C4RC1BG0HR506685
Weight: 4,330



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$34,995	\$1,385	\$1,095	\$37,475
NADA New Vehicle Values				
Low	\$28,991	\$1,147	\$1,095	\$31,233
Average	\$30,626	\$1,212	\$1,095	\$32,933
High	\$32,462	\$1,285	\$1,095	\$34,842

Optional Equipment

	Invoice	MSRP
8 PASSENGER SEATING Code: CYF	\$441.00	\$495.00
BLACK STOW N PLACE ROOF RACK Code: MW1-R	\$0.00	\$0.00
KEYSENSE Code: GX3	\$174.00	\$195.00
RADIO: UCONNECT 3C W/8.4" DISPLAY -inc: Nav-Capable! See Dealer for Details, GPS Antenna Input, 6 Mo, Trial (Registration Required), Uconnect Access, 8.4" Touchscreen Display, For Details, Visit DriveUconnect.com Code: RA3	\$619.00	\$695.00
SAFETYTEC -inc: ParkSense Rear Park Assist w/Stop, Blind Spot & Cross Path Detection Code: AC5	\$0.00	\$0.00
SECURITY GROUP -inc: Remote Start, Security Alarm Code: AJB	\$0.00	\$0.00
QUICK ORDER PACKAGE 27L TOURING L -inc: Engine: 3.6L V6 24V VVT UPG I w/ESS, Transmission: 9-Speed 948TE FWD Automatic, Rear Seatback Grocery Bag Hooks, Bright Bodyside Molding Code: 27L-R	\$0.00	\$0.00
ENGINE: 3.6L V6 24V WT UPG I W/ESS -inc: Auxiliary Battery, Engine Oil Cooler, 220 Amp Alternator, 650 Amp Maintenance Free AGM Battery, Stop-Start Dual Battery System (STD) Code: ERC-B	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
BRIGHT WHITE CLEARCOAT Code: PW7	\$0.00	\$0.00
BLACK/ALLOY, LEATHER TRIMMED BUCKET SEATS	\$0.00	\$0.00



	Invoice	MSRP
-inc: With black/alloy interior includes black seats w/sepia accent stitch, anodized silver accents and mineral shitake bezels, With cognac/alloy/toffee interior includes two tone alloy/toffee seats w/anodized silver accents and liquid titanium bezels Code: MLXP		
NORMAL DUTY SUSPENSION	\$0.00	\$0.00
(STD) Code: SDA		
TIRES: P235/65R17 BSW AS	\$0.00	\$0.00
-inc: Yokohama Brand Tires (STD) Code: TMK		
TRANSMISSION: 9-SPEED 948TE FWD AUTOMATIC	\$0.00	\$0.00
(STD) Code: DFH		
WHEELS: 17" X 7.0" ALUMINUM	\$0.00	\$0.00
(STD) Code: WFS		

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- 6 Speakers
- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: Uconnect 3 w/5" Display
- SiriusXM Satellite Radio
- Streaming Audio

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Manual Folding
- Body-Colored Rear Bumper w/Chrome Bumper Insert
- Chrome Door Handles
- Chrome Side Windows Trim
- Clearcoat Paint
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Power Sliding Rear Doors
- Puncture Sealant & Portable Air Compressor
- Roof Rack
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R17 BSW AS -inc: Yokohama Brand Tires
- Variable Intermittent Wipers
- Wheels: 17" x 7.0" Aluminum

INTERIOR

- 12-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- Air Filtration
- Analog Display
- Bucket Folding Captain Front Facing Manual Reclining Tumble Forward Leather Rear Seat w/Manual Fore/Aft and Stow ft.n Go Manual Fold Into Floor
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Front Passenger Armrests and Rear Seat Mounted Armrest
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest



Licensed to J.D. Power

- Dual Zone Front Automatic Air Conditioning
- Fade-To-Off Interior Lighting
- Fixed 60-40 Split-Bench Leatherette 3rd Row Seat Front, Manual Recline, Manual Fold Into Floor and 3 Fixed Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Cupholder
- Front Seats w/Power 4-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins
- Integrated Voice Command w/Bluetooth
- Interior Trim -inc: Colored Instrument Panel Insert, Colored Door Panel Insert, Piano Black Console Insert and Piano Black/Metal-Look Interior Accents
- Leather Steering Wheel
- Leather Trimmed Bucket Seats -inc: With black/alloy interior includes black seats w/sepia accent stitch, anodized silver accents and mineral shitake bezels, With cognac/alloy/toffee interior includes two tone alloy/toffee seats w/anodized silver accents and liquid titanium bezels
- Manual Tilt/Telescoping Steering Column
- Manual w/Tilt Front Head Restraints and Fixed Rear Head Restraints
- Metal-Look Gear Shift Knob
- Outside Temp Gauge
- Partial Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror and 2 12V DC Power Outlets
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access
- Sentry Key Engine Immobilizer
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Vinyl Door Trim Insert

MECHANICAL

- 180 Amp Alternator
- 19 Gal. Fuel Tank
- 3.25 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 50 State Emissions
- 730CCA Maintenance-Free Battery w/Run Down Protection
- Electric Power-Assist Steering
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT UPG I w/ESS -inc: Auxiliary Battery, Engine Oil Cooler, 220 Amp Alternator, 650 Amp Maintenance Free AGM Battery, Stop-Start Dual Battery System
- Front Anti-Roll Bar
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 6,005 lbs
- Normal Duty Suspension
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Trailing Arm Rear Suspension w/Coil Springs
- Transmission w/Oil Cooler
- Transmission: 9-Speed 948TE FWD Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver And Passenger Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
- ParkView Back-Up Camera
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning



Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****

Side Barrier Rating: *****

Combined Side Barrier and Pole Ratings:

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 11.6%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:
17V375000

Mfg's Report Date:
JUN 12, 2017

Component:
EQUIPMENT:OTHER:LABELS

Potential Number Of Units Affected:
100

Summary:

Chrysler (FCA US LLC) is recalling certain 2017 Pacifica Plug-in Hybrid Electric vehicles (PHEV). The tire placard on the affected vehicles incorrectly lists the seating capacity as 6 occupants rather than 7 occupants, with a combined weight of 950lbs rather than 1,100lbs. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 110, "Tire Selection and Rims."

Consequence:

The incorrect tire label may cause customer confusion, potentially resulting in vehicle overloading, increasing the risk of a crash.

Remedy:

Chrysler will notify owners, and dealers will replace tire placard label, free of charge. The recall began July 6, 2017. Owners may contact Chrysler customer service at 1-800-853-1403. Chrysler's number for this recall is T37.

Dates of Manufacture:
OCT 03, 2016 to MAY 17, 2017

Manufacturer Recall Number:
T37
US NHTSA CAMPAIGN ID:
17V371000

Mfg's Report Date:
JUN 08, 2017

Component:
HYBRID PROPULSION SYSTEM: INVERTER

Potential Number Of Units Affected:
1375

Summary:

Chrysler (FCA US LLC) is recalling certain 2017-2018 Pacifica Plug-in Hybrid Electric vehicles (PHEV). The affected vehicles have diodes in the Power Inverter Module ("PIM") that may fail due to an overvoltage condition. If the diodes fail, the vehicle will not move under its own power.

**Consequence:**

A vehicle that suddenly cannot be driven, increases the risk of a crash.

Remedy:

Chrysler will notify owners, and dealers will reprogram the Powertrain Control Module, Battery Pack Control Module, On Board Charging Module, and PIM, free of charge. The PIM will be replaced as necessary. The recall began on September 14, 2017. Owners may contact Chrysler customer service at 1-800-853-1403. Chrysler's number for this recall is T34.

Dates of Manufacture:

AUG 11, 2016 to JUN 20, 2017

Manufacturer Recall Number:

T34

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 47.8in
- Cargo Box Width @ Wheelhousings 48.8in
- Cargo Volume to Seat 1 140.5ft³
- Cargo Volume to Seat 2 87.5ft³
- Cargo Volume to Seat 3 32.3ft³
- Trunk Volume N/Aft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 650
- Maximum Alternator Capacity (amps) 220

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.6 L/220
- Engine Order Code ERC-B
- Engine Type Regular Unleaded V-6



- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 287 @ 6400
- SAE Net Torque @ RPM 262 @ 4000

Exterior Dimensions

- Height, Overall 69.9in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 5.1in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 68.3in
- Track Width, Rear 68.3in
- Wheelbase 121.6in
- Width, Max w/o mirrors 79.6in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19gal

Interior Dimensions

- Front Head Room 40.1in
- Front Hip Room 59in
- Front Leg Room 41.1in
- Front Shoulder Room 63.8in
- Passenger Capacity 8
- Passenger Volume 165ft³
- Second Head Room 39.6in
- Second Hip Room 64.8in
- Second Leg Room 39in
- Second Shoulder Room 63in
- Third Head Room 38.7in
- Third Hip Room 49.6in
- Third Leg Room 36.5in
- Third Shoulder Room 61.2in

Mileage

- Battery Range N/Ami
- Cruising Range - City 361.00mi
- Cruising Range - Hwy 532.00mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 39.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Trailing Arm
- Suspension Type - Rear Trailing Arm

Tires

- Front Tire Order Code TMK
- Front Tire Size P235/65HR17



Licensed to J.D. Power

- Rear Tire Order Code TMK
- Rear Tire Size P235/65HR17
- Spare Tire Order Code
- Spare Tire Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 360lbs
- Dead Weight Hitch - Max Trailer Wt. 3600lbs
- Wt Distributing Hitch - Max Tongue Wt. 360lbs
- Wt Distributing Hitch - Max Trailer Wt. 3600lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Eighth Gear Ratio (:1) 0.58
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.25
- First Gear Ratio (:1) 4.70
- Fourth Gear Ratio (:1) 1.38
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.81
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70
- Sixth Gear Ratio (:1) 0.81
- Third Gear Ratio (:1) 1.91
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFH
- Trans Type 9

Vehicle

- EPA Classification 2WD Minivans

Weight Information

- Base Curb Weight 4330lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material
- Spare Wheel Size in