

## Vehicle Information

**Date:** January 15, 2019  
**Vehicle:** 2015 Toyota Avalon Sedan 4D XLE Premium 3.5L V6  
**VIN:** 4T1BK1EB6FU167561  
**Weight:** 3,505



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$34,140	N/A	\$835	<b>\$34,975</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
50 STATE EMISSIONS Code: FE-0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
CELESTIAL SILVER METALLIC Code: 1J9	\$0.00	\$0.00
LIGHT GRAY, LEATHER SEAT TRIM Code: LF17	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: Entune Audio Plus AM/FM/CD/MP3/WMA Playback-inc: 6.1-inch high resolution touch-screen display, 8 speakers, auxiliary audio jack, USB port w/iPod connectivity and control, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology, SiriusXM Radio w/3-month complimentary trial, HD Radio and HD traffic and weather in major metro areas, Integrated Backup Camera Display w/Projected Path
- Window Grid Antenna

### EXTERIOR

- Body-Colored Front Bumper w/Chrome Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Door Handles
- Chrome Grille
- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Defroster
- Front Windshield-inc: Sun Visor Strip



- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Laminated Glass
- LED Brakelights
- Light Tinted Glass
- Steel Spare Wheel
- Tires: P215/55R17 AS
- Trunk Rear Cargo Access
- Variable Intermittent Wipers
- Wheels: 17" x 7.0" 10 Silver-Painted Alloy

## INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- Air Filtration
- Analog Display
- Bench Front Facing Rear Seat
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest w/Pass-Thru
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Chrome Interior Accents and Leatherette Upholstered Dashboard
- Leather Seat Trim
- Leather Steering Wheel
- Leather/Simulated Wood Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Multi-Stage Heated Front Bucket Seats -inc: 8-way power adjustable driver's seat w/power lumbar and 4-way power adjustable front passenger seat
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access
- Trip Computer
- Valet Function

## MECHANICAL

- 17 Gal. Fuel Tank
- 3.24 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Brake Assist
- 582CCA Maintenance-Free Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 3.5L DOHC 24V V6 w/Dual VVT-i
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs



- Strut Rear Suspension w/Coil Springs
- Transmission w/Sequential Shift Control
- Transmission: 6-Speed ECT-i Automatic (U 660E)

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

## Vehicle Information

### CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: \*\*\*\*\*

Overall Frontal Barrier Crash Rating: Not Rated

Overall Side Crash Rating: \*\*\*\*\*

Side Barrier Rating: \*\*\*\*\*

Combined Side Barrier and Pole Ratings:

Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \*\*\*\*\*

Dynamic Test Result: No Tip

Risk of Rollover: 10.7%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

## RECALL

US NHTSA CAMPAIGN ID:  
15V728000

Mfg's Report Date:  
NOV 02, 2015

Component:  
FORWARD COLLISION AVOIDANCE: CRASH IMMINENT BRAKING

Potential Number Of Units Affected:  
30812

Summary:  
Toyota Motor Engineering & Manufacturing (Toyota) is recalling certain model year 2013-2015 Avalon and Avalon Hybrid vehicles manufactured October 19, 2012 to October 27, 2015 and 2013-2015 Lexus ES350 and ES300h vehicles manufactured June 18, 2012 to July 6, 2015. The affected vehicles are equipped with a Pre-Collision System (PCS) as optional equipment. In these vehicles, the PCS may unexpectedly activate and apply the brakes when the radar detects a steel joint or plate in the roadway as an object.

Consequence:  
A vehicle that unexpectedly brakes increases the risk of a crash.

Remedy:  
Toyota will notify owners, and dealers will replace certain PCS components, free of charge. The recall began on July 28, 2016. Owners may contact Toyota at 1-888-270-9371. Toyota's numbers for this campaign are F1V and F2E.

Dates of Manufacture:



OCT 18, 2012 to OCT 26, 2015

Manufacturer Recall Number:  
F1V, F2E

## WARRANTY

Basic:  
3 Years/36,000 Miles

Drivetrain:  
5 Years/60,000 Miles

Corrosion:  
5 Years/Unlimited Miles

Roadside Assistance:  
2 Years/Unlimited Miles

Maintenance:  
2 Years/25,000 Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.7in
- Rear Brake Rotor Diam x Thickness 11.1in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Trunk Volume 16ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 582
- Maximum Alternator Capacity (amps) N/A

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.5

### Engine

- Displacement 3.5 L/211
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 268 @ 6200
- SAE Net Torque @ RPM 248 @ 4700

### Exterior Dimensions

- Height, Overall 57.5in
- Length, Overall 195.3in
- Liftover Height N/Ain
- Min Ground Clearance 5.5in
- Track Width, Front 62.6in
- Track Width, Rear 62.2in
- Wheelbase 111in



- Width, Max w/o mirrors 72.2in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 17gal

## Interior Dimensions

- Front Head Room 37.6in
- Front Hip Room 55.1in
- Front Leg Room 42.1in
- Front Shoulder Room 58.2in
- Passenger Capacity 5
- Passenger Volume 102.3ft<sup>3</sup>
- Second Head Room 37in
- Second Hip Room 54.6in
- Second Leg Room 39.2in
- Second Shoulder Room 57in

## Mileage

- Battery Range N/Ami
- Cruising Range - City 357.00mi
- Cruising Range - Hwy 527.00mi
- EPA Fuel Economy Est - City 21MPG
- EPA Fuel Economy Est - Hwy 31MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 24MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.4ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Strut
- Suspension Type - Rear Strut

## Tires

- Front Tire Order Code
- Front Tire Size P215/55VR17
- Rear Tire Order Code
- Rear Tire Size P215/55VR17
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 100lbs
- Dead Weight Hitch - Max Trailer Wt. 1000lbs
- Wt Distributing Hitch - Max Tongue Wt. 100lbs
- Wt Distributing Hitch - Max Trailer Wt. 1000lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 3.24
- First Gear Ratio (:1) 3.30



Licensed to J.D. Power

1/15/2019

NADA New Cars/Trucks

- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 4.15
- Second Gear Ratio (:1) 1.90
- Sixth Gear Ratio (:1) 0.61
- Third Gear Ratio (:1) 1.42
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6

## Vehicle

- EPA Classification Mid-Size Cars

## Weight Information

- Base Curb Weight 3505lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin