**NADA New Cars/Trucks** 

csievers@poquetauto.com

# **Vehicle Information**

Date:	January 15, 2019	
Vehicle:	2018 Nissan Murano Utility 4D Platinum AWD 3.5L V6	
VIN:	5N1AZ2MH5JN163426	
Weight:	4,064	

# **New Cars/Trucks Values**

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$44,030	\$310	\$1,045	\$45,385
NADA New Vehicle Values				. ,
Low	\$39,062	\$275	\$1,045	\$40,382
Average	\$40,880	\$288	\$1,045	\$42,213
High	\$42,917	\$302	\$1,045	\$44,264
Optional Equipment STANDARD PAINT		Invoice \$0.00	<b>MSRP</b> \$0.00	
Code: -PAINT [B92] SPLASH GUARDS		\$148.00	\$175.00	
(PIO) Code: SGD [B94] REAR BUMPER PROTECTOR (PIO) Code: BUM		\$106.00	\$135.00	
GUN METALLIC		\$0.00	\$0.00	
Code: KAD GRAPHITE, LEATHER APPOINTED Code: G-0		\$0.00	\$0.00	

# **Standard Equipment**

# ENTERTAINMENT

- 2 LCD Monitors In The Front
- Digital Signal Processor
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: AM/FM/CD/MP3/WMA Audio System inc: Bose audio system w/11 speakers plus dual subwoofer, auxiliary audio input jack, SiriusXM satellite radio, NissanConnect w/navigation, Apple CarPlay, Android Auto, 8" color display w/multi-touch control, Nissan voice recognition for navigation and audio, HD Radio, SiriusXM Traffic, SiriusXM Travel Link and rear USB connection port
- Regular Amplifier
- Window Grid And Roof Mount Diversity Antenna

# EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power







- Chrome Door Handles
- Chrome Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Led Low/High Beam Daytime Running Headlamps w/DelayOff
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 235/55R20 AS
- Wheels: 20" Machined Aluminum-Alloy

#### INTERIOR

- 2 Seatback Storage Pockets
- 2-Way Power Driver Seat -inc: Power 2-Way Lumbar Support
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Climate-Controlled Front Bucket Seats -inc: driver's seat position memory, 10-way power driver's seat including 2-way power lumbar support and 4-way power front passenger's seat
   Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest w/Storage
- Front Cupholder
- Front Seats w/Leatherette Back Material and Power 2-Way Driver Lumbar
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Leather/Metal-Look Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Metal-Look/Piano Black Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Appointed Seat Trim
- Leather Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings inc: Door Mirrors and Steering Wheel
- NissanConnect Services Powered By SiriusXM inc: automatic collision notification, emergency call, stolen vehicle locator, customizable alerts including drive zone, valet, curfew and speed alerts, dealer service scheduling and maintenance alerts and remote services including start/stop w/companion apps (Apple watch, Android Wear and Amazon Alexa)
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Proximity Cargo Access and Power Fuel
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch





• Valet Function

# MECHANICAL

- 150 Amp Alternator
- 19 Gal. Fuel Tank
- 4.667 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 63-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Brake Actuated Limited Slip Differential
- Electronic Transfer Case
- Engine: 3.5L DOHC 24-Valve V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,280 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Oil Cooler
- Transmission: Xtronic Continuously Variable (CVT)

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Around View Monitor Front Camera
- Blind Spot Warning (BSW) Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Forward Collision Mitigation and Rear Cross Traffic Alert (RCTA)
- Intelligent Around View Monitor (i-Avm) Back-Up Camera
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

# **Vehicle Information**

## **CRASH TEST RATING**

US NHTSA CRASH TEST RESULTS:

Overall Rating: \* \* \* \* \*

Overall Frontal Barrier Crash Rating: \*\*\*\*

Overall Side Crash Rating: \* \* \* \* \*

Side Barrier Rating: \* \* \* \* \*

Combined Side Barrier and Pole Ratings: Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \*\*\*\* Dynamic Test Result: No Tip Risk of Rollover: 15.10%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

## REBATE

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power One of the following incentives may apply to this vehicle. Regional incentives may vary.

Cash Incentive: \$1500 or financing plus \$2000 bonus cash

Financing Incentive: 0.0% plus \$2250 bonus cash

Expiration Date: 01/31/2019

Resource: nissanusa.com 01/08/2019

## WARRANTY

Basic: 3 Years/36,000 Miles

Drivetrain: 5 Years/60,000 Miles

Corrosion: 5 Years/Unlimited Miles

Roadside Assistance: 3 Years/36,000 Miles

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 37in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
  Cargo Box (Area) Height 31.8in
- Cargo Box (Area) Height 31.8m
   Cargo Box Width @ Wheelhousings 45in
- Cargo Box Width @ Wheelhousings 45i
   Cargo Volume to Seat 1 65ftÅ<sup>3</sup>
- Cargo Volume to Seat 2 31.1ftÅ<sup>3</sup>
- Cargo Volume to Seat 3 31.1ftÅ<sup>3</sup>

## **Cooling System**

• Total Cooling System Capacity N/Aqts

#### Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

#### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.3

# Engine

- Displacement 3.5 L/213
- Engine Order Code
- Engine Type Regular Unleaded V-6
   Eucle System Convertice MDI
- Fuel System Sequential MPI
   SAE Net Horsenower @ DDM 200
- SAE Net Horsepower @ RPM 260 @ 6000



• SAE Net Torque @ RPM 240 @ 4400

# **Exterior Dimensions**

- Height, Overall 66.6in
- Length, Overall N/Ain •
- Liftover Height 30.8in •
- Min Ground Clearance 6.9in •
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain • Track Width, Front 64.6in •
- Track Width, Rear 64.6in .
- Wheelbase 111.2in .
- Width, Max w/o mirrors 75.4in

## **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19gal

## Interior Dimensions

- Front Head Room 38.1in
- Front Hip Room 55.4in
- Front Leg Room 40.5in
- Front Shoulder Room 59.5in
- **Passenger Capacity 5** • Passenger Volume 102.8ftÅ<sup>3</sup> •
- Second Head Room 37.8in
- Second Hip Room 55.2in .
- Second Leg Room 38.7in
- Second Shoulder Room 58.8in •

## Mileage

- Cruising Range City 399.00mi
  Cruising Range Hwy 532.00mi
- EPA Fuel Economy Est City 21MPG ٠
- ٠ EPA Fuel Economy Est - Hwy 28MPG • EPA MPG Equivalent - City N/A
- EPA MPG Equivalent Combined N/A .
- EPA MPG Equivalent Hwy N/A • Fuel Economy Est-Combined 24MPG

# Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- **Steering Type Rack-Pinion**
- Turning Diameter Curb to Curb 38.7ft
- Turning Diameter Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain •
- Stabilizer Bar Diameter Rear N/Ain .
- Suspension Type Front (Cont.) Strut .
- Suspension Type Front Strut •
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi Link

### Tires

- Front Tire Order Code
- Front Tire Size P235/55TR20
- **Rear Tire Order Code** ٠
- Rear Tire Size P235/55TR20 .
- Spare Tire Order Code
- ٠ Spare Tire Size Compact

# Trailering

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power

# **NADA New Cars/Trucks**



- Dead Weight Hitch Max Tongue Wt. 150lbs
- Dead Weight Hitch Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch Max Tongue Wt. 150lbs •
- Wt Distributing Hitch Max Trailer Wt. 1500lbs •

#### Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 4.67
- First Gear Ratio (:1) 2.41 0.38
- Reverse Ratio (:1) 0.96
- ٠ Trans Description Cont. Again Trans Description Cont. CVT w/OD ٠
- Trans Order Code ٠
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A ٠
- Transfer Case Gear Ratio (:1), Low N/A

#### Vehicle

• EPA Classification Mid-Size Station Wagon

## Weight Information

- Base Curb Weight 4017lbs
- Curb Weight Front N/Albs • Curb Weight - Rear N/Albs
- ٠ ٠
- Curb Weight N/Albs ٠
- Maximum Payload Capacity N/Albs ٠ Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 7.5in
- **Rear Wheel Material Aluminum** ٠
- ٠ Rear Wheel Size 20 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin