

csievers@poquetauto.com

# **Vehicle Information**

Date: January 17, 2019

Vehicle: 2017 GMC Light Duty Acadia Utility 4D Denali AWD 3.6L V6

VIN: 1GKKNXLS3HZ201757

Weight: 3,956



# **New Cars/Trucks Values**

Powered by Chrome Data	Base	<b>Options</b>	Destination	Adjusted Value
Base MSRP	\$47,070	\$3,790	\$925	<b>\$51,785</b>
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				
Optional Equipment			Invoice	MSRP
CRUISE CONTROL, ADAPTIVE, FULL	-SPEED		\$0.00	\$0.00
with Stop/Go (Included and only available	with (PCH) Technology Packa	ge.) Code: KSG		
FORWARD AUTOMATIC BRAKING			\$0.00	\$0.00
(Included and only available with (PCH) Te	echnology Package.) Code: U	GN		
SUNROOF, DUAL SKYSCAPE 2-PANEL POWER			\$1274.00	\$1400.00
with tilt-sliding front and fixed rear with sur	nscreen Code: C3U		40.00	40.00
SURROUND VISION SYSTEM			\$0.00	\$0.00
(Included and only available with (PCH) Te	echnology Package.) Code: U	√H	<b>#4000 45</b>	<b>#4005.00</b>
TECHNOLOGY PACKAGE	(((0)))	1.41010 5	\$1269.45	\$1395.00
includes (UVH) Surround Vision System, Automatic Braking Code: PCH	(KSG) adaptive cruise control	and (UGN) Forward		
AXLE, 3.16 RATIO			\$0.00	\$0.00
Code: GW5				
EMISSIONS, FEDERAL REQUIREMEN	NTS		\$0.00	\$0.00
Code: FE9				
ENGINE, 3.6L V6, SIDI, DOHC			\$0.00	\$0.00
with Variable Valve Timing (VVT) (310 hp 5000 rpm [365.9 N-m]) (STD) Code: LGX		lb-ft of torque @		
WHITE FROST TRICOAT			\$905.45	\$995.00
Not available with SL or SLE-1.) (Available	e at extra charge. Code: G1W			
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT	DOUD		<b></b>	<b></b>
DENALI PREFERRED EQUIPMENT G			\$0.00	\$0.00
Includes Standard Equipment Code: 5SA				



## NADA New Cars/Trucks

Values	MADA NEW Odis/ Hucks	
Licensed to J.D. Power	Invoice	MSRP
AUDIO SYSTEM, 8" DIAGONAL COLOR TOUCH SCREEN NAVIGATION WITH INTELLILINK, AM/FM/SIRIUSXM	\$0.00	\$0.00
USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, advanced phone integration featuring Apple CarPlay, Android Auto and voice-activated technology for radio and phone (STD) Code: IO6		
COCOA/ SHALE, SEAT TRIM, PERFORATED LEATHER-APPOINTED	\$0.00	\$0.00
Code: H85		
RECLINING FRONT BUCKETS	\$0.00	\$0.00
(STD) Code: AR9		
SEATING, 6-PASSENGER (2-2-2 SEATING CONFIGURATION)	\$0.00	\$0.00
(STD) Code: ABB		
TRANSMISSION, 6-SPEED AUTOMATIC	\$0.00	\$0.00
(STD) (TNN26 AWD model and (LGX) 3.6L V6 engine.) Code: M7U		
WHEELS, 4 - 20" X 8.0" (50.8 CM X 20.3 CM) POLISHED ALUMINUM	\$0.00	\$0.00
(STD) Code: RTU		

## **Standard Equipment**

### **ENTERTAINMENT**

- Audio system feature, Bose premium 8-speaker system with sub-woofer
- Audio system, 8" Diagonal Color Touch Screen Navigation with IntelliLink, AM/FM/SiriusXM USB ports, auxiliary jack, Bluetooth streaming audio for music and most phones, advanced
  phone integration featuring Apple CarPlay, Android Auto and voice activated technology for radio and phone
- SiriusXM Satellite Radio is standard on nearly all 2017 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

### **EXTERIOR**

- Fog lamps, front projector type
- Glass, deep-tinted (all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)
- Grille, signature Denali
- Headlamps, high intensity discharge
- Headlamps, IntelliBeam, automatic high-beam (Included with (BGP) Driver Alert Package II.)
- Liftgate, power programmable, hands free
- Mirrors, outside heated power-adjustable and driver-side auto-dimming, body-color, manual folding
- · Roof rails, bright
- Tire, compact spare, T135/70R18, blackwall
- Tires, P235/55R20 all-season, H-rated, blackwall
- Wheel, spare, 18" x 4.5" (45.7 cm x 11.4 cm) steel
- Wheels, 4 20" x 8.0" (50.8 cm x 20.3 cm) polished aluminum
- · Wiper, rear intermittent with washer
- Wipers, front intermittent with washers

#### INTERIOR

- · Air conditioning, trizone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants
- Compass display
- Console front center with 2 cup holders and storage, includes rear storage drawer
- Cruise control, electronic with set and resume speed (May be upgraded to (KSG) adaptive cruise control when (PCH) Technology Package is ordered.)
- Cup holders 2 in front center console, 2 in front door panel, 2 bottle holders in front door panel, 2 in 2nd row and 2 in 3rd row, 10 total
- Defogger, rear-window electric
- Display, enhanced driver instrument information 8" multi-color configurable
- Door locks, power programmable with lockout protection
- Floor mats, carpeted front and second row
- Floor mats, carpeted third row
- Keyless open and start
- Lamp Package, interior, deluxe
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches
  and illuminated entry and exit feature
- Memory Package, recalls 2 "presets" for power driver seat and outside mirrors
- Mirror, inside rearview auto-dimming
- Power outlet, 120-volt, 3-prong household style located on the rear of center console
- Reclining front buckets
- Remote Keyless Entry, extended range



- Remote vehicle start
- · Seat adjuster, driver 8-way power
- · Seat adjuster, front passenger, 8-way power
- · Seat adjuster, power driver lumbar control
- Seat adjuster, power passenger lumbar control
- Seating, 6-passenger (2-2-2 seating configuration)
- · Seats, heated and ventilated driver and front passenger seat cushions and seatbacks
- Seats, heated driver and front passenger
- · Seats, heated rear outboard seating positions
- Sensor, humidity and windshield temperature
- · Steering column, power tilt and telescopic
- · Steering wheel, heated, leather-wrapped
- Steering wheel, leather-wrapped with steering wheel mounted audio controls (Denali specific.)
- Universal Home Remote includes garage door opener, 3-channel programmable
- Windows, power with driver Express-Up/Down and Passenger Express-down

#### **MECHANICAL**

- Alternator, 170 amps
- Axle, 3.16 ratio
- Brakes, 4-wheel antilock, 4-wheel disc, 17" front and rear
- Chassis, All-Wheel Drive System (AWD model only. Includes all-wheel drive disconnect.)
- Cooling system, heavy-duty
- Drive Mode Selector up to 5 modes available for various driving conditions
- E10 Fuel capable
- Engine, 3.6L V6, SIDI, DOHC with Variable Valve Timing (VVT) (310 hp [231.1 kW] @ 6600 rpm, 271 lb-ft of torque @ 5000 rpm [365.9 N-m])
- Exhaust, dual outlet
- Front Automatic Braking, low speed (Included with (BGP) Driver Alert Package II. Will be substituted with (UGN) Forward Automatic Braking when (PCH) Technology Package is ordered.)
- GVWR, 6001 lbs (2722 kg)
- Suspension, Ride and Handling McPherson struts for front and independent 5-link rear
- Tool kit, road emergency
- Trailering Package includes factory installed hitch 4000 lb. towing, 7-pin wiring harness, Class III hitch and (V08) heavy duty cooling system
- Transmission, 6-speed automatic (TNN26 AWD model and (LGX) 3.6L V6 engine.)

#### **PACKAGE**

Driver Alert Package II includes (UKC) Side Blind Zone Alert with Lane Change Alert, (UHY) low speed Front Automatic Braking, (UKJ) front Pedestrian detection, (TQ5) IntelliBeam
Headlamps, (UD5) Front and Rear Park Assist, (UFG) Rear Cross Traffic Alert, (UHX) Lane Keep Assist, (UE4) Following Distance Indicator (UEU) Forward Collision Alert and Safety Alert
Driver Seat

### **SAFETY**

- Air bag, Passenger Sensing System sensor indicator inflatable restraint, front passenger/child presence detector (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, frontal and side impact for driver and front passenger driver inboard seat-mounted side-impact, driver side knee and head curtain side-impact for all rows in outboard seating
  positions (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for
  more information.)
- Daytime Running Lamps, LED
- Door locks, rear child security
- Following Distance Indicator (Included with (BGP) Driver Alert Package II.)
- Forward Collision Alert (Included with (BGP) Driver Alert Package II.)
- Front and Rear Park Assist (Included with (BGP) Driver Alert Package II.)
- Horn, dual-note
- Lane Keep Assist helps keep vehicle centered in sensed lane (Included with (BGP) Driver Alert Package II.)
- OnStar 4G LTE and built-in Wi-Fi hotspot connects to the Internet at 4G LTE speeds; includes OnStar Data Trial for 3 months or 3GB (whichever comes first) (Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.
   Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T.)
- OnStar Basic Plan for 5 years includes limited vehicle mobile app features, Monthly Diagnostics Report and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.)
- OnStar Guidance Plan for 3 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Fleet orders receive a 6-month trial. Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.)
- Pedestrian detection, front (Included with (BGP) Driver Alert Package II)
- Rear Cross-Traffic Alert (Included with (BGP) Driver Alert Package II.)
- · Rear Vision Camera
- Side Blind Zone Alert with Lane Change Alert (Included with (BGP) Driver Alert Package II.)
- Teen Driver mode a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your new driver
- Tire Pressure Monitoring System

# **Vehicle Information**

## **CRASH TEST RATING**



#### US NHTSA CRASH TEST RESULTS:

Overall Rating: \*\*\*\*\*

Overall Frontal Barrier Crash Rating: \*\*\*\*\*

Driver: \*\*\*\* Passenger: \*\*\*\*

Overall Side Crash Rating: \*\*\*\*

Side Barrier Rating: \*\*\*\*

Driver: \*\*\*\* Rear Passenger: \*\*\*\*

Side Pole Rating Driver Front Seat: \*\*\*\*

Combined Side Barrier and Pole Ratings: Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \* \* \* \* \*
Dynamic Test Result: No Tip
Risk of Rollover: 15.00%

**Note Regarding Driver Rating:** 

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

#### RECALL

US NHTSA CAMPAIGN ID: 16V802000

Mfg's Report Date: November 4, 2016

Component:

SERVICE BRAKES, HYDRAULIC

Potential Number Of Units Affected:

1,844

Summary:

General Motors LLC (GM) is recalling certain model year 2017 Cadillac XT5 vehicles manufactured April 16, 2016, to May 9, 2016, and 2017 GMC Acadia vehicles manufactured April 19, 2016, to April 22, 2016. The front brake calipers may have a torn or misaligned caliper piston seal which may allow brake fluid to leak.

#### Consequence

If there is a brake fluid leak, braking performance may be reduced, increasing the risk of a crash.

#### Remedy

GM will notify owners, and dealers will inspect the front brake calipers, replacing the brake caliper assemblies, as necessary, free of charge. The recall began on December 12, 2016. Owners may contact GM customer service at 1-800-458-8006 (Cadillac), or 1-800-462-8782 (GMC). GM's number for this recall is 16096.

#### Notes

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov. US NHTSA CAMPAIGN ID:

17V516000

Mfg's Report Date: August 22, 2017

Component:

POWER TRAIN

Potential Number Of Units Affected:

2.905

Summary:

General Motors LLC (GM) is recalling certain 2018 Chevrolet Equinox and GMC Terrain vehicles and 2017-2018 GMC Acadia vehicles. The right front intermediate driveshaft may fracture and separate while driving.

#### Consequence:

If the front right intermediate drive shaft assembly separates while driving, the vehicle will lose propulsion, increasing the risk of a crash. If the assembly separates while parked on a grade, without the park brake engaged, the vehicle may move unintentionally, increasing the risk of a vehicle roll-away.

#### Remedy

GM will notify owners, and dealers will replace the right front intermediate drive shaft assembly, free of charge. The manufacturer has not yet provided a notification schedule. Owners may contact GMC customer service at 1-800-462-8782 or Chevrolet customer service at 1-800-222-1020. GM's number for this recall is 17329.



#### Notes:

Owners may also contact the National Highway Traffic Safety Administration Vehicle Safety Hotline at 1-888-327-4236 (TTY 1-800-424-9153), or go to www.safercar.gov.

### WARRANTY

#### Basic:

3 Years/36,000 Miles

#### Drivetrain:

5 Years/60,000 Miles

Qualified Fleet Purchases: 5 Years/100,000 Miles

#### Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

#### Roadside Assistance:

5 Years/60,000 Miles

Qualified Fleet Purchases: 5 Years/100,000 Miles

#### Maintenance:

2 Years/24,000 Miles

# **Technical Specifications**

### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 17 x -TBD-in
- Rear Brake Rotor Diam x Thickness 17 x -TBD-in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 79ft³
- Cargo Volume to Seat 2 41.7ftÂ<sup>3</sup>
- Cargo Volume to Seat 3 12.8ftÂ<sup>3</sup>

## **Cooling System**

• Total Cooling System Capacity N/Aqts

#### **Electrical**

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 170

## **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.8

## Engine

- Displacement 3.6L/223
- Engine Order Code LGX
- Engine Type Gas V6
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 310 @ 6600
- SAE Net Torque @ RPM 271 @ 5000



### **Exterior Dimensions**

- · Height, Overall 66in
- Length, Overall 193.6in
- Liftover Height N/Ain
- Min Ground Clearance 7.20in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.5in
- Track Width, Rear 64.5in
- Wheelbase 112.5in
- Width, Max w/o mirrors 75.4in

### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 22gal

## **Interior Dimensions**

- Front Head Room 40.3in
- Front Hip Room 55.7in
- Front Leg Room 41in
- Front Shoulder Room 59.4in
- Passenger Capacity 6
- Passenger Volume N/Aft³
- Second Head Room 39.6in
- Second Hip Room 53.3in
- Second Leg Room 39.7in
- Second Shoulder Room 58.7in
- Third Head Room 37.2in
- Third Hip Room 42.9in
- Third Leg Room 31.1in
- Third Shoulder Room 54.3in

## Mileage

- Cruising Range City 396.00mi
- Cruising Range Hwy 550.00mi
- **EPA Fuel Economy Est City 18MPG**
- EPA Fuel Economy Est Hwy 25MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 21MPG

## **Steering**

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type N/A
- Turning Diameter Curb to Curb 38.7ft
- Turning Diameter Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear in
- Suspension Type Front (Cont.)
- Suspension Type Front McPherson Strut
- Suspension Type Rear (Cont.)
- Suspension Type Rear Multi-Link

### **Tires**

- Front Tire Order Code RTU
- Front Tire Size P235/55R20
- Rear Tire Order Code RTU
- Rear Tire Size P235/55R20
- Spare Tire Order Code ZCD
- Spare Tire Size T135/70R18



## **Trailering**

- Dead Weight Hitch Max Tongue Wt. 400lbs
- Dead Weight Hitch Max Trailer Wt. 4000lbs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch Max Tongue Wt. 400lbs
- Wt Distributing Hitch Max Trailer Wt. 4000lbs

## **Transmission**

- Clutch Size in
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.000
- Final Drive Axle Ratio (:1) 3.87
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87
- Sixth Gear Ratio (:1) 0.74
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic
- Trans Order Code M7U
- Trans Type 6
- Transfer Case Gear Ratio (:1), High
- Transfer Case Gear Ratio (:1), Low

### **Vehicle**

• EPA Classification 4WD Sport Utility Vehicle

## **Weight Information**

- Base Curb Weight 3956lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 x 8.0in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 x 8.0in
- Spare Wheel Material Steel
- Spare Wheel Size 18 x 4.5in