

NADA New Cars/Trucks

csievers@poquetauto.com

Vehicle Information

te: January 18, 2019	
hicle: 2018 Hyundai Tucson Utility 4D SEL AWD 2.0L 14	(a. D)
KM8J3CA47JU690754	
sight: 3,463	R

New Cars/Trucks Values

Powered by Chrome Data Base MSRP NADA New Vehicle Values	Base \$25,200	Options N/A	Destination \$980	Adjusted Value \$26,180
Low	\$22,983	N/A	\$980	\$23,963
Average	\$24,112	N/A	\$980	\$25,092
High	\$25,328	N/A	\$980	\$26,308
Optional Equipment			Invoice \$0.00	MSRP \$0.00
Code: 01-0 STANDARD PAINT Code: -PAINT			\$0.00	\$0.00
DAZZLING WHITE Code: PDW			\$0.00	\$0.00
GRAY, YES ESSENTIALS CLOTH SEAT TRIM -inc: odor resistant cloth Code: TGG			\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM/HD Radio/MP3 Audio System -inc: 7" LCD color touchscreen, 6 speakers, Bluetooth hands-free phone system, iPod/USB auxiliary input jacks, Android Auto, Apple CarPlay and SirusXM radio w/90 day trial,
- Streaming Audio

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Side Windows Trim and Black Front Windshield Trim •
- Body-Colored Door Handles
- **Body-Colored Front Bumper** ٠
- Body-Colored Power Heated Side Mirrors w/Convex Spotter and Manual Folding
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent •
- **Clearcoat Paint** ٠
- Colored Grille
- Compact Spare Tire Mounted Inside Under Cargo ٠
- Deep Tinted Glass

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power







- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/60R17
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 17" x 7.0J Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 6040 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Fade-To-Off Interior Lighting
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 8-way power adjustable driver's seat w/2-way power lumbar support and height adjustment
- HVAC -inc: Underseat Ducts
- Illuminated Locking Glove Box
- Interior Trim inc: Metal-Look Interior Accents
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Mechanical Fuel
- Trip Computer
- Urethane Gear Shift Knob
- Vinyl Door Trim Insert
- YES Essentials Cloth Seat Trim inc: odor resistant cloth

MECHANICAL

- 1138# Maximum Payload
- 150 Amp Alternator
- 16.4 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 68-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Axle Ratio: 3.648
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.0L DOHC 16V I4 w/CVVT MPI
- Front And Rear Anti-Roll Bars
- GVWR: 4740 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- SACHS Gas-Pressurized Shock Absorbers
- Single Stainless Steel Exhaust



- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed Automatic w/SHIFTRONIC

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: * * * * *

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: * * * * *

Side Barrier Rating: * * * * *

```
Combined Side Barrier and Pole Ratings:
Front Seat Rating: ***** Rear Seat Rating: *****
```

Overall Rollover Rating: **** Dynamic Test Result: No Tip Risk of Rollover: 16.20%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

REBATE

One of the following incentives may apply to this vehicle. Regional incentives may vary.

Cash Incentive: \$2500 to \$3000 or financing

Financing Incentive: 0.0% to 2.9% plus \$500 bonus cash

Expiration Date: 01/31/2019

Resource: hyundaiusa.com 01/04/2019

WARRANTY

Basic: 5 Years/60,000 Miles

Drivetrain: 10 Years/100,000 Miles

Corrosion: 7 Years/Unlimited Miles

Roadside Assistance: 5 Years/Unlimited Miles



Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc •
- Disc Front (Yes or) Yes ٠
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12in ٠
- Rear Brake Rotor Diam x Thickness 11.9in Rear Drum Diam x Width in .

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain •
- Cargo Area Length @ Floor to Seat 3 N/Ain ٠
- Cargo Area Width @ Beltline N/Ain .
- Cargo Box (Area) Height N/Ain ٠
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 61.9ftÅ³ ٠ Cargo Volume to Seat 2 31ftÅ³ .
- Cargo Volume to Seat 3 31ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

Engine

- Displacement 2.0 L/122
- Engine Order Code
- Engine Type Regular Unleaded I-4 ٠
- Fuel System Gasoline Direct Injection
 SAE Net Horsepower @ RPM 164 @ 6200
- SAE Net Torque @ RPM 151 @ 4000

Exterior Dimensions

- Height, Overall 64.8in
- Length, Overall N/Ain
- Liftover Height N/Ain •
- Min Ground Clearance 6.4in •
- **Rear Door Opening Height N/Ain** ٠ Rear Door Opening Width N/Ain .
- Track Width, Front 63.3in ٠
- Track Width, Rear 63.8in •
- Wheelbase 105.1in ٠
- Width, Max w/o mirrors 72.8in .

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 16.4gal

Interior Dimensions

- Front Head Room 39.6in
- Front Hip Room 55.6in
- Front Leg Room 41.5in



NADA New Cars/Trucks

- Front Shoulder Room 57.1in
- Passenger Capacity 5 .
- Passenger Volume 102.2ftÂ³ •
- Second Head Room 39.2in •
- Second Hip Room 54.5in ٠
- Second Leg Room 38.2in .
- Second Shoulder Room 55.5in •

Mileage

- Cruising Range City 344.40mi
 Cruising Range Hwy 426.40mi
- EPA Fuel Economy Est City 21MPG . ٠ EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A ٠
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 34.9ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- . Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain •
- Suspension Type Front (Cont.) Strut •
- Suspension Type Front Strut ٠
- Suspension Type Rear (Cont.) Multi-Link Suspension Type - Rear Multi Link •

Tires

- Front Tire Order Code
- Front Tire Size P225/60HR17
- **Rear Tire Order Code**
- Rear Tire Size P225/60HR17 .
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 100lbs
- Dead Weight Hitch Max Trailer Wt. 1000lbs
- Maximum Trailering Capacity 1000lbs •
- Wt Distributing Hitch Max Tongue Wt. 100lbs •
- Wt Distributing Hitch Max Trailer Wt. 1000lbs •

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00 •
- Final Drive Axle Ratio (:1) 3.65 •
- First Gear Ratio (:1) 4.16
- Fourth Gear Ratio (:1) 1.37
- Reverse Ratio (:1) 3.50 ٠
- Second Gear Ratio (:1) 2.58 •
- Sixth Gear Ratio (:1) 0.78 ٠
- Third Gear Ratio (:1) 1.77 •
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD •
- **Trans Order Code** ٠
- Trans Type 6 .
- Transfer Case Gear Ratio (:1), High N/A •
- Transfer Case Gear Ratio (:1), Low N/A



Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3463lbs
 Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
 Curb Weight N/Albs
 Maximum Payload Capacity N/Albs
 Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in • Spare Wheel Material Steel
- Spare Wheel Size Compactin