csievers@poquetauto.com

Vehicle Information

Date:	October 12, 2018
Vehicle:	2017 Nissan Murano Utility 4D SL AWD 3.5L V6
VIN:	5N1AZ2MHXHN198411
Weight:	3,973

New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$38,900	Options \$2,435	Destination \$995	Adjusted Value \$42,330
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

optional Equipmont	Invoice	MSRP
[H01] SL TECHNOLOGY PACKAGE	\$2000.00	\$2260.00
-inc: Intelligent Cruise Control (ICC), Power Panoramic Moonroof, Predictive Forward Collision Warning (PFCW), Forward Emergency Braking (FEB) Code: TE1		
STANDARD PAINT	\$0.00	\$0.00
Code: -PAINT		
[B92] SPLASH GUARDS	\$148.00	\$175.00
(PIO) Code: SGD		
ARCTIC BLUE METALLIC	\$0.00	\$0.00
Code: RBG		
2017.5 MODEL YEAR	\$0.00	\$0.00
Code: -MY		
GRAPHITE, LEATHER-APPOINTED SEAT TRIM	\$0.00	\$0.00
Code: G-0		

Standard Equipment

ENTERTAINMENT

• 2 LCD Monitors In The Front

• Digital Signal Processor

- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: AM/FM/CD Audio System w/Navigation-inc: MP3/WMA reader, 11 speaker BOSE premium audio system, auxiliary audio input jack, SiriusXM satellite radio, 8" color display
 w/multi-touch control, voice recognition for navigation and audio, HD Radio, SiriusXM Traffic, SiriusXM Traffic Link (fuel prices, weather, movie listings, stock info and sports scores),
 front USB connection port for iPod interface and other compatible devices, Bluetooth hands-free phone system, streaming audio via Bluetooth, hands-free text messaging assistant and
 Apple CarPlay

Regular Amplifier

• Window Grid And Roof Mount Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Chrome Bumper Insert





- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Door Handles
- Chrome Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
 Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R18 AS
- Wheels: 18" Machined Aluminum-Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 2-Way Power Driver Seat -inc: Power 2-Way Lumbar Support
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest w/Storage
- Front Cupholder
- Front Seats w/Leatherette Back Material and Power 2 Way Driver Lumbar
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- · Heated Front Bucket Seats inc: driver's seat position memory, 8 way power driver's seat and 4 way power front passenger's seat
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Metal-Look/Piano Black Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Leather-Appointed Seat Trim
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Door Mirrors
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access and Power Fuel
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function



MECHANICAL

- 150 Amp Alternator
- 19 Gal. Fuel Tank
- 4 677 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control .
- 63-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive ٠
- **Brake Actuated Limited Slip Differential** ٠
- **Electronic Transfer Case** .
- Engine: 3.5L V6 .
- Front And Rear Anti-Roll Bars •
- Gas-Pressurized Shock Absorbers .
- GVWR: 5,280 lbs •
- Hydraulic Power-Assist Speed-Sensing Steering . Multi-Link Rear Suspension w/Coil Springs •
- Permanent Locking Hubs ٠
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher ٠
- ٠ Strut Front Suspension w/Coil Springs
- Transmission w/Oil Cooler • Transmission: Xtronic Continuously Variable (CVT)
- SAFETY
 - ABS And Driveline Traction Control
 - **Airbag Occupancy Sensor**
 - **Around View Monitor Front Camera**
 - Around View Monitor w/Moving Object Detection Back-Up Camera ٠
 - Blind Spot Warning (BSW) Blind Spot Sensor .
 - Curtain 1st And 2nd Row Airbags
 - **Driver Knee Airbag**
 - Dual Stage Driver And Passenger Front Airbags •
 - Dual Stage Driver And Passenger Seat-Mounted Side Airbags ٠
 - **Electronic Stability Control (ESC)** .
 - Left Side Camera •
 - Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners ٠
 - Predictive Forward Collision Warning and Rear Cross Traffic Alert (RCTA) .
 - **Rear Child Safety Locks** .
 - **Right Side Camera** •
 - Side Impact Beams
 - Tire Specific Low Tire Pressure Warning ٠

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 37in
- Cargo Area Length @ Floor to Seat 3 N/Ain .
- Cargo Area Width @ Beltline N/Ain .
- Cargo Box (Area) Height 31.8in
- Cargo Box Width @ Wheelhousings 45in
- Cargo Volume to Seat 1 65ftÅ³
- Cargo Volume to Seat 2 31.1ftÂ³ .
- Cargo Volume to Seat 3 31.1ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates. ©2018 J.D.Power and Associates



- censed to J.D. Power
- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year N/A

Engine

- Displacement 3.5 L/213
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 260 @ 6000
- SAE Net Torque @ RPM 240 @ 4400

Exterior Dimensions

- Height, Overall 66.6in
- Length, Overall N/Ain
- Liftover Height 30.8in
- Min Ground Clearance 6.9in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.6in
- Track Width, Rear 64.6in
- Wheelbase 111.2in
- Width, Max w/o mirrors 75.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19gal

Interior Dimensions

- Front Head Room 38.1in
- Front Hip Room 55.4in
- Front Leg Room 40.5in
- Front Shoulder Room 59.5in
- Passenger Capacity 5
- Passenger Volume 102.8ftÅ³
- Second Head Room 37.8in
- Second Hip Room 55.2in
- Second Leg Room 38.7in
- Second Shoulder Room 58.8in

Mileage

- Cruising Range City N/Ami
- Cruising Range Hwy N/Ami
- EPA Fuel Economy Est City N/AMPG
- EPA Fuel Economy Est Hwy N/AMPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined N/AMPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.7ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut



- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link .
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65TR18
- Rear Tire Order Code
- Rear Tire Size P235/65TR18
- Spare Tire Order Code ٠
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs
- ٠
- Maximum Trailering Capacity 1500lbs Wt Distributing Hitch Max Tongue Wt. 150lbs .
- Wt Distributing Hitch Max Trailer Wt. 1500lbs

Transmission

- Clutch Size N/Ain
- **Drivetrain All Wheel Drive** .
- Final Drive Axle Ratio (:1) 4.68
- First Gear Ratio (:1) 2.41 0.38 •
- Reverse Ratio (:1) 0.96 ٠
- Trans Description Cont. Again •
- Trans Description Cont. CVT w/OD • **Trans Order Code**
- Trans Type 1 •
- Transfer Case Gear Ratio (:1), High N/A ٠
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Mid-Size Station Wagon

Weight Information

- Base Curb Weight 3973lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs .
- Curb Weight N/Albs ٠
- Maximum Payload Capacity N/Albs ٠
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- **Rear Wheel Material Aluminum** .
- Rear Wheel Size 18 X 7.5in
- **Spare Wheel Material Steel** ٠
- Spare Wheel Size Compactin