



Vehicle Information

Date: January 26, 2019
Vehicle: 2015 Chevrolet Traverse Utility 4D LT AWD 3.6L V6
VIN: 1GNKVGKD1FJ292433
Weight: 4,841



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$35,795	\$2,465	\$875	\$39,135
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
COOLING SYSTEM, HEAVY-DUTY (Included and only available with (V92) Trailering equipment.) Code: V08	\$0.00	\$0.00
SEATS, HEATED DRIVER AND FRONT PASSENGER (Included with (PDU) Style and Technology Package.) Code: KA1	\$220.00	\$250.00
STEERING, POWER, VARIABLE EFFORT (Included and only available with (PDU) Style and Technology Package.) Code: NV7	\$0.00	\$0.00
STYLE AND TECHNOLOGY PACKAGE includes (UI6) Chevrolet MyLink radio, (KA1) heated driver and front passenger seats, (UG1) Universal Home Remote, (QQD) P255/55R20 H-rated blackwall tires, (PEJ) 4 - 20" x 7.5" (50.8 cm x 19.1 cm) machine painted spoke aluminum wheels and (NV7) variable effort power steering. *GROSS* Code: PDU	\$880.00	\$1000.00
TRAILER HITCH, FACTORY INSTALLED (Included and only available with (V92) Trailering equipment.) Code: VR2	\$0.00	\$0.00
TRAILERING EQUIPMENT includes (V08) heavy-duty cooling system and (VR2) trailer hitch Code: V92	\$506.00	\$575.00
UNIVERSAL HOME REMOTE includes garage door opener, 3-channel programmable (Included and only available with (PDU) Style and Technology Package.) Code: UG1	\$0.00	\$0.00
EMISSIONS, FEDERAL REQUIREMENTS Code: FE9	\$0.00	\$0.00
ENGINE, 3.6L SIDI V6 (281 hp [210 kW] @ 6300 rpm, 266 lb-ft of torque @ 3400 rpm [359.1 N-m]) (STD) Code: LLT	\$0.00	\$0.00
OPTION/PACKAGE DISCOUNT (Requires (PCN) Traveler's Package or (PDU) Style and Technology Package) *DISCOUNT* Code: -RET1SZ	\$0.00	\$0.00
SIREN RED TINTCOAT (Extra charge. Not available on 1LS.) Code: G1E	\$347.60	\$395.00



	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
LT PREFERRED EQUIPMENT GROUP Includes Standard Equipment Code: 1LT	\$0.00	\$0.00
AUDIO SYSTEM, CHEVROLET MYLINK 6.5" diagonal color touch-screen display, AM/FM/SiriusXM radio with CD player, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone (Available with Fleet and Government order types. Included and only available with (PDU) Style and Technology Package on retail orders only.) *PRICE TO FOLLOW* Code: UI6-R	\$0.00	\$0.00
EBONY, SEAT TRIM, PREMIUM CLOTH Code: 19C	\$0.00	\$0.00
RECLINING FRONT BUCKETS (STD) Code: AR9	\$0.00	\$0.00
SEATING, 7-PASSENGER (2-2-3 SEATING CONFIGURATION) with 2nd row flat-folding Captains Chair and third row 60/40 split flat folding bench seat Code: ABB	\$435.60	\$495.00
TIRES, P255/55R20 H-RATED, BLACKWALL (Included and only available with (PDU) Style and Technology Package.) Code: QQD	\$0.00	\$0.00
TRANSMISSION, 6-SPEED AUTOMATIC (STD) (Included and only available with CV14526 AWD models.) Code: M7X	\$0.00	\$0.00
WHEELS, 4 - 20" X 7.5" (50.9 CM X 19.1 CM) MACHINED PAINTED SPOKE (Included and only available with (PDU) Style and Technology Package.) Code: PEJ	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Audio system feature, auxiliary input jack
- Audio system feature, standard speaker system
- Audio system feature, USB port
- Audio system feature, USB port, dual charge only, located rear of center console
- Audio system, Color Touch AM/FM/SiriusXM radio with CD player 6.5" diagonal touch-screen display
- SiriusXM Satellite Radio is standard on nearly all 2015 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus you can listen to SiriusXM Internet Radio everywhere on your computer, smartphone or tablet. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

EXTERIOR

- Door handles, chrome
- Fog lamps, front
- Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver and front passenger side glass)
- Headlamp control, automatic on and off
- Headlamps, dual cavity, halogen
- Liftgate, rear manual
- Mirrors, outside heated power-adjustable, body-color, manual-folding with integrated turn signal indicators
- Moldings, body-color bodyside
- Roof rail moldings
- Spoiler, rear
- Tires, P255/65R18 all-season, blackwall
- Wheels, 4 - 18" X 7.5" (45.7 cm x 19.1 cm) machined
- Wiper, rear intermittent with washer
- Wipers, front intermittent with washers

INTERIOR

- Air conditioning, rear manual
- Air conditioning, single-zone manual front climate control
- Bluetooth for phone, personal cell phone connectivity to vehicle audio system
- Cargo storage, tray under rear floor



- Console, front center with 2 cup holders, covered storage bin and sliding armrest with storage
- Cruise control, electronic with set and resume speed
- Cup holders 10 with (ABB) 7-passenger (2-2-3 seating configuration) and 12 with (ABC) 8-passenger (2-3-3 seating configuration)
- Defogger, rear-window electric
- Door locks, power programmable with lockout protection
- Floor covering, color-keyed carpeting
- Floor mats, color-keyed carpeted front, second and third row, removable
- Instrumentation, enhanced Driver Information Center with personalization features, speedometer, tachometer, outside temperature display, low oil, fuel and coolant indicators, odometer, trip odometer and trip computer with digital compass
- Insulation, acoustical package
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches and illuminated entry and exit feature
- Mirror, inside rearview manual day/night
- Rear Park Assist
- Rear Vision Camera display integrated into Color Touch Radio
- Reclining front buckets
- Remote Keyless Entry, programmable with 2 transmitters, panic button and extended range
- Remote vehicle start with extended range Remote Keyless Entry
- Seat trim, Premium Cloth
- Seat, 2-way manual front passenger, included with Premium Cloth
- Seat, 8-way power driver with power lumbar
- Seat, third row manual 60/40 split-folding bench
- Seating, 8-passenger (2-3-3 seating configuration) with 2nd and 3rd row 60/40 split flat-folding bench seat (Not available with (01*) Ebony/Saddle Up.)
- Steering column, tilt and telescopic with brake/transmission shift interlock
- Steering wheel, leather-wrapped with mounted cruise and audio controls
- Trim, interior, wood grain center stack and interior trim
- Visors, driver and front passenger padded with cloth trim, color-keyed and illuminated vanity mirrors
- Windows, power with driver Express-Down

MECHANICAL

- All wheel drive
- Axle, 3.16 ratio
- Battery, high capacity 660 cold-cranking amps
- Brakes, 4-wheel antilock, 4-wheel disc
- Engine, 3.6L SIDI V6 (281 hp [210 kW] @ 6300 rpm, 266 lb-ft of torque @ 3400 rpm [359.1 N-m])
- Exhaust, single outlet
- GVWR, 6459 lbs. (2930 kg) (CV14526 AWD models only.)
- Steering, power, constant effort
- Suspension, Ride and Handling
- Transmission, 6-speed automatic (Included and only available with CV14526 AWD models.)

PROCESSING-OTHER

- Wheel, 17" (43.2 cm) compact steel spare wheel and tire

SAFETY

- Air bags, front passenger air bag suppression (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, frontal and side-impact for driver and front passenger, driver inboard seat-mounted side-impact and head curtain side-impact for all rows in outboard seating positions (Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Daytime Running Lamps
- Door locks, rear child security
- Horn, dual-note
- OnStar Directions and Connections plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance and Turn-by-Turn Navigation (Visit www.onstar.com for vehicle availability, details and system limitations. Services may vary by model and conditions.)
- StabiliTrak, stability control system
- Tire Pressure Monitoring System (Does not monitor spare)
- Traction control

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8 x 1.1in
- Rear Brake Rotor Diam x Thickness 13.0 x 0.8in
- Rear Drum Diam x Width in



Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 116.3ft³
- Cargo Volume to Seat 2 70.3ft³
- Cargo Volume to Seat 3 24.4ft³

Cooling System

- Total Cooling System Capacity 11.8qts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 660
- Maximum Alternator Capacity (amps) 170

Emissions

- EPA Greenhouse Gas Score
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

Engine

- Displacement 3.6L/217
- Engine Order Code LLT
- Engine Type Gas V6
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 281 @ 6300
- SAE Net Torque @ RPM 266 @ 3400

Exterior Dimensions

- Height, Overall 69.90in
- Length, Overall 203.70in
- Liftover Height N/Ain
- Min Ground Clearance 7.20in
- Rear Door Opening Height in
- Rear Door Opening Width in
- Track Width, Front 67.30in
- Track Width, Rear 67.10in
- Wheelbase 118.90in
- Width, Max w/o mirrors 78.50in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 22.0gal

Interior Dimensions

- Front Head Room 40.40in
- Front Hip Room 58.00in
- Front Leg Room 41.30in
- Front Shoulder Room 61.50in
- Passenger Capacity 7
- Passenger Volume 150.8ft³
- Second Head Room 39.40in
- Second Hip Room 57.80in
- Second Leg Room 36.80in
- Second Shoulder Room 61.00in
- Third Head Room 37.80in
- Third Hip Room 48.30in
- Third Leg Room 33.20in
- Third Shoulder Room 57.60in

Mileage

- Cruising Range - City 352.00mi



Licensed to J.D. Power

- Cruising Range - Hwy 506.00mi
- EPA Fuel Economy Est - City 16MPG
- EPA Fuel Economy Est - Hwy 23MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 19MPG

Steering

- Lock to Lock Turns (Steering) 2.89
- Steering Ratio (:1), Overall 16.1
- Steering Type Pwr Rack-&Pinion
- Turning Diameter - Curb to Curb 40.4ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear in
- Suspension Type - Front (Cont.) w/Coil Springs
- Suspension Type - Front Coil-Over Strut
- Suspension Type - Rear (Cont.) w/Coil Springs
- Suspension Type - Rear Linked H-Arm

Tires

- Front Tire Order Code QQD
- Front Tire Size P255/55R20
- Rear Tire Order Code QQD
- Rear Tire Size P255/55R20
- Spare Tire Order Code QD6
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 520lbs
- Dead Weight Hitch - Max Trailer Wt. 5200lbs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. 520lbs
- Wt Distributing Hitch - Max Trailer Wt. 5200lbs

Transmission

- Clutch Size in
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.000
- Final Drive Axle Ratio (:1) 3.16
- First Gear Ratio (:1) 4.484
- Fourth Gear Ratio (:1) 1.414
- Reverse Ratio (:1) 2.882
- Second Gear Ratio (:1) 2.872
- Sixth Gear Ratio (:1) 0.742
- Third Gear Ratio (:1) 1.842
- Trans Description Cont. Again
- Trans Description Cont. Automatic
- Trans Order Code M7X
- Trans Type 6
- Transfer Case Gear Ratio (:1), High
- Transfer Case Gear Ratio (:1), Low

Vehicle

- EPA Classification 4WD Sport Utility Vehicle

Weight Information

- Base Curb Weight 4841lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs



Licensed to J.D. Power

- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 x 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 x 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size 17 x -TBD-in