



800 lilac drive  
golden valley, MN 55422  
763 522 2000

## Vehicle Information

**Date:** January 31, 2019  
**Vehicle:** 2016 Nissan Juke Utility 4D NISMO RS 1.6L I4 Turbo  
**VIN:** JN8DF5MR2GT300111  
**Weight:** 2,969



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$28,020	\$395	\$940	<b>\$29,355</b>
<b>NADA New Vehicle Values</b>				
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
[E10] SPECIAL PAINT - WHITE PEARL Code: -E10	\$350.00	\$395.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
WHITE PEARL Code: QAB	\$0.00	\$0.00
SMOKED GRAY, SIMULATED SUEDE/LEATHER SEAT TRIM Code: X-0	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Voice Activation and Radio Data System
- Radio: NissanConnect w/Navigation & Mobile Apps -inc: 5.8" color touch-screen monitor, USB connection for iPod interface and other compatible devices, Bluetooth hands-free phone system, streaming audio via Bluetooth, enhanced voice recognition for audio and navigation, SiriusXM Traffic & Travel Link (fuel prices, weather, movie listings, stock info), and Rockford Fosgate ecoPUNCH premium audio system including powered subwoofer Alaska and Hawaii dealers: Satellite radio service is not available in Alaska and Hawaii.

### EXTERIOR

- Auto Off Projector Beam Halogen Daytime Running Headlamps
- Black Grille w/Chrome Accents
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Colored Rub Strip/Fascia Accent
- Body-Colored Rear Bumper w/Colored Rub Strip/Fascia Accent
- Clearcoat Paint w/Badging
- Colored Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front License Plate Bracket
- Fully Galvanized Steel Panels



Licensed to J.D. Power

- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Rocker Panel Extensions and Body-Colored Fender Flares
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/45R18 Summer
- Variable Intermittent Wipers
- Wheels w/Machined w/Painted Accents
- Wheels: 18" NISMO

## INTERIOR

- 1 12V DC Power Outlet
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Automatic Air Conditioning
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed Front Head Restraints and Manual Adjustable Rear Head Restraints
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Storage and 1 12V DC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts
- Interior Trim -inc: Simulated Carbon Fiber Instrument Panel Insert, Body-Colored Door Panel Insert, Simulated Carbon Fiber Console Insert, Chrome/Metal-Look Interior Accents and Simulated Suede Upholstered Dashboard
- Leather Gear Shift Knob
- Leather/Simulated Suede Steering Wheel
- Manual Tilt Steering Column
- NissanConnect Selective Service Internet Access
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Recaro Front Bucket Seats -inc: 6-way adjustable driver seat and 4-way adjustable front passenger seat
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Leatherette Back Material
- Simulated Suede Door Trim Insert
- Simulated Suede/Leather Seat Trim
- Smart Device Integration
- Trip Computer
- Valet Function

## MECHANICAL

- 110 Amp Alternator
- 13.2 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Brake Assist
- 62-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- 915# Maximum Payload
- Axle Ratio: 4.428
- Electric Power-Assist Speed-Sensing Steering
- Engine: NISMO Tuned DOHC 16-Valve I4 Turbocharged -inc: Direct Injection Gasoline (DIG) Turbo
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 3,902 lbs
- Mechanical Limited Slip Differential



Licensed to J.D. Power

- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Sport Tuned Suspension
- Strut Front Suspension w/Coil Springs
- Torsion Beam Rear Suspension w/Coil Springs
- Transmission: 6-Speed Manual

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Around View Monitor w/Moving Object Detection Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front Camera
- Left Side Camera
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 11.5in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 26.6in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 55.5in
- Cargo Box (Area) Height 26.8in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 35.9ft<sup>3</sup>
- Cargo Volume to Seat 2 10.5ft<sup>3</sup>
- Cargo Volume to Seat 3 10.5ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0A° F (Primary) N/A
- Maximum Alternator Capacity (amps) 110

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.5

### Engine

- Displacement 1.6 L/99
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 215 @ 6000
- SAE Net Torque @ RPM 210 @ 3600



## Exterior Dimensions

- Height, Overall 61.8in
- Length, Overall N/Ain
- Lifter Height 30.7in
- Min Ground Clearance 7in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 60in
- Track Width, Rear 60in
- Wheelbase 99.6in
- Width, Max w/o mirrors 69.5in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 13.2gal

## Interior Dimensions

- Front Head Room 39.6in
- Front Hip Room 51.5in
- Front Leg Room 42.1in
- Front Shoulder Room 53.6in
- Passenger Capacity 5
- Passenger Volume 86.7ft<sup>3</sup>
- Second Head Room 36.7in
- Second Hip Room 48.4in
- Second Leg Room 32.1in
- Second Shoulder Room 51.4in

## Mileage

- Cruising Range - City 330.00mi
- Cruising Range - Hwy 409.20mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 31MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 27MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 36.4ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Torsion Beam
- Suspension Type - Rear Torsion Beam

## Tires

- Front Tire Order Code
- Front Tire Size P225/45YR18
- Rear Tire Order Code
- Rear Tire Size P225/45YR18
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs



Licensed to J.D. Power

- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

## Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 0.86
- Final Drive Axle Ratio (:1) 4.43
- First Gear Ratio (:1) 3.73
- Fourth Gear Ratio (:1) 1.05
- Reverse Ratio (:1) 3.64
- Second Gear Ratio (:1) 2.04
- Sixth Gear Ratio (:1) 0.73
- Third Gear Ratio (:1) 1.39
- Trans Description Cont. Again
- Trans Description Cont. Manual w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Station Wagon

## Weight Information

- Base Curb Weight 2884lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin