



800 lilac drive
golden valley, MN 55422
763 522 2000

Vehicle Information

Date: January 29, 2019
Vehicle: 2017 Toyota RAV4 Utility 4D XLE AWD 2.5L I4 Hybrid
VIN: JTMRJREV2HD128368
Weight: 3,925



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$29,030	N/A	\$995	\$30,025
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
50 STATE EMISSIONS Code: FE-0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
SUPER WHITE Code: 040	\$0.00	\$0.00
NUTMEG, FABRIC SEAT TRIM Code: FC40	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: Entune Audio Plus AM/FM/MP3/WMA Playback-inc: CD player, Entune App Suite, 6 speakers, HD Radio w/iTunes tagging, HD Traffic and Weather, SiriusXM Radio w/90-day trial, 6.1" touch-screen w/integrated back-up camera display, auxiliary audio jack, USB port w/iPod connectivity and control, vehicle information w/customizable settings, hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology
- Real-Time Traffic Display

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Convex Spotter, Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster



Licensed to J.D. Power

- Front Fog Lamps
- Fully Automatic Projector Beam Halogen Daytime Running Auto High-Beam Headlamps
- Fully Galvanized Steel Panels
- Laminated Glass
- Liftgate Rear Cargo Access
- Lip Spoiler
- Roof Rack
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17H AS
- Variable Intermittent Wipers
- Wheels: 17" x 7.0J 5-Spoke Alloy -inc: caps

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Distance Pacing
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fabric Seat Trim
- Fade-To-Off Interior Lighting
- Front Center Armrest
- Front Cupholder
- Front Map Lights
- Front Sport Seats -inc: 6-way adjustable driver and 4-way adjustable passenger seats, 60/40 split, sliding, reclining, fold-flat second-row seats w/height-adjustable headrests and center armrest
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Power/Regen, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts
- Instrument Panel Bin, Driver And Passenger Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Piano Black Console Insert, Chrome/Metal-Look Interior Accents and Leatherette Upholstered Dashboard
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Split-Bench Front Facing Rear Seat
- Trip Computer
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 14.8 Gal. Fuel Tank
- 550CCA Maintenance-Free Battery w/Run Down Protection
- 900# Maximum Payload
- Automatic Full-Time All-Wheel Drive
- Axle Ratio: 3.542
- Double Wishbone Rear Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine Auto Stop-Start Feature
- Engine: 2.5L 4-Cylinder Atkinson Cycle



Licensed to J.D. Power

- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,960 lbs (2,250 kg)
- Hybrid Electric Motor
- Mechanical Limited Slip Differential
- Nickel Metal Hydride Traction Battery
- Permanent Locking Hubs
- Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: CVT (Continuously Variable)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag and Passenger Cushion Front Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Lane Departure Alert (lda) w/Steering Assist Lane Departure Warning
- Lane Departure Alert (lda) w/Steering Assist Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Pre-Collision System (pcs)
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.6in
- Rear Brake Rotor Diam x Thickness 11.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 70.6ft³
- Cargo Volume to Seat 2 35.6ft³
- Cargo Volume to Seat 3 35.6ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 550
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 5.5

Engine



- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Gas/Electric I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 194 @ 5700
- SAE Net Torque @ RPM 152 @ 4400

Exterior Dimensions

- Height, Overall 67.1in
- Length, Overall N/Ain
- Lifter Height N/Ain
- Min Ground Clearance 7in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 61.8in
- Track Width, Rear 61.8in
- Wheelbase 104.7in
- Width, Max w/o mirrors 72.6in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 14.8gal

Interior Dimensions

- Front Head Room 38.9in
- Front Hip Room 54.3in
- Front Leg Room 42.6in
- Front Shoulder Room 57.3in
- Passenger Capacity 5
- Passenger Volume 100.7ft³
- Second Head Room 38.9in
- Second Hip Room 48.9in
- Second Leg Room 37.2in
- Second Shoulder Room 55.4in

Mileage

- Cruising Range - City 503.20mi
- Cruising Range - Hwy 444.00mi
- EPA Fuel Economy Est - City 34MPG
- EPA Fuel Economy Est - Hwy 30MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 32MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 34.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Double Wishbone
- Suspension Type - Rear Double Wishbone

Tires

- Front Tire Order Code
- Front Tire Size P225/65HR17
- Rear Tire Order Code
- Rear Tire Size P225/65HR17



Licensed to J.D. Power

- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 175lbs
- Dead Weight Hitch - Max Trailer Wt. 1750lbs
- Maximum Trailering Capacity 1750lbs
- Wt Distributing Hitch - Max Tongue Wt. 175lbs
- Wt Distributing Hitch - Max Trailer Wt. 1750lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 3.54
- First Gear Ratio (:1) N/A
- Reverse Ratio (:1) N/A
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3925lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin