



800 lilac drive
golden valley, MN 55422
763 522 2000

Vehicle Information

Date: February 1, 2019
Vehicle: 2018 Toyota Tacoma Crew Cab SR5 4WD 3.5L V6
VIN: 3TMDZ5BN3JM047387
Weight: 4,425



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$35,040	\$934	\$1,095	\$37,069
NADA New Vehicle Values				
High	\$34,960	\$932	\$1,095	\$36,987

Optional Equipment

	Invoice	MSRP
50 STATE EMISSIONS Code: FE-A	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
BED EXTENDER (PPO) Code: 7T	\$200.00	\$300.00
EXHAUST TIP (PPO) Code: E5	\$60.00	\$90.00
EXTERIOR PACKAGE -inc: Black Step Tubes (PPO), Exhaust Tip, Spare Tire Lock, Bed Extender (PPO) Code: Q9	\$625.00	\$934.00
SPARE TIRE LOCK (PPO) Code: WI-0	\$45.00	\$75.00
SUPER WHITE Code: 040	\$0.00	\$0.00
CEMENT GRAY, FABRIC SEAT TRIM (FC) Code: FC14	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: Entune Plus AM/FM/CD w/Connected Navigation -inc: 6 speakers, 6.1" high-resolution touch-screen display, auxiliary audio jack, USB 2.0 port, iPod connectivity and control, advanced voice recognition, Bluetooth hands-free phone capability, phone book access and music streaming, Connected Navigation Scout GPS Link App, Siri eyes free, SiriusXM satellite radio w/complimentary SiriusXM All Access 90-day trial subscription included, HD Radio, HD traffic and weather and integrated backup camera display

EXTERIOR



Licensed to J.D. Power

- Auto Off Projector Beam Halogen Daytime Running Auto High-Beam Headlamps
- Black Grille w/Chrome Surround
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Body-Colored Door Handles
- Body-Colored Fender Flares
- Body-Colored Front Bumper w/1 Tow Hook
- Body-Colored Power Side Mirrors w/Manual Folding
- Chrome Rear Step Bumper w/Black Rub Strip/Fascia Accent
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Integrated Storage
- LED Brakelights
- Manual Tailgate/Rear Door Lock
- Power Rear Window
- Regular Composite Box Style
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tires: P245/75R16 AS
- Variable Intermittent Wipers
- Wheels: 16" Silver Alloy

INTERIOR

- 2 12V DC Power Outlets
- 60/40 Folding Split-Bench Front Facing Flip Forward Cushion/Seatback Rear Seat
- Air Filtration
- Analog Display
- Cloth Door Trim Insert
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Entune Selective Service Internet Access
- Fabric Seat Trim (FC)
- Fade-To-Off Interior Lighting
- Front Bucket Seats-inc: 4-way adjustable front seats w/driver lumbar support
- Front Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges-inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC-inc: Underseat Ducts
- Instrument Panel Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
- Interior Trim-inc: Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Steering Wheel
- Locking Glove Box
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Seats w/Cloth Back Material
- Trip Computer
- Urethane Gear Shift Knob

MECHANICAL

- 1175# Maximum Payload
- 21.1 Gal. Fuel Tank
- Auto Locking Hubs
- Axle Ratio: 3.91
- Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Class IV Towing Equipment-inc: Harness, Hitch and Trailer Sway Control



Licensed to J.D. Power

- Double Wishbone Front Suspension w/Coil Springs
- Electronic Transfer Case
- Engine: 3.5L Atkinson-Cycle V6 -inc: VVT-iW wider intake and VVT-i exhaust
- Front Anti-Roll Bar
- Front Disc/Rear Drum Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- Gas-Pressurized Shock Absorbers
- GVWR: 5,600 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Transmission: 6-Speed Automatic -inc: electronically controlled w/intelligence

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Lane Departure Alert (LDA) Lane Departure Warning
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Toyota Safety Sense P

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type Front Disc/Rear Drum
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) N/A
- Drum - Rear (Yes or) Yes
- Front Brake Rotor Diam x Thickness 10.8in
- Rear Brake Rotor Diam x Thickness 10in
- Rear Drum Diam x Width 10in

Cargo Area Dimensions

- Cargo Box (Area) Height 19.1in
- Cargo Box Length @ Floor 73.7in
- Cargo Box Width @ Floor 56.7in
- Cargo Box Width @ Top, Rear 56.7in
- Cargo Box Width @ Wheelhousings 41.5in
- Cargo Volume N/Aft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (2nd) N/A
- Cold Cranking Amps @ 0Â° F (3rd) N/A
- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.8

Engine

- Displacement 3.5 L/211



- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Port/Direct Injection
- SAE Net Horsepower @ RPM 278 @ 6000
- SAE Net Torque @ RPM 265 @ 4600

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 70.6in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper 225.5in
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 140.6in
- Width, Max w/o mirrors 74.4in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 21.1gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 39.7in
- Front Hip Room 57.2in
- Front Leg Room 42.9in
- Front Shoulder Room 58.3in
- Passenger Capacity 5
- Second Head Room 38.3in
- Second Hip Room 56.3in
- Second Leg Room 32.6in
- Second Shoulder Room 58.9in

Mileage

- Cruising Range - City 379.80mi
- Cruising Range - Hwy 464.20mi
- EPA Fuel Economy Est - City 18MPG
- EPA Fuel Economy Est - Hwy 22MPG
- Fuel Economy Est-Combined 20MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 44.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension



Licensed to J.D. Power

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.91
- Axle Ratio (:1) - Rear 3.91
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P245/75SR16
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P245/75SR16
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 640lbs
- Dead Weight Hitch - Max Trailer Wt. 6400lbs
- Maximum Trailering Capacity 6400lbs
- Wt Distributing Hitch - Max Tongue Wt. 640lbs
- Wt Distributing Hitch - Max Trailer Wt. 6400lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.69
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.60
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.73
- Second Gear Ratio (:1) 2.09
- Sixth Gear Ratio (:1) 0.58
- Third Gear Ratio (:1) 1.49
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating 11360lbs
- Gross Vehicle Weight Rating 5600.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs



Licensed to J.D. Power

2/1/2019

NADA New Cars/Trucks

- Reserve Axle Capacity - Front N/A lbs
- Reserve Axle Capacity - Rear N/A lbs
- Reserve Axle Capacity N/A lbs
- Standard Weight - Front 0 lbs
- Standard Weight - Rear 0 lbs
- Total Option Weight 0.00 lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 7 in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 7 in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Size in