



800 lilac drive  
golden valley, MN 55422  
763 522 2000

## Vehicle Information

**Date:** February 7, 2019  
**Vehicle:** 2016 Mitsubishi Outlander Utility 4D SE 4WD 2.4L I4  
**VIN:** JA4AZ3A36GZ065228  
**Weight:** 3,494



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$25,995	N/A	\$895	<b>\$26,890</b>
<b>NADA New Vehicle Values</b>				
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
BASE	\$0.00	\$0.00
Code: A83		
STANDARD PAINT	\$0.00	\$0.00
Code: -PAINT		
MERCURY GRAY METALLIC	\$0.00	\$0.00
Code: U17		
BLACK, FABRIC SEAT TRIM	\$0.00	\$0.00
Code: 28P		

## Standard Equipment

### ENTERTAINMENT

- Digital Signal Processor
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: AM/FM Stereo w/CD/MP3/HD Radio -inc: 140-watt, 6 speakers, FUSE Handsfree Link system w/Bluetooth technology, USB port and 6.1 inch touch panel display

### EXTERIOR

- Auto Off Aero-Composite Halogen Auto High-Beam Headlamps
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent and Black Bumper Insert
- Chrome Bodyside Insert, Rocker Panel Extensions and Black Wheel Well Trim
- Chrome Grille
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Galvanized Steel/Aluminum Panels



- LED Brakelights
- Liftgate Rear Cargo Access
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 18"
- Wheels: 18" Aluminum Alloy

## INTERIOR

- 1 Seatback Storage Pocket
- 2 12V DC Power Outlets
- 4-Way Passenger Seat -inc: Manual Recline, Fore/Aft Movement and Fold Flat
- 60-40 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Rear Seat w/Manual Fore/Aft
- 6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fabric Seat Trim
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Bucket Seats
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver And Passenger Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Piano Black Console Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -Inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Trip Computer
- Valet Function

## MECHANICAL

- 1 Skid Plate
- 130 Amp Alternator
- 16.6 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 6.026 Axle Ratio
- 70-Amp/Hr 620CCA Maintenance-Free Battery
- Auto Locking Hubs
- Cell Phone Pre-Wiring
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.4L SOHC I4 MIVEC 16 Valve
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,795 lbs



Licensed to J.D. Power

- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Oil Cooler
- Transmission: CVT

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.6in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 63.3ft<sup>3</sup>
- Cargo Volume to Seat 2 34.2ft<sup>3</sup>
- Cargo Volume to Seat 3 10.3ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 620
- Maximum Alternator Capacity (amps) 130

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.8

### Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 166 @ 6000
- SAE Net Torque @ RPM 162 @ 4200

### Exterior Dimensions



Licensed to J.D. Power

- Height, Overall 66.1in
- Length, Overall N/Ain
- Lifter Height N/Ain
- Min Ground Clearance 8.5in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 60.6in
- Track Width, Rear 60.6in
- Wheelbase 105.1in
- Width, Max w/o mirrors 71.3in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 16.6gal

## Interior Dimensions

- Front Head Room 40.6in
- Front Hip Room 52.6in
- Front Leg Room 40.9in
- Front Shoulder Room 56.6in
- Passenger Capacity 7
- Passenger Volume 128.2ft<sup>3</sup>
- Second Head Room 38.4in
- Second Hip Room 51.7in
- Second Leg Room 37.3in
- Second Shoulder Room 56.1in
- Third Head Room 35.7in
- Third Hip Room 39.4in
- Third Leg Room 28.2in
- Third Shoulder Room 51.4in

## Mileage

- Cruising Range - City 398.40mi
- Cruising Range - Hwy 481.40mi
- EPA Fuel Economy Est - City 24MPG
- EPA Fuel Economy Est - Hwy 29MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 26MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 34.8ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P225/55HR18
- Rear Tire Order Code
- Rear Tire Size P225/55HR18
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer



Licensed to J.D. Power

- Dead Weight Hitch - Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch - Max Tongue Wt. 150lbs
- Wt Distributing Hitch - Max Trailer Wt. 1500lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Final Drive Axle Ratio (:1) 6.03
- First Gear Ratio (:1) 2.63 - 0.38
- Reverse Ratio (:1) N/A
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 3494lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin