



800 lilac drive golden valley, MN 55422 763 522 2000

Vehicle Information

Date: February 21, 2019

Vehicle: 2016 BMW X5 Series Utility 4D 35i AWD 3.0L I6 Turbo

VIN: 5UXKR0C52G0P34265

Weight: 4,790



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$57,000	\$7,050	\$995	\$65,045
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MCDD
ALUMINUM RUNNING BOARDS			Invoice \$365.00	MSRP \$400.00
Code: 328			+	*
COLD WEATHER PACKAGE			\$500.00	\$550.00
-inc: Heated Rear Seats, Heated Steering Washers Code: ZCW	g Wheel, High-Intensity Retract	able Headlight		
DRIVER ASSISTANCE PACKAGE			\$1275.00	\$1400.00
-inc: Rear-view Camera, Head-Up Displa	y Code: ZDA			
PREMIUM PACKAGE			\$2320.00	\$2550.00
 -inc: 4-Zone Automatic Climate Control, S Access Keyless Entry, multi-function remo 		ription, Comfort		
REAR-VIEW CAMERA			\$365.00	\$400.00
Code: 3AG				
SATIN ALUMINUM ROOF RAILS			\$0.00	\$0.00
Code: 3AT				
XLINE			\$1820.00	\$2000.00
-inc: Wheels: 19" Light Alloy Orbit Gray (S Aluminum Line Exterior Trim, xLine (3E2)				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				•
MINERAL WHITE METALLIC			\$500.00	\$550.00
Code: A96				
TRAINING SERVICE FEE			\$180.00	\$0.00
Code: -FEE				
TERRA, DAKOTA LEATHER UPHOLS	TERY		\$0.00	\$0.00
Code: LCB8				
TRANSMISSION: 8-SPEED AUTOMAT	TIC W/STEPTRONIC		\$0.00	\$0.00

MSRP



NADA New Cars/Trucks

Invoice

(STD) Code: 205

WHEELS: 19" LIGHT ALLOY ORBIT GRAY (STYLE 449) \$0.00

Code: 2D4

Standard Equipment

ENTERTAINMENT

- Enhanced USB & Bluetooth
- Hi-Fi Sound System
- Radio w/Clock, Steering Wheel Controls and Voice Activation
- Radio: Anti-Theft AM/FM Stereo w/CD/MP3
- Real-Time Traffic Display
- Satellite Radio Preparation
- Streaming Audio
- Window Grid Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Bumper Insert
- Body-Colored Power Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Bumper Insert
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Cornering Lights
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- · Front Fog Lamps
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Directionally Adaptive Headlamps w/Delay-Off
- Galvanized Steel/Aluminum/Composite Panels
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate/Tailgate Rear Cargo Access
- Rocker Panel Extensions and Black Wheel Well Trim
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/50R19 Run-Flat AS
- . Wheels: 19" V-Spoke Light Alloy (Style 450)

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Analog bAshtray
- BMW Online Full Service Internet Access
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning w/Steering Wheel Controls
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights
- Front Bucket Seats inc: 10-way power-adjustable front seats w/4-way lumbar support and memory system for driver's seat, steering wheel and outside mirrors
- Front Center Armrest and Rear Center Armrest
- Front Cigar Lighter(s)
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats



- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console and 4 12V DC Power Outlets
- Garage Door Transmitte
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Seats
- HVAC-inc: Underseat Ducts, Residual Heat Recirculation and Console Ducts
- Illuminated Locking Glove Box
- Interior Lock Disable
- Interior Trim -inc: Chrome/Metal-Look Interior Accents
- Leather/Chrome Gear Shift Knoh
- Leatherette Door Trim Insert
- · Lumbar Support
- Navigation System
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Poplar Wood Trim
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Anti-Whiplash w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Power Door Locks w/Autolock Feature
- Power Front Seats
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Push Button Start Only
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Cargo Access
- Roll-Up Cargo Cover
- Sensatec Leatherette Upholstery
- Smart Device Integration
- Sport Leather/Metal-Look Steering Wheel w/Auto Tilt-Away
- Systems Monitor
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

- 105-Amp/Hr Maintenance-Free Battery
- 1110# Maximum Payload
- 210 Amp Alternator
- 22.4 Gal. Fuel Tank
- 3.154 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine: 3.0L DOHC I-6 24V TwinPower Turbo
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 6,063 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Transmission: 8-Speed Automatic w/STEPTRONIC

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- BMW Assist eCall Emergency Sos
- Curtain 1st And 2nd Row Airbags
- Dsc-X Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications



Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.7in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
 Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 76.7ftÅ³
- Cargo Volume to Seat 2 35.8ftÂ3
- Cargo Volume to Seat 3 35.8ftÂ3

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 210

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.8

Engine

- Displacement 3.0 L/182
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I-6
- **Fuel System Gasoline Direct Injection**
- SAE Net Horsepower @ RPM 300 @ 5800
- SAE Net Torque @ RPM 300 @ 1200

Exterior Dimensions

- Height, Overall 69.4in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain Rear Door Opening Width N/Ain
- Track Width, Front 64.7in
- Track Width, Rear 65in
- Wheelbase 115.5in
- Width, Max w/o mirrors 76.3in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 22.4gal

Interior Dimensions

- Front Head Room 40.5in
- Front Hip Room N/Ain
- Front Leg Room 40.4in
- Front Shoulder Room 61.5in
- Passenger Capacity 5
- Passenger Volume N/Aft³



- Second Head Room 38.8in
- Second Hip Room N/Ain
- Second Leg Room 36.6in
- Second Shoulder Room 60in

Mileage

- Cruising Range City 403.20mi
- Cruising Range Hwy 537.60mi
- **EPA Fuel Economy Est City 18MPG**
- EPA Fuel Economy Est Hwy 24MPG
 EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 20MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 41.7ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Double Wishbone
- Suspension Type Front Double Wishbone
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P255/50WR19
- Rear Tire Order Code
- Rear Tire Size P255/50WR19
- Spare Tire Order Code
- Spare Tire Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 595lbs
- Dead Weight Hitch Max Trailer Wt. 5952lbs
- **Maximum Trailering Capacity 5952lbs**
- Wt Distributing Hitch Max Tongue Wt. 595lbs
- Wt Distributing Hitch Max Trailer Wt. 5952lbs

Transmission

- Clutch Size N/Ain
- **Drivetrain All Wheel Drive**
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) 3.15
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84 Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 205
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle



• EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4790lbs
 Curb Weight Front N/Albs
 Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 9in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 X 9in
- Spare Wheel Material
- Spare Wheel Size in