



800 lilac drive
golden valley, MN 55422
763 522 2000

Vehicle Information

Date: February 14, 2019
Vehicle: 2016 Jeep Cherokee Utility 4D Latitude 4WD 3.2L V6
VIN: 1C4PJMCSXGW215862
Weight: 4,046



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$27,295	\$4,305	\$995	\$32,595

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
9 AMPLIFIED SPEAKERS W/SUBWOOFER Code: RC3-R	\$0.00	\$0.00
COLD WEATHER GROUP -inc: Power Heated Mirrors, Engine Block Heater, Heated Front Seats, Exterior Mirrors w/Heating Element, Windshield Wiper De-Icer, All-Season Floor Mats, Heated Steering Wheel w/o AFB&AAU-inc: Remote Start System Code: ADE	\$814.00	\$895.00
COMFORT & SOUND GROUP -inc: 9 Amplified Speakers w/Subwoofer Code: ACJ-R	\$387.00	\$425.00
POWER 8-WAY DRIVER SEAT -inc: Power 4-Way Driver Lumbar Adjust Code: JPR-R	\$0.00	\$0.00
RADIO: UCONNECT 8.4 -inc: Nav Capable! See Dealer For Details, GPS Antenna Input, 6 Month Trial (Registration Required), Uconnect Access, 8.4" Touchscreen Display, Remote USB Port w/RSD-inc: For Details Visit DriveUconnect.com Code: RA3-R	\$723.00	\$795.00
SINGLE DISC REMOTE CD PLAYER Code: RH1	\$405.00	\$445.00
3.25 AXLE RATIO Code: DMC-R	\$0.00	\$0.00
QUICK ORDER PACKAGE 26J -inc: Engine: 3.2L V6 24V VVT w/ESS, Transmission: 9-Speed 948TE Automatic 1 Speed PTU *Upon selection of this pkg, the cost of powertrain components will be added* Code: 26J	\$0.00	\$0.00
ENGINE: 3.2L V6 24V VVT W/ESS -inc: Pentastar, Stop-Start Multiple VSM System, 3.25 Axle Ratio, 700 Amp Maintenance Free Battery, Dual Bright Exhaust Tips Code: EHK-R	\$1588.00	\$1745.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
TRUE BLUE PEARLCOAT Code: PBU	\$0.00	\$0.00



	Invoice	MSRP
BLACK, PREMIUM CLOTH BUCKET SEATS Code: A5X9	\$0.00	\$0.00
NORMAL DUTY SUSPENSION (STD) Code: SDA-R	\$0.00	\$0.00
TRANSMISSION: 9-SPEED 948TE AUTOMATIC 1 SPEED PTU (STD) Code: DFH-R	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 6 Speakers
- Integrated Roof Antenna
- Integrated Voice Command w/Bluetooth
- Radio w/Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: Uconnect 5.0

EXTERIOR

- Active Grille Shutters
- Black Bodyside Cladding and Black Fender Flares
- Black Grille w/Chrome Surround
- Black Rear Bumper
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Side Mirrors w/Manual Folding
- Chrome Side Windows Trim
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- LED Brake Lights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17 BSW AS
- Variable Intermittent Wipers
- Wheels: 17" x 7" Aluminum

INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- 6-Way Passenger Seat -inc: Manual Recline, Height Adjustment, Fore/Aft Movement and Fold Flat
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Compass
- Covered Dashboard Storage, Driver And Passenger Door Bins and 1st Row Underseat Storage
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats



Licensed to J.D. Power

- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Voltmeter, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Steering Wheel
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Premium Cloth Bucket Seats
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Fuel
- Sentry Key Engine Immobilizer
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 1000# Maximum Payload
- 15.8 Gal. Fuel Tank
- 160 Amp Alternator
- 3.73 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 600CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Auxiliary Transmission Oil Cooler
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 2.4L I4 MultiAir -inc: Tigershark NO LONGER AVAILABLE for factory ordering as of February 4, 2016.
- Federal Emissions
- Front Suspension w/Coil Springs
- Gas-Pressurized Shock Absorbers
- GVWR: 5,500 lbs
- Normal Duty Suspension
- Permanent Locking Hubs
- Rear Suspension w/Coil Springs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control
- Transmission: 9-Speed 948TE Automatic 1 Speed PTU


SAFETY

- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkView Back-Up Camera
- Rear Child Safety Locks
- Selec-Terrain ABS And Driveline Traction Control
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes



- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 41.4in
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings 36.1in
- Cargo Volume to Seat 1 58.9ft³
- Cargo Volume to Seat 2 24.6ft³
- Cargo Volume to Seat 3 24.6ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 700
- Maximum Alternator Capacity (amps) 160

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

Engine

- Displacement 3.2 L/198
- Engine Order Code EHK
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 271 @ 6500
- SAE Net Torque @ RPM 239 @ 4400

Exterior Dimensions

- Height, Overall 66.2in
- Length, Overall N/Ain
- Liftover Height 30.9in
- Min Ground Clearance 8.2in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.2in
- Track Width, Rear 61.9in
- Wheelbase 106.3in
- Width, Max w/o mirrors 73.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.8gal

Interior Dimensions

- Front Head Room 39.4in
- Front Hip Room 53.8in
- Front Leg Room 41.1in
- Front Shoulder Room 57.6in
- Passenger Capacity 5
- Passenger Volume 104.4ft³
- Second Head Room 38.5in
- Second Hip Room 49.9in
- Second Leg Room 40.3in
- Second Shoulder Room 55.1in

Mileage



Licensed to J.D. Power

- Cruising Range - City 316.00mi
- Cruising Range - Hwy 442.40mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TRF
- Front Tire Size P225/65TR17
- Rear Tire Order Code TRF
- Rear Tire Size P225/65TR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 200lbs
- Dead Weight Hitch - Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs
- Wt Distributing Hitch - Max Tongue Wt. 200lbs
- Wt Distributing Hitch - Max Trailer Wt. 2000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.58
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.25
- First Gear Ratio (:1) 4.70
- Fourth Gear Ratio (:1) 1.38
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.81
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70
- Sixth Gear Ratio (:1) 0.81
- Third Gear Ratio (:1) 1.91
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFH
- Trans Type 9
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4046lbs



Licensed to J.D. Power

- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin