



800 lilac drive golden valley, MN 55422 763 522 2000

Vehicle Information

Date: March 8, 2019

Vehicle: 2016 Nissan Pathfinder Utility 4D S 4WD 3.5L V6

VIN: 5N1AR2MM8GC624443

Weight: 4,309



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$31,520	\$160	\$940	\$32,620
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
[B10] 4-PIECE BLACK SPLASH GUARI	DS		\$138.00	\$160.00
N/A dealer order; required on vehicles solo	d in AK, ID, MT, OR, RI, WA, V	VI. Code: SG1		
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			·	·
GLACIER WHITE			\$0.00	\$0.00
Code: QAK				
CHARCOAL, CLOTH SEAT TRIM			\$0.00	\$0.00
Code: G-0				

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Integrated Roof Diversity Antenna
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: AM/FM/MP3/6-CD Audio System w/6-Speakers -inc: auxiliary audio input jack

EXTERIOR

- Aero-Composite Halogen Headlamps
- Black Bodyside Cladding
- Black Grille w/Chrome Surround
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper
- Body-Colored Power Side Mirrors w/Manual Folding
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Door Handles
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Windshield inc: Sun Visor Strip
- Fully Galvanized Steel Panels



- Liftgate Rear Cargo Access
- · Lip Spoiler
- · Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R18 AS
- Variable Intermittent Wipers
- Wheels: 18" Aluminum-Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed Bench 3rd Row Seat Front and 2 Fixed Head Restraints
- FOB Controls -inc: Windows
- Front Bucket Seats-inc: 7 passenger seating capacity, 6-way manual driver's seat and 2-way manual lumbar support and 4-way manual front passenger seat
- Front Center Armrest w/Storage and Rear Center Armrest w/Storage
- Front Cupholder
- Front Facing Rear Seat
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Seats w/Cloth Back Material
- Trip Computer
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 150 Amp Alternator
- 19.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 5.25 Axle Ratio
- 82-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Brake Actuated Limited Slip Differential
- Electro-Hydraulic Power Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.5L V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5.985 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Single Stainless Steel Exhaust



- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: Xtronic CVT (Continuously Variable)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 78.9in
- Cargo Area Length @ Floor to Seat 2 51.1in
- Cargo Area Length @ Floor to Seat 3 19.8in
- Cargo Area Width @ Beltline 45.9in
- Cargo Box (Area) Height 31.4in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 79.8ftÂ³
- Cargo Volume to Seat 2 47.8ft³
- Cargo Volume to Seat 3 16ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.5 L/213
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 260 @ 6400
- SAE Net Torque @ RPM 240 @ 4400

Exterior Dimensions

- Height, Overall 69.6in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7in



- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.7in
- Track Width, Rear 65.7in
- Wheelbase 114.2in
- Width, Max w/o mirrors 77.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.5gal

Interior Dimensions

- Front Head Room 42.2in
- Front Hip Room 56.8in
- Front Leg Room 42.3in
- Front Shoulder Room 60.7in
- · Passenger Capacity 7
- Passenger Volume 157.8ft³
- Second Head Room 39.4in
- Second Hip Room 56.1in
- Second Leg Room 41.7in
- Second Shoulder Room 60.4in
- Third Head Room 37.8in
- Third Hip Room 42in
- Third Leg Room 30.7in
- Third Shoulder Room 57.1in

Mileage

- Cruising Range City 370.50mi
- Cruising Range Hwy 507.00mi
- EPA Fuel Economy Est City 19MPG
- EPA Fuel Economy Est Hwy 26MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.7ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65SR18
- Rear Tire Order Code
- Rear Tire Size P235/65SR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch Max Tongue Wt. 500lbs



• Wt Distributing Hitch - Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Final Drive Axle Ratio (:1) 5.25
- First Gear Ratio (:1) 2.41 0.38
- Reverse Ratio (:1) 1.77
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4309lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin