



800 lilac drive
golden valley, MN 55422
763 522 2000

Vehicle Information

Date: February 21, 2019
Vehicle: 2016 Acura RDX Utility 4D AWD 3.5L V6
VIN: 5J8TB4H3XGL028833
Weight: 3,902



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$36,870	N/A	\$975	\$37,845
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
CRYSTAL BLACK PEARL Code: BK	\$0.00	\$0.00
EBONY, LEATHERETTE-TRIMMED INTERIOR Code: EN-0	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- 360w Regular Amplifier
- Audio Theft Deterrent
- Integrated Roof Antenna
- Radio w/Seek-Scan, In-Dash Mounted Single CD, Clock, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: Acura Premium Audio System -inc: 7 speakers, Siri Eyes Free, SMS text message function, Bluetooth HandsFreeLink wireless telephone interface, SiriusXM satellite radio, Pandora capability, USB audio interface w/iPod integration, Bluetooth streaming audio, MP3/auxiliary input jack, Speed-Sensitive Volume Compensation (SVC) and HomeLink

EXTERIOR

- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Convex Spotter, Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Led Low/High Beam Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brakelights



Licensed to J.D. Power

- Lip Spoiler
- Metal-Look Grille w/Chrome Surround
- Power Liftgate Rear Cargo Access
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/60R18 102V High-Performance AS
- Wheels: 18" x 7.5" Aluminum-Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Sport Bucket Seats -inc: 10-way power driver's seat w/power lumbar support and 4-way power front passenger's seat
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Leatherette-Trimmed Interior
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Driver Seat and Door Mirrors
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access and Mechanical Fuel
- Seats w/Leatherette Back Material
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

- 130 Amp Alternator
- 16 Gal. Fuel Tank
- 4.25 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 72-Amp/Hr 550CCA Maintenance-Free Battery
- Automatic Full-Time All-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Engine: 3.5L SOHC V6 24V i-VTEC
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: TBD



Licensed to J.D. Power

- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: 6-Speed Automatic -inc: Sequential SportShift paddle shifters

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.3in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 61.3ft³
- Cargo Volume to Seat 2 26.1ft³
- Cargo Volume to Seat 3 26.1ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0° F (Primary) 550
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.5 L/212
- Engine Order Code
- Engine Type Premium Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 279 @ 6200
- SAE Net Torque @ RPM 252 @ 4900

Exterior Dimensions

- Height, Overall 65in



Licensed to J.D. Power

- Length, Overall N/Ain
- Lifterover Height N/Ain
- Min Ground Clearance 5.4in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.1in
- Track Width, Rear 63.4in
- Wheelbase 105.7in
- Width, Max w/o mirrors 73.7in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 16gal

Interior Dimensions

- Front Head Room 38.7in
- Front Hip Room 55.7in
- Front Leg Room 42in
- Front Shoulder Room 58.7in
- Passenger Capacity 5
- Passenger Volume 103.5ft³
- Second Head Room 38.1in
- Second Hip Room 53.8in
- Second Leg Room 38.3in
- Second Shoulder Room 57.2in

Mileage

- Cruising Range - City 304.00mi
- Cruising Range - Hwy 448.00mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.9ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/60VR18
- Rear Tire Order Code
- Rear Tire Size P235/60VR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch - Max Tongue Wt. 150lbs
- Wt Distributing Hitch - Max Trailer Wt. 1500lbs



Licensed to J.D. Power

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.75
- Final Drive Axle Ratio (:1) 4.25
- First Gear Ratio (:1) 3.36
- Fourth Gear Ratio (:1) 1.06
- Reverse Ratio (:1) 2.27
- Second Gear Ratio (:1) 2.09
- Sixth Gear Ratio (:1) 0.56
- Third Gear Ratio (:1) 1.48
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3902lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin