



800 lilac drive
golden valley, MN 55422
763 522 2000

Vehicle Information

Date: March 15, 2019
Vehicle: 2017 Nissan Titan Crew Cab SV 4WD 5.6L V8
VIN: 1N6AA1E59HN575852
Weight: 5,684



New Cars/Trucks Values


Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$41,400	\$3,865	\$1,395	\$46,660

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
[K02] SV UTILITY PACKAGE -inc: Spray-In Bedliner, Utilitrack System w/4 Tie-Down Cleats, Tailgate Area Illumination, 2 Molded Plate Keys, LED Under Rail Bed Lighting, 2nd Row Flat Floor Storage Box, 110V Outlet In Bed Code: UT2	\$991.00	\$1120.00
[T01] SV TOWING CONVENIENCE PACKAGE -inc: trailer light check, Trailer Brake Controller, Black Front Tow Hooks, Manually Extending Heated Tow Mirrors w/Puddle Lamp, Puddle Lamps Code: TW1	\$416.00	\$470.00
[U01] SV COMFORT & CONVENIENCE PACKAGE -inc: Intelligent Key System, driver and passenger request switches, Power Sliding Rear Window w/Defogger, Universal Garage Door Opener (UGDO), Rear Air Conditioning Vents, Fog Lamp, Body Color Rear Bumper, Heated Front Captain's Chairs, 8-way power adjustable driver's seat w/power lumbar support and center console-mounted 110-volt and 12-volt power outlets, Rain Sensing Wipers, Auto-Dimming Rearview Mirror, Automatic On/Off Headlights, Convex Spotter Mirror, 110V Outlet In Bed, Chrome Interior Door Locks, Blind Spot Warning w/Rear Cross Traffic Alert, Step Rails, Leather-Wrapped Steering Wheel, Front & Rear Parking Sensors, Receiver Hitch w/7-Pin Wiring Harness Connector, Rearview Monitor, Radio: NissanConnect w/Navigation & Mobile Apps, 7" display, SiriusXM Traffic and Travel Link (weather, fuel prices, movie listings and stock info) and Nissan voice recognition for navigation and audio, Siri Eyes Free, Dual Zone Automatic Temperature Control Code: COM	\$1890.00	\$2040.00
HEATED FRONT CAPTAIN'S CHAIRS -inc: 8-way power adjustable driver's seat w/power lumbar support and center console-mounted 110-volt and 12-volt power outlets Code: -NONSTO	\$0.00	\$0.00
RADIO: NISSANCONNECT W/NAVIGATION & MOBILE APPS -inc: 7" display, SiriusXM Traffic and Travel Link (weather, fuel prices, movie listings and stock info) and Nissan voice recognition for navigation and audio, Siri Eyes Free Code: -NONRD	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[B93] SPLASH GUARDS (PIO) Code: SG3	\$195.00	\$235.00



	Invoice	MSRP
GLACIER WHITE Code: QAK	\$0.00	\$0.00
BLACK, CLOTH SEAT TRIM Code: G-1	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Fixed Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Radio Data System and External Memory Control
- Radio: NissanConnect w/SiriusXM & Mobile Apps -inc: 5" color display, USB connection port for iPod interface and other compatible devices, Bluetooth hands-free phone system, streaming audio via Bluetooth, hands-free text messaging assistant and 6 speakers

EXTERIOR

- Aero-Composite Halogen Headlamps
- Black Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Cargo Lamp w/High Mount Stop Light
- Chrome Door Handles
- Chrome Front Bumper
- Chrome Rear Step Bumper
- Clearcoat Paint
- Deep Tinted Glass
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- Manual Tailgate/Rear Door Lock
- Metal-Look Grille w/Chrome Surround
- Regular Box Style
- Sliding Rear Window w/Defroster
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tires: P265/70R18 AS OWL
- Wheels: 18" x 8" Silver Painted Alloy

INTERIOR

- 2 12V DC Power Outlets
- 4 Seatback Storage Pockets
- 4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
- Air Filtration
- Analog Display
- Armrests w/Storage and Rear Center Armrest
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Dashboard Storage, Driver / Passenger And Rear Door Bins
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Windows
- Front Cupholder
- Front Manual Split Bench Seat (40/20/40) -inc: flip down center seat w/armrest
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Inclometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column



Licensed to J.D. Power

- Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Outside Temp Gauge
- Perimeter Alarm
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Proximity Key For Push Button Start Only
- Rear Cupholder
- Remote Keyless Entry w/Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Seats w/Cloth Back Material
- Trip Computer
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 1610# Maximum Payload
- 2 Skid Plates
- 2.937 Axle Ratio
- 200 Amp Alternator
- 26 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 80-Amp/Hr 710CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Double Wishbone Front Suspension w/Coil Springs
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 5.6L V8
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 7,300 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 7-Speed Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 20.8in
- Cargo Box Length @ Floor 67in
- Cargo Box Width @ Floor 61.7in
- Cargo Box Width @ Top, Rear 61.7in
- Cargo Box Width @ Wheelhousings 50in
- Cargo Volume N/Aft³



Licensed to J.D. Power

- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 710
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 710
- Maximum Alternator Capacity (amps) 200

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.8

Engine

- Displacement 5.6 L/339
- Engine Oil Cooler Regular Duty
- Engine Order Code
- Engine Type Regular Unleaded V-8
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 390 @ 5800
- SAE Net Torque @ RPM 394 @ 4000

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 8.9in
- Ground Clearance, Rear 8.9in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 76in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper 228.1in
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 139.8in
- Width, Max w/o mirrors 79.5in

Frame


- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 41in
- Front Hip Room 60.8in
- Front Leg Room 41.8in
- Front Shoulder Room 63.3in
- Passenger Capacity 5
- Second Head Room 40.4in
- Second Hip Room 60.3in



- Second Leg Room 38.5in
- Second Shoulder Room 63.6in

Mileage

- Cruising Range - City 390.00mi
- Cruising Range - Hwy 546.00mi
- EPA Fuel Economy Est - City 15MPG
- EPA Fuel Economy Est - Hwy 21MPG
- Fuel Economy Est-Combined 18MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 48ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 2.94
- Axle Ratio (:1) - Rear 2.94
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P265/70SR18
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P265/70SR18
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 909lbs
- Dead Weight Hitch - Max Trailer Wt. 9090lbs
- Maximum Trailering Capacity 9090lbs
- Wt Distributing Hitch - Max Tongue Wt. 909lbs
- Wt Distributing Hitch - Max Trailer Wt. 9090lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.89
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 4.04
- Second Gear Ratio (:1) 3.17
- Seventh Gear Ratio (:1) 0.77
- Sixth Gear Ratio (:1) 0.86
- Third Gear Ratio (:1) 2.03
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD



Licensed to J.D. Power

- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 7
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight 5684.00lbs
- As Spec'd Payload 1616.00lbs
- Curb Weight - Front 3264lbs
- Curb Weight - Rear 2420lbs
- Curb Weight 5684.00lbs
- Gross Axle Weight Rating 7812.00lbs
- Gross Axle Wt Rating - Front 3800lbs
- Gross Axle Wt Rating - Rear 4012lbs
- Gross Combined Wt Rating 15300lbs
- Gross Vehicle Weight Rating 7300.00lbs
- Maximum Payload Capacity 1616.00lbs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 536.00lbs
- Reserve Axle Capacity - Rear 1592.00lbs
- Reserve Axle Capacity 2128.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein