



800 lilac drive
golden valley, MN 55422
763 522 2000

Vehicle Information

Date: March 14, 2019
Vehicle: 2016 Jeep Compass Utility 4D High Altitude 4WD 2.4L I4
VIN: 1C4NJDEB1GD755827
Weight: 3,345



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$25,995	\$3,080	\$995	\$30,070
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
DARK SLATE GRAY/SADDLE TAN INTERIOR COLOR Code: XTN	\$268.00	\$295.00
PARKVIEW REAR BACK-UP CAMERA Code: XAC	\$905.00	\$995.00
RADIO: 430 Code: RBZ	\$632.00	\$695.00
SECURITY AND CARGO CONVENIENCE GROUP -inc: Soft Tonneau Cover, Universal Garage Door Opener, Vehicle Information Center, Security Alarm, Tire Pressure Monitoring Display Code: AJB	\$632.00	\$695.00
SOFT TONNEAU COVER Code: CSU-R	\$0.00	\$0.00
QUICK ORDER PACKAGE 23P HIGH ALTITUDE -inc: Engine: 2.4L I4 DOHC 16V Dual VVT, Transmission: 6-Speed Automatic, Bright Exhaust Tip, Remote Start System, Power Express Open/Close Sunroof, Body Color Fascias w/Bright Insert, Power 6-Way Driver Seat, Bright Side Roof Rails Code: 23P	\$996.00	\$1095.00
ENGINE: 2.4L I4 DOHC 16V DUAL VVT (STD) Code: ED3	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
TRUE BLUE PEARLCOAT Code: PBU	\$0.00	\$0.00
SADDLE TAN/DK SLATE GRAY, LEATHER TRIMMED BUCKET SEATS Code: SLVT	\$0.00	\$0.00
TIRES: 225/60R17 BSW AS (STD) Code: TRA-R	\$0.00	\$0.00
TRANSMISSION: 6-SPEED AUTOMATIC	\$0.00	\$0.00



	Invoice	MSRP
(STD) Code: DA4		
WHEELS: 17" X 6.5" GRANITE PAINTED POCKET	\$0.00	\$0.00
(STD) Code: WFC		

Standard Equipment

ENTERTAINMENT

- 4 Speakers
- Audio Jack Input for Mobile Devices
- Fixed Antenna
- Radio w/Seek-Scan, In-Dash Mounted Single CD, MP3 Player, Clock, Steering Wheel Controls and Voice Activation
- Radio: 130
- Streaming Audio
- Uconnect w/Bluetooth Wireless Phone Connectivity

EXTERIOR

- Aluminum Wheels
- Black Bodyside Cladding
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Power Heated Side Mirrors w/Manual Folding
- Chrome Grille
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Bumper w/Black Rub Strip/Fascia Accent
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Headlamps
- Fully Galvanized Steel Panels
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Step Bumper w/Black Rub Strip/Fascia Accent
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 225/60R17 BSW AS
- Variable Intermittent Wipers
- Wheels: 17" x 6.5" Granite Painted Pocket

INTERIOR

- 1 12V DC Power Outlet
- 1 12V DC Power Outlet and 1 AC Power Outlet
- 2-Way Driver Seat -inc: Manual Recline
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, 1 12V DC Power Outlet and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
- Glove Box
- HVAC -inc: Underseat Ducts
- Illuminated Front Cupholder
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Chrome Instrument Panel Insert, Metal-Look Console Insert and Chrome Interior Accents
- Leather/Metal-Look Steering Wheel
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints



- Manual Driver Lumbar Adjust
- Manual Tilt Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Sentry Key Engine Immobilizer
- Sliding Front Center Armrest w/Storage
- Urethane Gear Shift Knob
- Voice Recorder

MECHANICAL

- 120 Amp Alternator
- 13.5 Gal. Fuel Tank
- 3.37 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Brake Assist
- 50-State Emissions
- 60-Amp/Hr 525CCA Maintenance-Free Battery w/Run Down Protection
- 925# Maximum Payload
- Automatic Full-Time Four-Wheel Drive
- Electronic Transfer Case
- Engine: 2.4L I4 DOHC 16V Dual VVT
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,575 lbs
- Hill Start Assist
- Hydraulic Power-Assist Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Touring Suspension
- Transmission w/Autostick Sequential Shift Control
- Transmission: 6-Speed Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.5in
- Rear Brake Rotor Diam x Thickness 10.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 45.3in
- Cargo Box (Area) Height 26.7in
- Cargo Box Width @ Wheelhousings 38in
- Cargo Volume to Seat 1 62.7ft³
- Cargo Volume to Seat 2 22.7ft³



- Cargo Volume to Seat 3 22.7ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 525
- Maximum Alternator Capacity (amps) 120

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.4 L/144
- Engine Order Code ED3
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 172 @ 6000
- SAE Net Torque @ RPM 165 @ 4400

Exterior Dimensions

- Height, Overall 65in
- Length, Overall N/Ain
- Liftover Height 30.5in
- Min Ground Clearance 8.1in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 59.8in
- Track Width, Rear 59.8in
- Wheelbase 103.7in
- Width, Max w/o mirrors 71.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 13.5gal

Interior Dimensions


- Front Head Room 39.9in
- Front Hip Room 52.3in
- Front Leg Room 40.6in
- Front Shoulder Room 54.6in
- Passenger Capacity 5
- Passenger Volume 101.3ft³
- Second Head Room 39.9in
- Second Hip Room 51in
- Second Leg Room 39.4in
- Second Shoulder Room 54in

Mileage

- Cruising Range - City 270.00mi
- Cruising Range - Hwy 351.00mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 35.6ft



- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TRA
- Front Tire Size P225/60TR17
- Rear Tire Order Code TRA
- Rear Tire Size P225/60TR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 100lbs
- Dead Weight Hitch - Max Trailer Wt. 1000lbs
- Maximum Trailering Capacity 1000lbs
- Wt Distributing Hitch - Max Tongue Wt. 100lbs
- Wt Distributing Hitch - Max Trailer Wt. 1000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.37
- First Gear Ratio (:1) 4.21
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 2.64
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.80
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DA4
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3345lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin