

800 lilac drive golden valley, MN 55422 763 522 2000

Vehicle Information

New Cars/Trucks Values

Date:	March 20, 2019	
Vehicle:	2017 Chevrolet Traverse Utility 4D LT AWD 3.6L V6	
VIN:	1GNKVGKD3HJ217221.	
Weight:	4,956	

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$36,100	\$2,320	\$895	\$39,315
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
Optional Equipment				MODD
<u> </u>			Invoice	MSRP
COOLING SYSTEM, HEAVY-DUTY	\$0.00	\$0.00		
(Included and only available with (V92)	#007 F0			
SEATS, HEATED DRIVER AND FRO	\$227.50	\$250.00		
(Included with (PDU) Style and Technology			\$ 0.00	\$ 0.00
STEERING, POWER, VARIABLE EF	\$0.00	\$0.00		
(Included and only available with (PDU)	Code: NV7	Ф 4407 ГО	¢4050.00	
STYLE AND TECHNOLOGY PACKA			\$1137.50	\$1250.00
includes (Ul6) Chevrolet MyLink radio, (Universal Home Remote, (QQD) P255/ (50.8 cm x 19.1 cm) painted aluminum (Retail orders only.) Code: PDU	55R20 H-rated blackwall tires, (F	PJG) 4 - 20" x 7.5"		
TRAILER HITCH, FACTORY INSTAL	\$0.00	\$0.00		
(Included and only available with (V92)	Trailering equipment.) Code: VR	2		·
TRAILERING EQUIPMENT	\$523.25	\$575.00		
includes (V08) heavy-duty cooling syste	m and (VR2) trailer hitch Code: \	/92		
UNIVERSAL HOME REMOTE			\$0.00	\$0.00
includes garage door opener, 3-channe (PDU) Style and Technology Package.)		nly available with		
EMISSIONS, FEDERAL REQUIREMENTS			\$0.00	\$0.00
Code: FE9				
ENGINE, 3.6L SIDI V6	\$0.00	\$0.00		
(281 hp [210 kW] @ 6300 rpm, 266 lb-1 LLT	t of torque @ 3400 rpm [359.1 N	-m]) (STD) Code:		
SILVER ICE METALLIC			\$0.00	\$0.00
Code: 17U				
STANDARD PAINT	\$0.00	\$0.00		
Code: -PAINT				

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power

NADA		3/20/2019
NADA Volues	NADA Ne	w Cars/Trucks
Licensed to J.D. Power	Inveloe	MCDD
	Invoice	MSRP
LT PREFERRED EQUIPMENT GROUP	\$0.00	\$0.00
Includes Standard Equipment Code: 1LT		
AUDIO SYSTEM, CHEVROLET MYLINK	\$45.50	\$50.00
6.5" diagonal color touch-screen display, AM/FM/SiriusXM radio with CD player, includes Bluetooth streaming audio for music and select phones; Hands-Free smartphone integration with Pandora and Stitcher; voice-activated technology for radio and phone (Available to order on Fleet and Government order types without (PDU) Style and Technology Package. Included with (PDU) Style and Technology Package for retail orders only.) Code: UI6-R		
EBONY, PREMIUM CLOTH SEAT TRIM	\$0.00	\$0.00
Code: 19C		
RECLINING FRONT BUCKETS	\$0.00	\$0.00
(STD) Code: AR9		
SEATING, 7-PASSENGER (2-2-3 SEATING CONFIGURATION)	\$450.45	\$495.00
with 2nd row flat-folding Captains Chair and third row 60/40 split flat folding bench seat Code: ABB		
TIRES, P255/55R20 H-RATED, BLACKWALL	\$0.00	\$0.00
(Included and only available with (PDU) Style and Technology Package.) Code: QQD		
TRANSMISSION, 6-SPEED AUTOMATIC	\$0.00	\$0.00
(STD) (Included and only available with CV14526 AWD models.) Code: M7X		
WHEELS, 4 - 20" X 7.5" (50.8 CM X 19.1 CM) PAINTED ALUMINUM	\$0.00	\$0.00
(Included and only available with (PDU) Style and Technology Package.) Code: PJG		

Standard Equipment

ENTERTAINMENT

- Audio system feature, auxiliary input jack
- Audio system feature, dual USB port, charge only, located rear of center console
- Audio system feature, standard speaker system
- Audio system feature, USB port
- Audio system, Color Touch AM/FM/SiriusXM radio with CD player 6.5" diagonal touch-screen display
- OnStar 4G LTE and built-in Wi-Fi hotspot connects to the Internet at 4G LTE speeds; includes OnStar Data Trial for 3 months or 3GB (whichever comes first) (Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data. Available Wi-Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T.)
- SiriusXM Satellite Radio is standard on nearly all 2016 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

EXTERIOR

- Door handles, chrome
- Fog lamps, front
- Glass, Solar-Ray deep tinted (all windows except light tinted glass on windshield and driver and front passenger side glass)
- · Headlamp control, automatic on and off
- Headlamps, dual cavity, halogen
- Liftgate, rear manual
- Mirrors, outside heated power adjustable, body color, manual-folding with integrated turn signal indicators
- Moldings, body-color bodyside
- Roof rail moldings
- Spoiler, rear
 Times D255 (C5D10, ellesses)
- Tires, P255/65R18 all season, blackwall
 Wheel, 17" (43.2 cm) compact steel spare
- Wheel, 17" (43.2 cm) compact steel spare wheel and tire
 Wheels, 4 18" X 7.5" (45.7 cm x 19.1 cm) machined aluminum
- Wiper, rear intermittent with washer
- Wipers, front intermittent with washers

INTERIOR

- Air conditioning, rear manual
- Air conditioning, single-zone manual front climate control
- Bluetooth for phone, personal cell phone connectivity to vehicle audio system
- Cargo storage, tray under rear floor

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power



- Console, front center with 2 cup holders, covered storage bin and sliding armrest with storage
- Cruise control, electronic with set and resume speed
- Cup holders 10 with (ABB) 7-passenger (2-2-3 seating configuration) and 12 with (ABC) 8-passenger (2-3-3 seating configuration)
- Defogger, rear-window electric
- Door locks, power programmable with lockout protection
- Floor covering, color-keyed carpeting
- Floormats, color-keyed carpeted front, second and third row, removable
- Instrumentation, enhanced Driver Information Center with personalization features, speedometer, tachometer, outside temperature display, low oil, fuel and coolant indicators, odometer, trip odometer and trip computer with digital compass
- Insulation, acoustical package
- Lighting, interior with theater dimming, cargo compartment, reading lights for front seats, second row reading lamps integrated into dome light, door-and tailgate-activated switches
 and illuminated entry and exit feature
- Mirror, inside rearview manual day/night
- Rear Park Assist
- Reclining front buckets
- Remote Keyless Entry, programmable with 2 transmitters, panic button and extended range
- Remote vehicle start with extended range Remote Keyless Entry
- Seat trim, Premium Cloth
- Seat, 2-way manual front passenger, included with Premium Cloth
- Seat, 8-way power driver with power lumbar
- Seat, third row manual 60/40 split-folding bench
- Seating, 8-passenger (2-3-3 seating configuration) with 2nd and 3rd row 60/40 split flat-folding bench seat
- Steering column, tilt and telescopic with brake/transmission shift interlock
- Steering wheel, leather-wrapped with mounted cruise and audio controls
- Trim, interior, wood grain center stack and interior trim
- Visors, driver and front passenger padded with cloth trim, color-keyed and illuminated vanity mirrors
- Windows, power with driver Express Down

MECHANICAL

- All wheel drive
- Axle, 3.16 ratio
- Battery, high capacity 660 cold-cranking amps
- Brakes, 4-wheel antilock, 4-wheel disc
- Engine, 3.6L SIDI V6 (281 hp [210 kW] @ 6300 rpm, 266 lbft of torque @ 3400 rpm [359.1 N-m])
- Exhaust, single outlet
- GVWR, 6459 lbs. (2930 kg) (CV14526 AWD models only.)
- Steering, power, constant effort
- Suspension, Ride and Handling
- Transmission, 6-speed automatic (Included and only available with CV14526 AWD models.)

SAFETY

- Air bags, front passenger air bag suppression (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Air bags, frontal and side-impact for driver and front passenger, driver inboard seat-mounted side-impact and head curtain side-impact for all rows in outboard seating positions (Always
 use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Daytime Running Lamps
- · Door locks, rear child security
- Horn, dual-note
- OnStar Basic plan for 5 years includes limited vehicle mobile app features, Monthly Diagnostics Report and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery and is transferable. Does not include Emergency, Security or Navigation services.)
- OnStar Guidance plan for 6 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) for 3 months, including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Fleet orders receive a 6-month trial. Visit www.onstar.com for coverage map, details and system limitations. Services vary by model. OnStar acts as a link to existing emergency service providers. Not all vehicles may transmit all crash data.)
- Rear Vision Camera display integrated into Color Touch Radio
- StabiliTrak, stability control system
- Tire Pressure Monitoring System (Does not monitor spare.)
- Traction control

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8 x 1.1in
 Rear Brake Rotor Diam x Thickness 13.0 x 0.8in
- Rear Brake Rotor Diam X Inickn
 Dear Draw Diam X Width in
- Rear Drum Diam x Width in



Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 116.3ftÅ³
- Cargo Volume to Seat 2 70.3ftÅ³
 Cargo Volume to Seat 2 24 4ftÅ³
- Cargo Volume to Seat 3 24.4ftÂ³

Cooling System

• Total Cooling System Capacity 11.8qts

Electrical

- Cold Cranking Amps @ 0Ű F (Primary) 660
- Maximum Alternator Capacity (amps) 170

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 10.4

Engine

- Displacement 3.6L/217
- Engine Order Code LLT
- Engine Type Gas V6
- Fuel System Direct Injection
 SAE Not Horsenwar @ RPM 281 @ 620
- SAE Net Horsepower @ RPM 281 @ 6300
 SAE Net Torque @ RPM 266 @ 3400

Exterior Dimensions

- Height, Overall 69.90in
- Length, Overall 203.70in
- Liftover Height N/Ain
- Min Ground Clearance 7.20in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.30in
- Track Width, Rear 67.10in
- Wheelbase 118.90in
- Width, Max w/o mirrors 78.50in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 22.0gal

Interior Dimensions

- Front Head Room 40.40in
- Front Hip Room 58.00in
- Front Leg Room 41.30in
- Front Shoulder Room 61.50in
- Passenger Capacity 7
- Passenger Volume 150.8ftÅ³
- Second Head Room 39.40in
- Second Hip Room 57.80in
- Second Leg Room 36.80in
- Second Shoulder Room 61.00in
- Third Head Room 37.80in
- Third Hip Room 48.30in
- Third Leg Room 33.20in
- Third Shoulder Room 57.60in

Mileage

• Cruising Range - City 330.00mi



- Cruising Range Hwy 484.00mi
- EPA Fuel Economy Est City 15MPG .
- EPA Fuel Economy Est Hwy 22MPG •
- EPA MPG Equivalent City N/A •
- EPA MPG Equivalent Combined N/A ٠
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 17MPG

Steering

- Lock to Lock Turns (Steering) 2.89
- Steering Ratio (:1), Overall 16.1
- Steering Type Pwr Rack-&-Pinion .
- ٠ Turning Diameter - Curb to Curb 40.4ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain ٠
- Suspension Type Front (Cont.) w/Coil Springs ٠
- Suspension Type Front Coil-Over Strut ٠
- Suspension Type Rear (Cont.) w/Coil Springs •
- Suspension Type Rear Linked H-Arm

Tires

- Front Tire Order Code QQD
- Front Tire Size P255/55R20
- Rear Tire Order Code QQD ٠
- Rear Tire Size P255/55R20
- Spare Tire Order Code QD6
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 520lbs
- Dead Weight Hitch Max Trailer Wt. 5200lbs
- ٠ Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch Max Tongue Wt. 520lbs ٠
- Wt Distributing Hitch Max Trailer Wt. 5200lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00 •
- Final Drive Axle Ratio (:1) 3.16 •
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87 ٠
- Sixth Gear Ratio (:1) 0.74 ٠
- Third Gear Ratio (:1) 1.84 .
- **Trans Description Cont. Again** ٠
- Trans Description Cont. Automatic •
- Trans Order Code M7X ٠
- Trans Type 6 .
- Transfer Case Gear Ratio (:1), High .
- Transfer Case Gear Ratio (:1), Low

Vehicle

• EPA Classification 4WD Sport Utility Vehicle

Weight Information

- Base Curb Weight 4956lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs •
- Curb Weight N/Albs ٠
- Maximum Payload Capacity N/Albs



• Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 x 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 x 7.5in
- Spare Wheel Material Steel
 Spare Wheel Size 17 x TRD in
- Spare Wheel Size 17 x TBD in