NADA New Cars/Trucks

800 lilac drive golden valley, MN 55422 763 522 2000

R. W.W.

Vehicle Information

New Cars/Trucks Values

Date:	March 27, 2019
Vehicle:	2018 Buick Enclave Utility 4D Essence AWD 3.6L V6
VIN:	5GAEVAKW6JJ210260
Weight:	4,605

Powered by Chrome Data	Base	Options	Destination	Adjusted Value	
Base MSRP \$4	46,300	\$1,795	\$995	\$49,090	
NADA New Vehicle Values					
High \$4	44,699	\$1,733	\$995	\$47,427	
Optional Equipment	luur la s	MODD			
MOONROOF, FRONT POWER SLIDING	Invoice \$1274.00	MSRP \$1400.00			
transparent glass with rear fixed skylight Code: C3U	•	•			
EMISSIONS, FEDERAL REQUIREMENTS	\$0.00	\$0.00			
Code: FE9					
ENGINE, 3.6L V6, SIDI, VVT STOP/START	\$0.00	\$0.00			
(310 hp [231 kW] @ 6800 rpm, 266 lb-ft of torque [359	ФОЕО 4 Е	¢205.00			
SATIN STEEL METALLIC	\$359.45	\$395.00			
Includes Pitch Dark Night lower exterior accent color. Not available with 1SV.) (Additional charge - premium paint. No charge on 1SP. Code: G9K					
STANDARD PAINT	\$0.00	\$0.00			
Code: -PAINT					
ESSENCE PREFERRED EQUIPMENT GROUP	\$0.00	\$0.00			
Includes Standard Equipment Code: 1SL AUDIO SYSTEM, BUICK INFOTAINMENT SYSTEM, AM/FM STEREO, SIRIUSXM,					
WITH 8" DIAGONAL COLOR TOUCH SCREEN	\$0.00	\$0.00			
includes 2 USB ports inside center console, Bluetooth and Phone Integration for Apple CarPlay and Android					
(STD) Code: IO5					
DARK GALVANIZED, PERFORATED LEATHER-A	\$0.00	\$0.00			
with Ebony interior accents Code: HKE	\$ 0.00	\$ 0.00			
SEATS, FRONT BUCKETS	\$0.00	\$0.00			
	\$0.00	\$0.00			
TIRES, 255/65R18 SL, ALL-SEASON, BLACKWAI (STD) Code: QO6	φ0.00	φ0.00			
TRANSMISSION, 9-SPEED AUTOMATIC	\$0.00	\$0.00			
(STD) Code: M3W	÷0.00	~ • • • • •			
WHEELS, 18 " (45.7 CM) ALUMINUM, PAINTED	\$0.00	\$0.00			

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



3/27/2019

MSRP

Invoice



(STD) Code: RQK

Standard Equipment

ENTERTAINMENT

- Active Noise Cancellation
- Audio system feature, 6-speaker system
- Audio system feature, USB ports 6 total, first row includes 1 auxiliary, dual USB (1Amp charge and data); 2nd row includes dual USB charging (2.1 Amps); 3rd row includes dual USB charging in rear outboard positions
- Audio system, Buick Infotainment System, AM/FM stereo, SiriusXM, with 8" diagonal Color Touch Screen includes 2 USB ports inside center console, Bluetooth streaming for audio and select phones and Phone Integration for Apple CarPlay and Android Auto capability for compatible phone
- Buick 4G LTE and available built in Wi Fi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first); EFFECTIVE WITH RETAIL SALES STARTING 5/1/2018. (Available Wi Fi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.)
- QuietTuning Buick process to reduce, block and absorb noise and vibration utilizing ultra dissipative acoustic materials and Active Noise Cancellation to create a quiet interior cabin
 SiriusXM Satellite Radio is standard on nearly all 2018 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

EXTERIOR

- Door handles, body-color with chrome insert
- Glass, deep tinted
- Grille, front shutters, active upper and lower
- Headlamp control, automatic on and off
- Headlamps, LED, includes LED Buick Evonik signature accents with LED bi-functional projector, side marker and reflex, and LED Park lamp in fascia
- Lamps, turn signal indicator
- Liftgate, power, hands free with projected logo (Buick tri shield)
- Mirrors, outside heated power-adjustable, manual-folding and driver-side auto-dimming, body-color with integrated turn signal indicators
- Moldings, bodyside, bright, chrome
- · Moldings, rocker panel, unique accent color
- Roof rails, bright aluminized, integrated
- Spoiler, rear
- Tire, compact spare, T135/70R18, blackwall
- Tires, 255/65R18 SL, all-season, blackwall
- Wheel, spare, 18" x 4.5" (45.7 cm x 11.4 cm) steel
- Wheels, 18 " (45.7 cm) aluminum, painted
- Windshield, acoustic laminated
- Wiper, rear intermittent with washer
- Wipers, front intermittent

INTERIOR

- Air cleaner, ionizing
- Air conditioning, rear
- Air conditioning, refrigerant
- Air conditioning, tri-zone automatic climate control with individual climate settings for driver, right front passenger and rear seat occupants
- Air filtration system
- Compass display (located in the Driver Information Center)
- Cruise control
- Defogger, rear-window electric
- Door locks, power programmable with lockout protection
- Driver Information Center enhanced, 4.2" multi-color display, includes speed and trip odometer, fuel economy and range, oil life, tire pressure, battery voltage and timer
- Engine oil indicator
- Floor mats, all three rows
- Glovebox, passenger-side of instrument panel
- Head restraint, rear center seat
- Head restraints, front, adjustable (up/down)
- Instrumentation includes Driver Information Center, tachometer, speedometer, fuel, coolant temperature, battery, gear selector, outside air temperature and (U80) compass display
- Instrumentation, analog with mpg speedometer and tachometer
- Interactive Drive Control System includes Stability Control Button and AWD Button (Includes Tow/Haul button when (V92) Trailering Package is ordered.)
- Keyless Open
- Keyless Start
- Mirror, inside rearview auto-dimming
- Remote panic alarm
- Remote vehicle starter system extended range
- Seat adjuster, driver 8-way power
- Seat adjuster, front passenger, 6-way power
- Seat adjuster, power driver lumbar control
- Seat adjuster, power passenger lumbar control
- Seat, rear 60/40 split-folding third row bench, manual folding

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power



- Seating, 7-passenger (2-2-3 seating configuration), includes 2nd row 40/40 Captains chairs with armrests featuring left seat fore/aft adjustment, right seat Pitch Slide for 3rd row
 access with fore/aft adjustment and 3rd row 60/40 split bench
- Seats, front buckets
- Seats, heated driver and front passenger
- Sensor, cabin humidity
- Sill plates, bright
- Steering column, tilt and telescoping
- Steering wheel controls, mounted audio controls
- Steering wheel, leather-wrapped
- Steering, power, electric
- Storage system, rear cargo area under floor
- Theft-deterrent system vehicle, PASS-Key III, engine immobilizer with content theft alarm
- Universal Home Remote, includes garage door opener, 3-channel programmable
- Visors, driver and front passenger illuminated vanity mirrors
- Windows, power driver with Express-Up/Down, front and rear passenger Express-Down

MECHANICAL

- Alternator, 170 amps
- Axle, 3.49 final drive ratio
- Brake, parking, electronic
- Brakes, 4-wheel antilock, 4-wheel disc
- Chassis, All-Wheel Drive System with Driver Select
- Electronic Precision Shift
- Emissions, evaporative system, level 3
- Engine, 3.6L V6, SIDI, VVT stop/start (310 hp [231 kW] @ 6800 rpm, 266 lbft of torque [359 N-m] @ 2800 rpm)
- Exhaust, dual-outlet stainless-steel with bright tips integrated in fascia
- GVWR, 6400 lbs. (2903 kg)
- Suspension, Premium Ride, 4-wheel independent
- Trailering provisions, 1500 lbs. (680 kg)
- Transmission, 9-speed automatic

PACKAGE

• Driver Confidence Package includes (UKC) Lane Change Alert with Side Blind Zone Alert and (UFG) Rear Cross Traffic Alert

SAFETY

- Air bags, frontal and side-impact for driver and front passenger driver inboard seat-mounted side-impact and head curtain side-impact for all rows in outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Buick Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, Buick Smart Driver, Marketplace
 and more; EFFECTIVE WITH SALES STARTING 5/1/2018. (Limitations apply. Not transferable. Standard connectivity available to original purchaser for ten years from the date of initial
 vehicle purchase for model year 2018 or newer Buick vehicles. See onstar.com for details and further plan limitations. Connected Access does not include emergency or security services.
 Availability and additional services enabled by Connected Access are subject to change.)
- · Child seat restraint system, rear facing
- Daytime Running Lamps, LED
- Door locks, rear child security lock, manual child lock system (rear door latch)
- Horn, dual-note
- Lane Change Alert with Side Blind Zone Alert
- OnStar and Buick connected services capable; EFFECTIVE WITH RETAIL SALES STARTING 5/1/2018. (Visit onstar.com for coverage map, details and system limitations. Services vary by model.)
- · Passenger Sensing System, sensor indicator inflatable restraint, front passenger/child presence detector
- Rear Cross-Traffic Alert
- Rear Park Assist, Ultrasonic with audible warning
- Rear Vision Camera
- StabiliTrak Stability Control System with roll over mitigation
- Tire Pressure Monitoring System includes Tire Fill Alert
- Traction control, full-range

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness N/Ain
- Rear Brake Rotor Diam x Thickness N/Ain
- Rear Drum Diam x Width in

Cargo Area Dimensions

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



NADA New Cars/Trucks

- Cargo Area Length @ Floor to Seat 1 in
- Cargo Area Length @ Floor to Seat 2 in
- Cargo Area Length @ Floor to Seat 3 in
- Cargo Area Width @ Beltline in
- Cargo Box (Area) Height in
- Cargo Box Width @ Wheelhousings in
- Cargo Volume to Seat 1 97.6ftÂ³
- Cargo Volume to Seat 2 58.0ftÅ³
- Cargo Volume to Seat 3 23.6ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 170

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.8

Engine

- Displacement 3.6L/217
- Engine Order Code LFY
- Engine Type Gas V6
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 310 @ 6800
- SAE Net Torque @ RPM 266 @ 2800

Exterior Dimensions

- Height, Overall 69.6in
- Length, Overall 204.3in
- Liftover Height in
- Min Ground Clearance 7.7in
- Rear Door Opening Height in
- Rear Door Opening Width in
- Track Width, Front 67.3in
- Track Width, Rear 67in
- Wheelbase 120.9in
- Width, Max w/o mirrors 78.8in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 22gal

Interior Dimensions

- Front Head Room N/Ain
- Front Hip Room 59.1in
- Front Leg Room 41.2in
- Front Shoulder Room 62.4in
- Passenger Capacity 7
- Passenger Volume N/AftÂ³
- Second Head Room N/Ain
- Second Hip Room 57.7in
- Second Leg Room 38.9in
- Second Shoulder Room 61.7in
- Third Head Room 37.6in
- Third Hip Room 48.5in
 Third Leg Room 33.5in
- Third Leg Room 33.5inThird Shoulder Room 57.3in
- Inira Shoulder Room 57.3ir

Mileage

- Cruising Range City 374.00mi
- Cruising Range Hwy 550.00mi
- EPA Fuel Economy Est City 17MPG
- EPA Fuel Economy Est Hwy 25MPG



- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A .
- EPA MPG Equivalent Hwy N/A •
- Fuel Economy Est-Combined 20MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- **Steering Type Pwr Rack & Pinion** Turning Diameter - Curb to Curb 39.0ft
- Turning Diameter Wall to Wall ft
- Suspension
 - Shock Absorber Diameter Front N/Amm
 - Shock Absorber Diameter Rear N/Amm
 - Stabilizer Bar Diameter Front N/Ain ٠
 - Stabilizer Bar Diameter Rear N/Ain . ٠
 - Suspension Type Front (Cont.) Suspension Type - Front MacPherson Strut ٠
 - Suspension Type Rear (Cont.) N/A
 - Suspension Type Rear 5-link .

Tires

- Front Tire Order Code QO6
- Front Tire Size P255/65R18 •
- Rear Tire Order Code QO6 .
- Rear Tire Size P255/65R18 ٠ .
- Spare Tire Order Code ZCD • Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 450lbs
 Dead Weight Hitch Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch Max Tongue Wt. 450lbs
- Wt Distributing Hitch Max Trailer Wt. 4500lbs .

Transmission

- Clutch Size in
- Drivetrain All Wheel Drive ٠
- Eighth Gear Ratio (:1) N/A ٠
- Fifth Gear Ratio (:1) N/A ٠
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) N/A •
- Fourth Gear Ratio (:1) N/A
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) N/A •
- Second Gear Ratio (:1) N/A •
- Seventh Gear Ratio (:1) N/A •
- Sixth Gear Ratio (:1) N/A ٠
- Third Gear Ratio (:1) N/A .
- **Trans Description Cont. Again** ٠
- Trans Description Cont. Automatic •
- Trans Order Code M3W ٠
- . Trans Type 9
- Transfer Case Gear Ratio (:1), High N/A .
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification 4WD Sport Utility Vehicle

Weight Information

- Base Curb Weight 4568lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs •
- Curb Weight N/Albs ٠
- Maximum Payload Capacity N/Albs



• Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 x TBD-in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 x -TBD-in
 Shore Wheel Material Steel
- Spare Wheel Material Steel
 Spare Wheel Size 18 x -TBD-in