



800 lilac drive golden valley, MN 55422 763 522 2000

Vehicle Information

Date: March 28, 2019

Vehicle: 2019 Nissan Pathfinder Utility 4D SV 4WD 3.5L V6

VIN: 5N1DR2MMXKC581312

Weight: 4,448



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$35,960	N/A	\$1,045	\$37,005
NADA New Vehicle Values				
High	\$34,797	N/A	\$1,045	\$35,842
Optional Equipment				
ориони данринене			Invoice	MSRP
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
GLACIER WHITE			\$0.00	\$0.00
Code: QAK				
CHARCOAL, CLOTH SEATING SURFACES	3		\$0.00	\$0.00
Code: G-0				

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- 6-Speaker Audio System
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: AM/FM/CD Audio System w/NissanConnect-inc: 6 speakers, 8" color display w/multi-touch control, HD Radio, SiriusXM satellite radio, USB connection ports (2 type A) for iPod interface and other compatible devices, SiriusXM Travel Link (weather, fuel prices, movie listings, stock info and sports), Bluetooth hands-free phone system and streaming audio via Bluetooth
- Window Grid And Fixed Antenna

EXTERIOR

- Black Bodyside Cladding
- Black Grille w/Chrome Surround
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper w/Chrome Bumper Insert and 1 Tow Hook
- Body-Colored Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Door Handles
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels



- Liftgate Rear Cargo Access
- Lip Spoiler
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 235/65R18 All-Season
- Wheels: 18" x 7.5 J Machined Aluminum-Alloy-inc: Medium metallic gray finish

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 6040 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Seating Surfaces
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Bench 3rd Row Seat Front, Manual Recline, Manual Fold Into Floor and 2 Fixed Head Restraints
- FOB Controls -inc: Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Bucket Seats inc: 8-way power driver's seat w/manual lumbar support and 4-way manual front passenger seat
- Front Center Armrest w/Storage and Rear Center Armrest w/Storage
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shift Knob
- · Leather Steering Wheel
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning

MECHANICAL

- 150 Amp Alternator
- 19.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 5.25 Axle Ratio
- 63-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Brake Actuated Limited Slip Differential
- Electro-Hydraulic Power Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.5L DI V6



- Front And Rear Anti-Roll Bars
- **Gas-Pressurized Shock Absorbers**
- GVWR: 5,986 lbs.
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode and Oil Cooler
- Transmission: Xtronic CVT

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Automatic Emergency Braking (AEB) and Rear Cross Traffic Alert (RCTA)
- Blind Spot Warning (BSW) Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- **Dual Stage Driver And Passenger Front Airbags**
- **Dual Stage Driver And Passenger Seat-Mounted Side Airbags**
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- **Rear Child Safety Locks**
- **Rear Parking Sensors**
- RearView Monitor Back-Up Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
 Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes • Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 78.9in
- Cargo Area Length @ Floor to Seat 2 51.1in
- Cargo Area Length @ Floor to Seat 3 19.8in
- Cargo Area Width @ Beltline 45.9in
- Cargo Box (Area) Height 31.4in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 79.5ftÂ3
- Cargo Volume to Seat 2 47.4ftÂ3
- Cargo Volume to Seat 3 16.2ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.5 L/213
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection



- SAE Net Horsepower @ RPM 284 @ 6400
- SAE Net Torque @ RPM 259 @ 4400

Exterior Dimensions

- · Height, Overall 69.5in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.7in
- Track Width, Rear 65.7in
- Wheelbase 114.2in
- Width, Max w/o mirrors 77.3in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.5gal

Interior Dimensions

- Front Head Room 42.2in
- Front Hip Room 56.8in
- Front Leg Room 42.2in
- Front Shoulder Room 60.9in
- Passenger Capacity 7
- Passenger Volume 137.8ftÂ³
- Second Head Room 39.4in
- Second Hip Room 56in
- Second Leg Room 41.7in
- Second Shoulder Room 60.4in
- Third Head Room 37.8in
- Third Hip Room 42in
- Third Leg Room 30.7in
- Third Shoulder Room 57.1in

Mileage

- Cruising Range City 370.50mi
- Cruising Range Hwy 507.00mi
- **EPA Fuel Economy Est City 19MPG**
- EPA Fuel Economy Est Hwy 26MPG
 EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.7ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain Suspension Type - Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65TR18
- Rear Tire Order Code
- Rear Tire Size P235/65TR18



- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 600lbs
- Dead Weight Hitch Max Trailer Wt. 6000lbs
- Maximum Trailering Capacity 6000lbs
- Wt Distributing Hitch Max Tongue Wt. 600lbs
- Wt Distributing Hitch Max Trailer Wt. 6000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Final Drive Axle Ratio (:1) 5.25
- First Gear Ratio (:1) 2.41 0.38
- Reverse Ratio (:1) 2.31
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4448lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin