



Vehicle Information


Date: October 19, 2018
Vehicle: 2015 GMC Light Duty Yukon XL 1500 Utility 4D Denali 4WD
 6.2L V8
VIN: 1GKS2JKJ1FR508713
Weight: 5,981

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$70,220	\$2,165	\$1,195	\$73,580
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
SEATS, SECOND ROW 60/40 SPLIT-FOLDING BENCH power configurable Code: ATT	\$0.00	\$0.00
DVD SCREEN, THIRD ROW (Included and only available with (U42) Entertainment system.) Code: DNU	\$0.00	\$0.00
ENGINE BLOCK HEATER Code: K05	\$68.25	\$75.00
ENHANCED SECURITY PACKAGE includes (UTR) self-powered horn, (UTV) interior movement and (UTU) vehicle inclination sensors, door lock shields and glass break sensors in rear quarter glass and liftgate window; removes sunglass holder and conversation mirror from overhead console Code: UTT	\$359.45	\$395.00
ENTERTAINMENT SYSTEM, REAR SEAT BLU-RAY/DVD with remote control, overhead display, four 2-channel wireless infrared headphones and auxiliary audio/video input jacks/SD and USB slots, includes second screen for third row passengers (Included with (PCJ) Open Road Package. Replaces (TG5) CD player. Yukon XL models produced before November 5, 2014, included only two 2-channel wireless infrared headphones.) Code: U42	\$1542.45	\$1695.00
REAR AXLE, 3.23 Code: GU5	\$0.00	\$0.00
EMISSIONS, FEDERAL REQUIREMENTS Code: FE9	\$0.00	\$0.00
ENGINE, 6.2L ECOTEC3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction, (420 hp [313 kW] @ 5600 rpm, 460 lb-ft of torque [624 N-m] @ 4100 rpm) (STD) Code: L86	\$0.00	\$0.00
IRIDIUM METALLIC Code: GXG	\$0.00	\$0.00
SOLID PAINT Code: ZY1	\$0.00	\$0.00



	Invoice	MSRP
DENALI PREFERRED EQUIPMENT GROUP	\$0.00	\$0.00
Includes Standard Equipment Code: 5SA		
AUDIO SYSTEM, 8" DIAGONAL COLOR TOUCH SCREEN NAVIGATION WITH INTELLILINK	\$0.00	\$0.00
includes New text message alerts and Siri Eyes Free functionality through voice command, AM/FM/SiriusXM/HD with USB ports, auxiliary jack, SD card slot, Bluetooth streaming audio for music and most phones, hands-free smartphone integration, Pandora Internet radio and voice-activated technology for radio and phone, and an articulating screen with hidden storage. Includes 5 USB ports, 1 auxiliary jack and 1 SD card reader (STD) (See "gmttotalconnect.com" for phone compatibility information.) Code: IO6		
2015 INTERIM PROCESSING CODE	\$0.00	\$0.00
(Required on all interim models produced starting in October 2014.) Code: AVF		
COCO/DARK ATMOSPHERE, PERFORATED LEATHER-APPOINTED SEAT TRIM	\$0.00	\$0.00
Code: H4W		
SEATS, PERFORATED, LEATHER-APPOINTED, FULL-FEATURE RECLINING BUCKET	\$0.00	\$0.00
with 12-way power driver and front passenger seat adjuster, including 6 way power driver and passenger, 2 way power recline. 4 way power lumbar for driver and passenger, heat/cool with memory (no memory lumbar) (STD) Code: AN3		
TIRES, P275/55R20 ALL-SEASON, BLACKWALL	\$0.00	\$0.00
(STD) Code: QSS		
TRANSMISSION, 8-SPEED AUTOMATIC	\$0.00	\$0.00
(STD) (Only on vehicles built after 10-5-14.) Code: M5U		
WHEELS, 20" X 9" (50.8 CM X 22.9 CM) ULTRA BRIGHT MACHINED ALUMINUM	\$0.00	\$0.00
(STD) Code: NZG		

Standard Equipment

ENTERTAINMENT

- Active Noise Cancellation
- Antenna, integral in rear quarter glass
- Audio system feature, Bose Centerpoint Surround Sound premium 10-speaker system
- Audio system feature, CD player (Replaced by (U42) rear seat entertainment system when (U42) is ordered.)
- Audio system, 8" Diagonal Color Touch Screen Navigation with IntelliLink includes New text message alerts and Siri Eyes Free functionality through voice command, AM/FM/SiriusXM/HD with USB ports, auxiliary jack, SD card slot, Bluetooth streaming audio for music and most phones, hands-free smartphone integration, Pandora Internet radio and voice-activated technology for radio and phone, and an articulating screen with hidden storage. Includes 5 USB ports, 1 auxiliary jack and 1 SD card reader (See "gmttotalconnect.com" for phone compatibility information.)
- Audio system, SiriusXM and HD Radio SiriusXM Satellite Radio is standard on nearly all 2015 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus you can listen to SiriusXM Internet Radio everywhere on your computer, smartphone or tablet. Welcome to the world of SiriusXM (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)
- SiriusXM Satellite Radio is standard on nearly all 2015 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus you can listen to SiriusXM Internet Radio everywhere on your computer, smartphone or tablet. Welcome to the world of SiriusXM (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)
- Wireless charging (Only on vehicles built after 10-5-14. Not compatible with all phones. Compliant batteries include Qi and PMA technologies. Reference Mobile devices manual to confirm what type of battery it uses.)

EXTERIOR

- Assist steps, Black with chrome strip
- Fog lamps
- Headlamps, projector beam, high intensity discharge
- Liftgate, power, hands free (Only on vehicles built after 10-5-14.)
- Luggage rack, roof-mounted black (Includes bright accent.)
- Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming, body-color with integrated turn signal indicators and ground illumination.
- Moldings, body-color body-side with bright inserts
- Tire carrier, lockable outside spare winch-type mounted under frame at rear
- Tire, spare P265/70R17 all-season, blackwall
- Tires, P275/55R20 all-season, blackwall
- Wheel, full-size spare 17" (43.2 cm) steel



Licensed to J.D. Power

- Wheels, 20" x 9" (50.8 cm x 22.9 cm) ultra bright machined aluminum
- Windshield style, acoustic laminated glass
- Wiper, rear
- Wipers, front rain-sensing, intermittent

INTERIOR

- Assist handles, all seats
- Cargo net
- Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers
- Console, floor with storage area, cup holders, SD card slot and auxiliary jack
- Cruise control, electronic with set and resume speed
- Defogger, rear-window electric
- Display, driver, 8" customizable
- Door locks, power programmable with lockout protection
- Floor covering, color-keyed carpeting
- Floor mats, color-keyed carpeted first and second row, removable
- Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure, tachometer, compass and outside temperature gauge
- Lighting, interior includes courtesy lighting with theater dimming, lighting for front and rear door handles, front and rear passenger footwells and door storage area
- Lighting, interior with dome light driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Mirror, inside rearview auto-dimming
- OnStar Basic plan for 5 years including RemoteLink Key Fob Services, OnStar Vehicle Diagnostics and Dealer Maintenance Notification (Access is available for 5 years from the date of vehicle delivery, and is transferable. Does not include emergency services. To cancel RemoteLink Key Fob Services or if your vehicle is sold, contact an OnStar Advisor. See www.onstar.com/mobile for full details.)
- OnStar with 4G LTE provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds (Visit www.onstar.com for vehicle availability, details and system limitations. Services and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some services require data plan.)
- OnStar, 6 months of Directions and Connections plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance and Turn-by-Turn Navigation (Visit www.onstar.com for vehicle availability, details and system limitations. Services may vary by model and conditions.)
- Passive Entry System includes (AQQ) Remote Keyless Entry.
- Pedals, power-adjustable for accelerator and brake
- Power outlet, 110-volt, 1.1 Amp, 150 Watt
- Power outlets, 5 auxiliary, 12-volt includes outlets in the instrument panel, console, back of the console, 1 in 3rd row and 1 in the cargo area.
- Remote vehicle start includes extended range Remote Keyless Entry
- Seats, heated and cooled driver and front passenger seat cushions and seat backs with perforated leather-appointed seating
- Seats, heated second row
- Seats, perforated, leather-appointed, full-feature reclining bucket with 12-way power driver and front passenger seat adjuster, including 6 way power driver and passenger, 2 way power recline. 4 way power lumbar for driver and passenger, heat/cool with memory (no memory lumbar)
- Seats, second row bucket, power
- Seats, third row 60/40 split-bench power folding
- Steering column, power tilt and telescopic
- Steering wheel controls, mounted audio controls cruise controls, Driver Information Center controls and OnStar Hands-Free calling
- Steering wheel, Deluxe
- Steering wheel, heated, leather-wrapped
- Steering wheel, leather-wrapped
- Theft-deterrent system, electrical, unauthorized entry
- Theft-deterrent system, vehicle, PASS-Key III
- Universal Home Remote includes garage door opener, programmable
- Windows, power all express down, front express up

MECHANICAL

- 4-wheel drive
- Air cleaner, high-capacity
- Alternator, 170 amps
- Brakes, VAC power, with VSES
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator
- Differential, heavy-duty locking rear
- Engine, 6.2L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction, (420 hp [313 kW] @ 5600 rpm, 460 lb-ft of torque [624 N-m] @ 4100 rpm)
- Exhaust, aluminized stainless-steel muffler and tailpipe
- GVWR, 7500 lbs. (3402 kg) (Not available on 2WD models.)
- Hill Start Assist Brakes
- Keyless start, push button start
- Powertrain grade braking
- Rear axle, 3.23
- Steering, power
- Suspension Package, Magnetic Ride Control
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Tools, mechanical jack and wheel wrench stored in rear quarter trim
- Tow/haul mode selector, button located at end of shift lever
- Trailer brake controller, integrated
- Trailering equipment, heavy-duty includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
- Transfer case, active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing. (Requires 4WD.)
- Transmission, 8-speed automatic (Only on vehicles built after 10-5-14.)



PACKAGE

- Driver alert Package includes Forward Collision Alert and Lane Departure Warning and Safety Alert Seat
- Memory Package Memory for driver seat, steering column and outside rearview mirrors and pedals

PROCESSING-OTHER

- 2015 Interim Processing Code (Required on all interim models produced starting in October 2014.)

SAFETY

- Air bags, frontal and side-impact for driver and front passenger driver inboard seat-mounted side-impact and head curtain side-impact for all rows in outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Brake Assist designed to assist the driver in stopping or decreasing vehicle speed
- Brakes, 4-wheel antilock, 4-wheel disc
- Daytime Running Lamps, with automatic exterior lamp control
- LATCH system (Lower Anchors and Top tethers for Children), for child safety seats; lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions
- Parking assist front and rear
- Passenger Sensing System sensor indicator inflatable restraint, front passenger/child presence detector (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Rear Cross-Traffic Alert
- Rear Vision Camera
- Safety Alert Seat
- Side Blind Zone Alert with Lane Change Alert
- StabiliTrak, stability control system with brake assist, includes traction control
- Tire Pressure Monitor System (does not apply to spare tire)

Technical Specifications

Brakes

- Brake ABS System (Second Line)
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.0 x 1.2in
- Rear Brake Rotor Diam x Thickness 13.6 x 0.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Console N/Ain
- Cargo Area Length @ Floor to Seat 1 100.30in
- Cargo Area Length @ Floor to Seat 2 63.60in
- Cargo Area Length @ Floor to Seat 3 31.60in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 34.92in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 121.1ft³
- Cargo Volume to Seat 2 76.7ft³
- Cargo Volume to Seat 3 38.9ft³
- Cargo Volume to Seat 4 ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System


- Total Cooling System Capacity N/Aqts

Doors

- Side Door Type

Electrical

- Cold Cranking Amps @ 0Å° F (2nd)



- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 170

Emissions

- EPA Greenhouse Gas Score 3
- Tons/yr of CO2 Emissions @ 15K mi/year 11.3

Engine

- Displacement 6.2L/378
- Engine Oil Cooler
- Engine Order Code L86
- Engine Type Gas V8
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 420 @ 5600
- SAE Net Torque @ RPM 460 @ 4100

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 7.91in
- Ground Clearance, Rear 7.91in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 34.13in
- Height, Overall 74.40in
- Length, Overall N/Ain
- Length, Overall w/rear bumper 224.30in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Side Door Opening Height in
- Side Door Opening Width in
- Step Up Height - Front N/Ain
- Step Up Height - Side N/Ain
- Wheelbase 130.00in
- Width, Max w/o mirrors 80.00in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type Ladder
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx gal
- Aux Fuel Tank Location
- Fuel Tank Capacity, Approx 31.0gal
- Fuel Tank Location

Interior Dimensions

- Front Head Room 42.80in
- Front Hip Room 60.80in
- Front Leg Room 45.30in
- Front Shoulder Room 64.80in
- Passenger Capacity 8
- Second Head Room 39.10in
- Second Hip Room 60.30in
- Second Leg Room 39.70in
- Second Shoulder Room 65.10in
- Third Head Room 38.50in
- Third Hip Room 49.30in
- Third Leg Room 34.50in
- Third Shoulder Room 62.60in



Mileage

- Cruising Range - City 434.00mi
- Cruising Range - Hwy 620.00mi
- EPA Fuel Economy Est - City 14MPG
- EPA Fuel Economy Est - Hwy 20MPG
- Fuel Economy Est-Combined 16MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center 17.8
- Steering Ratio (:1), Overall N/A
- Steering Type Pwr Rack & Pinion
- Turning Diameter - Curb to Curb 39.0ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front 3925lbs
- Axle Capacity - Rear 4200lbs
- Axle Ratio (:1) - Front 3.42
- Axle Ratio (:1) - Rear 3.23
- Axle Type - Front Independent
- Axle Type - Rear Semi-floating
- Shock Absorber Diameter - Front 46.0mm
- Shock Absorber Diameter - Rear 46.0mm
- Spring Capacity - Front 3600lbs
- Spring Capacity - Rear 4100lbs
- Stabilizer Bar Diameter - Front 1.41in
- Stabilizer Bar Diameter - Rear in
- Suspension Type - Front Coil-Over Shock
- Suspension Type - Rear Multi-link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code QSS
- Front Tire Size P275/55R20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code QSS
- Rear Tire Size P275/55R20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code ZRS
- Spare Tire Size P265/70R17

Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity lbs
- Wt Distributing Hitch - Max Tongue Wt. 780lbs
- Wt Distributing Hitch - Max Trailer Wt. 7800lbs

Transmission

- Clutch Size in
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) N/A
- Fifth Gear Ratio (:1) 0.9
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.0
- Fourth Gear Ratio (:1) 1.2
- Reverse Ratio (:1) 3.1
- Second Gear Ratio (:1) 2.4
- Seventh Gear Ratio (:1) N/A
- Sixth Gear Ratio (:1) 0.7
- Third Gear Ratio (:1) 1.5
- Trans Description Cont. Again
- Trans Description Cont. Automatic
- Trans Order Code M5U
- Trans Power Take Off



Licensed to J.D. Power

- Trans Type 8
- Transfer Case Gear Ratio (:1), High 1.00
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Magna
- Transfer Case Power Take Off

Vehicle

- Rear Door Type Liftgate

Weight Information

- As Spec'd Curb Weight 5981.00lbs
- As Spec'd Payload 1519.00lbs
- Curb Weight - Front 2990lbs
- Curb Weight - Rear 2991lbs
- Curb Weight 5981.00lbs
- Gross Axle Weight Rating 7900.00lbs
- Gross Axle Wt Rating - Front 3600lbs
- Gross Axle Wt Rating - Rear 4300lbs
- Gross Combined Wt Rating 14000lbs
- Gross Vehicle Weight Rating 7500.00lbs
- Maximum Payload Capacity 1519.00lbs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 610.00lbs
- Reserve Axle Capacity - Rear 1309.00lbs
- Reserve Axle Capacity 1919.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 x 9.0in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 x 9.0in
- Spare Wheel Material Aluminum
- Spare Wheel Size 17 x 7.0in