



Vehicle Information

Date: April 19, 2019
Vehicle: 2016 Mazda CX5 Utility 4D Touring AWD 2.5L I4 Auto
VIN: JM3KE4CYXG0895338
Weight: 3,589



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$26,515	\$575	\$900	\$27,990

NADA New Vehicle Values

	High			
	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
SOUL RED METALLIC PAINT Code: JCR	\$267.00	\$300.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
ROOF RACK SIDE RAILS (PIO) Code: RCK	\$220.00	\$275.00
SOUL RED METALLIC Code: 41V	\$0.00	\$0.00
2016.5 MODEL YEAR Code: -MY	\$0.00	\$0.00
BLACK, CLOTH SEAT TRIM Code: KC3	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Integrated Roof Antenna
- Radio w/Seek-Scan, Steering Wheel Controls and Radio Data System
- Radio: AM/FM/CD/HD Modular Audio System w/6 Spkrs-inc: 7" full-color touch-screen display, Automatic Level Control (ALC), MP3 capability, digital clock, audio menu voice-command, auxiliary audio input jack, Bluetooth hands free phone and audio, multi-function Commander Control, satellite radio-compatible audio system (requires additional dealer-installed hardware), and USB audio input, MAZDA CONNECT Infotainment System, Aha Internet Radio, Pandora Internet Radio, Infotainment System Voice Command, E911 Automatic Emergency Notification, Stitcher Internet Radio, Radio Broadcast Data System Program Information, SMS Text Msg Audio Delivery & Reply, Mazda Navigation System

EXTERIOR

- Auto Off Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Accents
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass



Licensed to J.D. Power

- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17 AS
- Variable Intermittent Wipers
- Wheels: 17 x 7J Aluminum Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 40-20-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 6-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- Air Filtration
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- Heated Front Sport Shape Seats -inc: 6-way power adjustable driver's seat w/manual lumbar support and manual passenger seat height adjuster
- HVAC -inc: Underseat Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Integrated Navigation System
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access and Mechanical Fuel
- Seats w/Cloth Back Material
- Selective Service Internet Access
- Smart Device Integration
- Trip Computer

MECHANICAL

- 100 Amp Alternator
- 15.3 Gal. Fuel Tank
- 4.62 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L SKYACTIV-G DOHC 16-Valve 4-Cylinder
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,566 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher



- Strut Front Suspension w/Coil Springs
- Transmission: 6-Speed SKYACTIV-DRIVE Automatic-inc: manual-mode and sport function

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Mazda Connect Emergency Sos
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Collision Warning
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.7in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 38.7in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 57.1in
- Cargo Box (Area) Height 34.6in
- Cargo Box Width @ Wheelhousings 41.3in
- Cargo Volume to Seat 1 65.4ft³
- Cargo Volume to Seat 2 34.1ft³
- Cargo Volume to Seat 3 34.1ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 100

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.8

Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 184 @ 5700
- SAE Net Torque @ RPM 185 @ 3250

Exterior Dimensions

- Height, Overall 65.7in



Licensed to J.D. Power

- Length, Overall N/Ain
- Lifter Height N/Ain
- Min Ground Clearance 8.5in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.4in
- Track Width, Rear 62.5in
- Wheelbase 106.3in
- Width, Max w/o mirrors 72.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.3gal

Interior Dimensions

- Front Head Room 40.1in
- Front Hip Room 55.2in
- Front Leg Room 41in
- Front Shoulder Room 57.5in
- Passenger Capacity 5
- Passenger Volume 103.8ft³
- Second Head Room 39in
- Second Hip Room 53.7in
- Second Leg Room 39.3in
- Second Shoulder Room 55.5in

Mileage

- Cruising Range - City 367.20mi
- Cruising Range - Hwy 459.00mi
- EPA Fuel Economy Est - City 24MPG
- EPA Fuel Economy Est - Hwy 30MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 26MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 36.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P225/65HR17
- Rear Tire Order Code
- Rear Tire Size P225/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 200lbs
- Dead Weight Hitch - Max Trailer Wt. 2000lbs
- Maximum Trailer Capacity 2000lbs
- Wt Distributing Hitch - Max Tongue Wt. 200lbs
- Wt Distributing Hitch - Max Trailer Wt. 2000lbs



Licensed to J.D. Power

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 4.62
- First Gear Ratio (:1) 3.55
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.89
- Second Gear Ratio (:1) 2.02
- Sixth Gear Ratio (:1) 0.60
- Third Gear Ratio (:1) 1.45
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3589lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin