



Vehicle Information

Date: April 15, 2019
Vehicle: 2018 Jeep Cherokee Utility 4D Limited 4WD 2.4L I4
VIN: 1C4PJMDB7JD607215
Weight: 3,953



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$31,295	N/A	\$1,445	\$32,740

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
50 STATE EMISSIONS Code: NAS-R	\$0.00	\$0.00
3.734 AXLE RATIO (STD) Code: DME	\$0.00	\$0.00
QUICK ORDER PACKAGE 24G -inc: Engine: 2.4L I4 MultiAir FlexFuel, Transmission: 9-Speed 948TE Automatic Code: 24G-R	\$0.00	\$0.00
ENGINE: 2.4L I4 MULTIAIR FLEXFUEL (STD) Code: ED6-1-R	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
VELVET RED PEARLCOAT Code: PRV	\$0.00	\$0.00
BLACK, LEATHER TRIMMED BUCKET SEATS Code: ALX9	\$0.00	\$0.00
NORMAL DUTY SUSPENSION (STD) Code: SDA	\$0.00	\$0.00
TRANSMISSION: 9-SPEED 948TE AUTOMATIC (STD) Code: DFH	\$0.00	\$0.00
WHEELS: 18" X 7" PAINTED ALUMINUM (STD) Code: WPU	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- 6 Speakers
- GPS Antenna Input
- Integrated Roof Antenna
- Integrated Voice Command w/Bluetooth
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and Uconnect External Memory Control



- Radio: Uconnect 3C w/8.4" Display
- SiriusXM Satellite Radio
- Uconnect Access

EXTERIOR

- Active Grille Shutters
- Black Bodyside Cladding and Black Fender Flares
- Black Grille w/Chrome Surround
- Black Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Chrome Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding
- Chrome Side Windows Trim
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Deep Tinted Glass
- Exterior Mirrors Courtesy Lamps
- Exterior Mirrors w/Supplemental Signals
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Headlamps w/Delay-Off
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/60R18 BSW Touring
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 18" x 7" Painted Aluminum

INTERIOR

- 1 Seatback Storage Pocket
- 12-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60/40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Leather Rear Seat w/Manual Fore/Aft
- 6-Way Passenger Seat -inc: Manual Recline, Height Adjustment, Fore/Aft Movement and Fold Flat
- 8.4" Touchscreen Display
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Covered Dashboard Storage, Driver And Passenger Door Bins
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Electronic Range Select
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Seats w/Leatherette Back Material and Power 4-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Voltmeter, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
- Heated Leather/Metal-Look Steering Wheel
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather Trimmed Bucket Seats
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm



Licensed to J.D. Power

- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Fuel
- Sentry Key Engine Immobilizer
- Systems Monitor
- Trip Computer
- Valet Function
- Vinyl Door Trim Insert

MECHANICAL

- 1000# Maximum Payload
- 15.8 Gal. Fuel Tank
- 160 Amp Alternator
- 3.734 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 600 Amp Maintenance Free Battery
- Automatic Full-Time Four-Wheel Drive
- Auxiliary Transmission Oil Cooler
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 2.4L I4 MultiAir FlexFuel
- Federal Emissions
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,500 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Normal Duty Suspension
- Permanent Locking Hubs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control
- Transmission: 9-Speed 948TE Automatic

SAFETY

- Airbag Occupancy Sensor
- and Rear Cross Path detection
- Blind-Spot Monitoring Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkSense Rear Parking Sensors
- ParkView Back-Up Camera
- Rear Child Safety Locks
- Selec-Terrain ABS And Driveline Traction Control
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2019 J.D.Power



Licensed to J.D. Power

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 41.4in
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings 36.1in
- Cargo Volume to Seat 1 58.9ft³
- Cargo Volume to Seat 2 24.6ft³
- Cargo Volume to Seat 3 24.6ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 600
- Maximum Alternator Capacity (amps) 160

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

Engine

- Displacement 2.4 L/144
- Engine Order Code ED6
- Engine Type Regular Unleaded I4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 184 @ 6400
- SAE Net Torque @ RPM 171 @ 4600

Exterior Dimensions

- Height, Overall 66.2in
- Length, Overall N/Ain
- Liftover Height 30.9in
- Min Ground Clearance 8.2in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.2in
- Track Width, Rear 61.9in
- Wheelbase 106.3in
- Width, Max w/o mirrors 73.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.8gal

Interior Dimensions

- Front Head Room 39.4in
- Front Hip Room 53.8in
- Front Leg Room 41.1in
- Front Shoulder Room 57.6in
- Passenger Capacity 5
- Passenger Volume 104.4ft³
- Second Head Room 38.5in
- Second Hip Room 49.9in
- Second Leg Room 40.3in
- Second Shoulder Room 55.1in

Mileage

- Cruising Range - City 331.80mi
- Cruising Range - Hwy 442.40mi
- EPA Fuel Economy Est - City 21MPG
- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 23MPG



Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TWS
- Front Tire Size P225/60TR18
- Rear Tire Order Code TWS
- Rear Tire Size P225/60TR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 200lbs
- Dead Weight Hitch - Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs
- Wt Distributing Hitch - Max Tongue Wt. 200lbs
- Wt Distributing Hitch - Max Trailer Wt. 2000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.58
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.73
- First Gear Ratio (:1) 4.70
- Fourth Gear Ratio (:1) 1.38
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.81
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70
- Sixth Gear Ratio (:1) 0.81
- Third Gear Ratio (:1) 1.91
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFH
- Trans Type 9
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3953lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum



Licensed to J.D. Power

- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin