

Vehicle Information

Date: Apri	l 19, 2019	
Vehicle: 2016 Land Rover Discovery Sport Utility 4D SE 4V	VD 2.0L 14	
	Turbo	
VIN: SALCP2BG1G	H556238	-
Weight:	0	



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$37,455	Options \$5,150	Destination \$995	Adjusted Value \$43,600
NADA New Vehicle Values	<i>~~</i> ,,	<i> </i>	+	<i> </i>
High	N/A	N/A	N/A	N/A
Optional Equipment				
opaona zenement			Invoice	MSRP
3RD ROW PACKAGE			\$1645.00	\$1750.00
-inc: 5+2 seating and 1 3rd row USB charg	ing port, 3rd Row Ventilation	Code: 074OC		
CLIMATE COMFORT PACKAGE			\$1222.00	\$1300.00
-inc: heated windscreen, Heated Leather S 072AC	teering Wheel, Heated Front	& Rear Seats Code:		
SANTORINI BLACK CONTRAST ROOF	:		\$329.00	\$350.00
Code: 080AN				
SD CARD NAVIGATION			\$752.00	\$800.00
Code: 025OA				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
FIRENZE RED METALLIC			\$893.00	\$950.00
Code: 1AF				
EBONY/EBONY, PARTIAL LEATHER S	EAT TRIM		\$0.00	\$0.00
Code: TWB				

Standard Equipment

ENTERTAINMENT

- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: 190W Audio System w/10 Speakers inc: 1 media USB, 1 aux port, Bluetooth telephone connectivity plus audio streaming, 5" color TFT screen in instrument cluster and 8" color touchscreen infotainment screen
- Window Grid Diversity Antenna

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille
- Black Side Windows Trim
- Body-Colored Door Handles
 Deduced Event Permission
- Body Colored Front Bumper w/Black Rub Strip/Fascia Accent and Black Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Power Folding
 Development (Discharge Charge)
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Black Bumper Insert
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power





- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Galvanized Steel Panels
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Manual-Leveling Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Perimeter/Approach Lights
- Rear Fog Lamps
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
 Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 18"
- Wheels: 18" 9 Spoke Alloy (Style 109) -inc: In sparkle silver

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 6040 Folding Split-Bench Front Facing Manual Reclining Flip Forward Cushion/Seatback Rear Seat w/Manual Fore/Aft
- 8 Way Power Front Seats inc: center console w/sliding armrest
- Air Filtration
- Aluminum Gear Shift Knob
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
- Front And Rear Map Lights
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 4 12V DC Power Outlets
- · Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts and Headliner/Pillar Ducts
- Illuminated Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Interior Trim inc: Aluminum Instrument Panel Insert, Aluminum Console Insert, Metal-Look Interior Accents and Leatherette Upholstered Dashboard
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Partial Leather Seat Trim
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Push Button Start Only
- Rear Center Armrest w/Storage
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Roll-Up Cargo Cover
- Smart Device Integration
- Systems Monitor
- Trip Computer
- Valet Function

MECHANICAL

- 18.5 Gal. Fuel Tank
- 3.75 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 80-Amp/Hr Maintenance-Free Battery
- Automatic Full-Time Four-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop Start Feature
 Engine: 2 OL 14 Technology
- Engine: 2.0L I4 Turbocharged



- Front And Rear Anti-Roll Bars
- **Gas-Pressurized Shock Absorbers** .
- GVWR: 5,520 lbs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher .
- Strut Front Suspension w/Coil Springs .
- Strut Rear Suspension w/Coil Springs •
- Transmission w/Driver Selectable Mode
- Transmission: 9-Speed Automatic w/Paddle Shifters

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- **Back-Up Camera**
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags •
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- InControl Protect Emergency Sos ٠
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners .
- **Rear Child Safety Locks** .
- **Rear Parking Sensors** •
- Side Impact Beams ٠
- Terrain Response Electronic Stability Control (ESC) And Roll Stability Control (RSC) ٠
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
 Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes •
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8in .
- . Rear Brake Rotor Diam x Thickness 11.8in
- Rear Drum Diam x Width in .

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain ٠
- Cargo Box Width @ Floor N/Ain .
- Cargo Box Width @ Top, Rear N/Ain ٠
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ³ ٠
- Cargo Volume to Seat 1 66.9ftÂ³ ٠
- Cargo Volume to Seat 2 32ftÅ³ .
- Cargo Volume to Seat 3 32ftÅ³ .
- Ext'd Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (2nd) N/A
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0 (Est)



Engine

- Displacement 2.0 L/122
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 240 @ 5800
- SAE Net Torque @ RPM 250 @ 1750

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
 Height, Overall 67.9in
- Height, Overall 67.9in
 Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 8.3in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.8in
- Track Width, Rear 64.2in
- Wheelbase 107.9in
- Width, Max w/o mirrors 74.6in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 18.5gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 40.2in
- Front Hip Room N/Ain
- Front Leg Room 42in
- Front Shoulder Room 57.4in
- Passenger Capacity 7
- Second Head Room 38.7in
- Second Hip Room N/Ain
- Second Leg Room 37.3in
- Second Shoulder Room 56.3in

Mileage

- Cruising Range City 370.00mi
- Cruising Range Hwy 481.00mi
- EPA Fuel Economy Est City 20MPG
- EPA Fuel Economy Est Hwy 26MPG
- Fuel Economy Est-Combined 22MPG

Steering

• Steering Ratio (:1), At Lock N/A



- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A .
- Steering Type Rack-Pinion •
- Turning Diameter Curb to Curb 38.1ft ٠
- Turning Diameter Wall to Wall N/Aft •

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs Axle Ratio (:1) Front 3.75 .
- Axle Ratio (:1) Rear 3.75 .
- Axle Type Front Independent ٠
- ٠ Axle Type - Rear Independent
- Shock Absorber Diameter Front N/Amm ٠
- Shock Absorber Diameter Rear N/Amm ٠
- Spring Capacity Front N/Albs .
- Spring Capacity Rear N/Albs •
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain ٠
- Suspension Type Front Strut .
- Suspension Type - Rear Strut

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code .
- Front Tire Size P235/60VR18
- **Rear Tire Capacity N/Albs** •
- **Rear Tire Order Code**
- Rear Tire Size P235/60VR18
- Revolutions/Mile @ 45 mph Front N/A ٠
- ٠ Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A •
- Spare Tire Capacity N/Albs •
- Spare Tire Order Code 0740C .
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs
- . Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch Max Tongue Wt. N/Albs •
- Wt Distributing Hitch Max Trailer Wt. N/Albs •

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.58 .
- Fifth Gear Ratio (:1) 1.00 •
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.70
- Fourth Gear Ratio (:1) 1.38
- •
- ٠
- .
- •

- Trans Description Cont. Automatic w/OD .
- **Trans Order Code** •
- Trans Power Take Off N/A •
- Trans Type 9 ٠
- . Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A .
- **Transfer Case Model None**
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight Front N/Albs

- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.80
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70 ٠
- Sixth Gear Ratio (:1) 0.80
- Third Gear Ratio (:1) 1.90 •
- **Trans Description Cont. Again** .



- Curb Weight Rear N/Albs
- Curb Weight N/Albs •
- Gross Axle Weight Rating N/Albs •
- Gross Axle Wt Rating Front N/Albs •
- ٠
- Gross Axle Wt Rating Rear N/Albs Gross Combined Wt Rating N/Albs ٠
- Gross Vehicle Weight Rating 5520.00lbs ٠
- Maximum Payload Capacity N/Albs
- •
- Option Weight Front 0.00lbs Option Weight Rear 0.00lbs Payload Weight Front Olbs •
- •
- **Payload Weight Rear Olbs** •
- Reserve Axle Capacity Front N/Albs Reserve Axle Capacity Rear N/Albs Reserve Axle Capacity N/Albs •
- ٠
- •
- Standard Weight - Front Olbs
- Standard Weight Rear Olbs ٠
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in •
- ٠ **Rear Wheel Material Aluminum**
- Rear Wheel Size 18 X 8in
- ٠ **Spare Wheel Material Steel**
- Spare Wheel Size Compactin