

csievers@poquetauto.com

# **Vehicle Information**

Date: October 26, 2018

Vehicle: 2015 Volkswagen Touareg Utility 4D Lux AWD 3.6L V6

VIN: WVGEF9BPXFD006789

Weight: 4,696

# **New Cars/Trucks Values**

Powered by Chrome Data Base MSRP	<b>Base</b> \$53,170	Options \$325	<b>Destination</b> \$910	Adjusted Value \$54,405
NADA New Vehicle Values	φου, 11 σ	Ψ020	φοιο	ψο 1, 100
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment STANDARD PAINT			Invoice \$0.00	MSRP \$0.00
Code: -PAINT TRAILER HITCH EXTRAS -inc: tow and ball mount and 7-pin adapter plug (PIO) Code: UGH			\$250.00	\$325.00
CANYON GRAY METALLIC  Code: 9Q9Q			\$0.00	\$0.00
TERRACOTTA BROWN, VIENNA LEATHER SEATING SURFACES  Code: TA			\$0.00	\$0.00

# **Standard Equipment**

### **ENTERTAINMENT**

- Audio Theft Deterrent
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and 18 Gb Internal Memory
- Radio: RNS 850 Navigation & Infotainment System inc: 8" touchscreen, AM/FM/HD radio, CD/DVD player, Bluetooth connectivity, SiriusXM Satellite Radio (limited subscription), 8 speaker sound system and Media Device Interface (MDI)
- Siriusxm Traffic Real-Time Traffic Display
- Window Grid Diversity Antenna

## **EXTERIOR**

- Aluminum Spare Wheel
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Driver Auto Dimming, Power Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper
- Chrome Bodyside Insert and Black Wheel Well Trim
- Chrome Grille
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Cornering Lights
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade



- Licensed to J.D. Powe
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Directionally Adaptive Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- · Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Roof Rack Rails Only
- Spare Tire Mobility Kit
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/50R19 AS BSW
- Wheels w/Silver Accents
- . Wheels: 19" Salvador Alloy

#### INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 4 12V DC Power Outlets and 1 AC Power Outlet
- 6040 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Ashtrav
- · Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Covered Dashboard Storage, Refrigerated/Cooled Box Located In The Glovebox, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Cruise Control
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Front Passenger Armrests and Rear Center Armrest w/Pass Thru
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Cigar Lighter(s)
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console, 4 12V DC Power Outlets and 1 AC Power Outlet
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Altimeter, Trip Odometer and Trip Computer
- Heated Front Comfort Seats inc: 12-way power adjustable w/power lumbar support and driver memory
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Residual Heat Recirculation and Console Ducts
- Illuminated Locking Glove Box
- Integrated Navigation System w/Voice Activation
- Interior Trim -inc: Genuine Wood/Metal-Look Instrument Panel Insert, Genuine Wood/Metal-Look Door Panel Insert, Genuine Wood/Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Gear Shift Knob
- Leather/Piano Black Steering Wheel
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Driver Seat and Door Mirrors
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases Inc: Proximity Cargo Access
- Roll-Up Cargo Cover
- Seats w/Leatherette Back Material
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function



Vienna Leather Seating Surfaces

## **MECHANICAL**

- 1239# Maximum Payload
- 180 Amp Alternator
- 26.4 Gal. Fuel Tank
- 3.70 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 95-Amp/Hr 450CCA Maintenance-Free Battery
- Class III Towing Equipment inc: Hitch
- Double Wishbone Front Suspension w/Coil Springs
- Engine: 3.6L VR6 DOHC inc: 24-valve, narrow-angle V6 w/FSI direct fuel injection,
- Front And Rear Anti-Roll Bars
- **Full-Time All-Wheel Drive**
- **Gas-Pressurized Shock Absorbers**
- GVWR: 2,800 kgs (6,173 lbs)
- Hydraulic Power-Assist Speed-Sensing Steering
- Mechanical Limited Slip Differential
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Transmission w/Driver Selectable Mode and Tiptronic Sequential Shift Control
- Transmission: 8-Speed Automatic w/Tiptronic

### **SAFETY**

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- **Dual Stage Driver And Passenger Front Airbags**
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Power Rear Child Safety Locks
- Side Assist Blind Spot Sensor
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) 4-Wheel
- **Brake ABS System 4-Wheel**
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ3
- Cargo Volume to Seat 1 64ftÂ3
- Cargo Volume to Seat 2 32.1ftÂ3
- Cargo Volume to Seat 3 32.1ftÂ<sup>3</sup>
- Ext'd Cab Cargo Volume N/AftÂ3
- Tailgate Width N/Ain

## **Cooling System**



• Total Cooling System Capacity N/Aqts

#### **Electrical**

- Cold Cranking Amps @ 0° F (2nd) 450
- Cold Cranking Amps @ OA° F (3rd) N/A
- Cold Cranking Amps @ OA° F (Primary) 450
- Maximum Alternator Capacity (amps) 180

### **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.2 (Est)

## Engine

- Displacement 3.6 L/220
- **Engine Oil Cooler None**
- **Engine Order Code**
- Engine Type Premium Unleaded V-6
- Fuel System Gasoline Direct Injection SAE Net Horsepower @ RPM 280 @ 6200
- SAE Net Torque @ RPM 266 @ 2500

### **Exterior Dimensions**

- · Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 68.2in Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain Rear Door Opening Width N/Ain
- Track Width, Front 65.2in Track Width, Rear 66in
- Wheelbase 113.9in
- Width, Max w/o mirrors 76.4in

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ<sup>3</sup>

## **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 26.4gal
- Fuel Tank Location N/A

### **Interior Dimensions**

- Front Head Room 39.6in
- Front Hip Room N/Ain
- Front Leg Room 41.4in
- Front Shoulder Room 59.8in
- Passenger Capacity 5
- Second Head Room 38.9in • Second Hip Room N/Ain



- . Second Leg Room 36.7in
- Second Shoulder Room 56.7in

## Mileage

- Cruising Range City 448.80mi
- Cruising Range Hwy 607.20mi
- **EPA Fuel Economy Est City 17MPG**
- EPA Fuel Economy Est Hwy 23MPG
- Fuel Economy Est-Combined 19MPG

## Steering

- Steering Ratio (:1), At Lock N/A Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 39ft
- Turning Diameter Wall to Wall N/Aft

## Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs
- Axle Ratio (:1) Front 3.70
- Axle Ratio (:1) Rear 3.70
- Axle Type Front Independent
- Axle Type Rear Independent
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Double Wishbone
- Suspension Type Rear Multi-Link

## **Tires**

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P265/50HR19
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P265/50HR19
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- **Spare Tire Size Compact**

### **Trailering**

- Dead Weight Hitch Max Tongue Wt. 772lbs
- Dead Weight Hitch Max Trailer Wt. 7716lbs
- **Maximum Trailering Capacity 7716lbs**
- Wt Distributing Hitch Max Tongue Wt. 772lbs
- Wt Distributing Hitch Max Trailer Wt. 7716lbs

#### **Transmission**

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.85 Fourth Gear Ratio (:1) 1.44
- Reverse Ratio (:1) 3.83
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.82
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.86 • Trans Description Cont. Again



- Trans Description Cont. Automatic w/OD
- **Trans Order Code**
- Trans Power Take Off N/A
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- **Transfer Case Model None**
- Transfer Case Power Take Off No

## **Weight Information**

- As Spec'd Curb Weight N/Albs
   As Spec'd Payload N/Albs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating Front N/Albs Gross Axle Wt Rating Rear N/Albs

- Gross Combined Wt Rating N/Albs Gross Vehicle Weight Rating 6173.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight Front 0.00lbs
- Option Weight Rear 0.00lbs Payload Weight Front Olbs
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs
- Reserve Axle Capacity Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight Front Olbs
- Standard Weight Rear Olbs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 8.5in
- **Rear Wheel Material Aluminum**
- Rear Wheel Size 19 X 8.5in
- Spare Wheel Material Aluminum
- Spare Wheel Size Compactin